

Material Safety Data Sheet

Travaza Threading Oil

Infosafe No. 1STQS Issue Date: January 2021 Issued by Garrick Herbert Pty Ltd
 Not classified as hazardous according to criteria of NOHSC Travaza Threading Oil

COMPANY DETAILS

Company Name Garrick Herbert Pty Ltd
Address 460-462 The Boulevarde (PO BOX 3118) Kirrawee NSW 2232
Telephone 02 9545 6633 **Fax** 02 9545 4222 **Email** sales@garrickherbert.com.au
ABN 16 002 099 783

IDENTIFICATION

Product Name Travaza Threading
Oil Proper Shipping Name None Allocated
Other Names None Listed
UN Number None Allocated
DG Class None Allocated
Packing Group None Allocated
Hazchem Code None Allocated
Poisons Schedule Not Scheduled
Product Use Neat cutting oil

PHYSICAL DATA

Appearance Amber Liquid
Boiling Point > 316°C
Vapour Pressure < 0.1 mmHg @ 20°C
Specific Gravity 0.88 @ 15°C/typical
Flash Point 200°C/typical
Flamm. Limit LEL Not Applicable
Explosion Data Not Applicable

OTHER PROPERTIES

Volatile Component None
Viscosity 22-30cSt @ 40°C
Other Information Product will stain copper/copper based alloys.
 See Product Information Sheet for further information.

INGREDIENTS

Ingredients	Name	CAS	Proportion
	Other ingredients determined not hazardous	N/Alloc.	60-100%
	Calcium sulfonate derivative	7778-18-9	0-10%

HEALTH HAZARD INFORMATION

HEALTH EFFECTS

Infosafe No. 1STQS Issue Date: April 2018 Issued by Garrick Herbert Pty Ltd

Not classified as hazardous according to criteria of NOHSC

Travaza Threading Oil

Acute - Swallowed	May be harmful if swallowed. Ingestion can result in diarrhoea.
Acute - Eye	May cause slight eye irritation.
Acute - Skin	Contact with skin may result in irritation if exposure is prolonged.
Acute - Inhaled	Not normally a hazard due to the non-volatile nature of the product. Inhalation of oil mist may cause irritation to the upper respiratory system. Inhalation hazard is increased at higher temperatures.
Chronic	Repeated or prolonged skin contact can result in irritation and in severe cases dermatitis.

FIRST AID

Swallowed	DO NOT induce vomiting because of risk of aspiration. Rinse mouth thoroughly with water immediately. Give water to drink and seek immediate medical assistance. Should vomiting occur, hold patient with head below the hips to prevent pulmonary aspiration.
Eye	Immediately irrigate with copious quantities of water for at least 15 minutes. Eyelids to be held open. In all cases of eye contamination it is a sensible precaution to seek medical assistance. Transport to hospital or medical centre.
Skin	Wash with plenty of soap and water. Seek medical advice if effects persist.
Inhaled	Remove victim from exposure – avoid becoming a casualty. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. For all but most minor symptoms arrange for patient to be seen by a doctor as soon as possible – either on site or at the nearest hospital.
First Aid Facilities	Normal washroom facilities.

ADVICE TO DOCTOR

Advice	Treat symptomatically
---------------	-----------------------

OTHER HEALTH HAZARD INFORMATION**PRECAUTIONS FOR USE**

Exposure Limits	NOHSC Exposure Standard: Oil mists – time weighted average (TWA) 5mg/m ³ and a short term exposure limit (STEL) 10mg/m ³ is recommended. No value assigned for this specific material by the National Occupational Health and Safety Commission (WSA). Maintain exposure to a minimum.
Eng. Controls	Maintain concentration below recommended exposure limit. If risk of overexposure exists, wear SAA approved respirator.
Other Information	Observe standard safety precautions and good work practices. Do not continue to use contaminated clothing.

PERSONAL PROTECTION

Protective Equip.	Overalls, safety glasses and impervious gloves, eg. PVC. Avoid skin and eye contact, and inhalation of mists/aerosols. Wash contaminated clothing and protective equipment before storing/re-using. Avoid carrying contaminated rags in pockets or wearing of soaked clothing. If risk of inhalation of spray mist exists, wear combined organic vapour/particulate respirator meeting the requirements of AS1715 and AS1716. If using a respirator ensure that the cartridges are correct for the potential air contamination and are in good working order.
--------------------------	--

FLAMMABILITY

Fire Hazards	Will burn if involved in a fire.
---------------------	----------------------------------

Not classified as hazardous according to criteria of NOHSC

Travaza Threading Oil

SAFE HANDLING INFORMATION**STORAGE AND TRANSPORT**

Storage and Transport	Store in cool place and out of direct sunlight. Not classified as a Dangerous Good according to the Australian Code for the transport of Dangerous Goods by Road and Rail. Ensure containers are clearly labeled. Protect containers against physical damage and check regularly for leaks. Store away from oxidising agents or combustible material.
Proper Shipping Name	None Allocated

SPILLS AND DISPOSALS

Spills & Disposals	Contain – prevent contamination of drains and waterways. Use absorbent (soil or sand, sawdust, inert material, vermiculite). Collect and seal in properly labelled drums for disposal. Dispose of waste as per Local, State and Federal Land Waste Management Authorities. (Victoria: MMBW (03) 9615 6099)
-------------------------------	--

FIRE/EXPLOSION HAZARD

Fire/Explos. Hazard	Extinguish fire with the following: Use CO2, dry chemical or foam. Fire fighters to wear self-contained breathing apparatus if risk of exposure to products of decomposition. On burning will emit toxic fumes of carbon monoxide, acrid smoke and carbon dioxide.
Hazardous Reaction	Store away from strong oxidising or combustible materials.
Hazchem Code	None Allocated

OTHER INFORMATION

Toxicology	This product is considered to be non hazardous and non toxic when used in accordance with good industrial hygiene and the manufacturer's recommendations.
Environ. Protection	Non-biodegradable. Avoid contaminating waterways. * For mineral oil: Acute LC/EC50 Fish - Juvenile Rainbow Trout - Practically non-toxic. Based on testing with similar products.
Pkg. & Labelling	No special packaging or labeling requirements.
References	Commonwealth of Australia, 'Australian Code for the Transport of Dangerous Goods by Road and Rail' AGPS (1998) 6 th edition.

CONTACT POINT

Contact	Garrick Herbert Pty Ltd (02) 9545 6633
Poison Information Centre:	13 11 26 – 24 hour line

This information was prepared in good faith from the best information available at the time of issue. It is based on the present level of research and to this extent we believe it to be accurate. However, no guarantee of accuracy is made or implied and since conditions of use are beyond our control, all information relevant to usage is offered without warranty. The manufacturer will not be held responsible for any unauthorised use of this information or for any modified or altered versions.

If you are an employer it is your duty to tell your employees, and any others that may be affected, of any hazards described in this sheet and of any precautions that should be taken.

Material Safety Data Sheets are updated frequently. Please ensure you have a current copy.

N/A = Not allocated

...End of Report...