


Feature			Scer	nario			St	ер	
Name	Duration	T	P	F	S	T	P	F	S
Renew Fleet feature	4 m 4.610 s	1	0	1	0	16	0	1	15

FEATURES SUMMARY -- 3 --



#	Feature Name	T	P	F	S	Duration	
1	Renew Fleet feature	1	0	1	0	4 m 4.610 s	

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Renew Fleet feature	IRP Renew fleet	16	0	1	<b>15</b>	4 m 4.608 s

DETAILED SECTION -- 5 --

## **Renew Fleet feature**

FAILED	DURATION - 4 m 4.610 s	Scenarios		Steps	
		Total - 1		Total - 16	
/ 1:07:55.094 pm // 1	::11:59.704 pm /	Pass - 0	1	Pass - 0	16
		Fail - 1		Fail - 1	10
		Skip - 0		Skip - 15	

## **IRP Renew fleet**



#	Step / Hook Details	Status	Duration
1	Given User login as a Internal user	FAILED	3 m 0.109 s
	org.openqa.selenium.TimeoutException: java.util.concurrent.TimeoutException Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'SAIMADHURI', ip: '192.168.1.41', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.1.1' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [a4ed33f7a000705aa164b9a2ccfa33e8, get {url=https://test.celtic.bz/AutoEnterprise/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.107, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576, userDataDir: C:UJsersIsaimalAppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:63925}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63925/devtoo, se:cdpVersion: 107.0.5304.107, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: a4ed33f7a000705aa164b9a2ccfa33e8  at org.openqa.selenium.remote.http.netty.NettyHttpHandler.makeCall(NettyHttpHandler.java:65)  at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42)  at org.openqa.selenium.remote.http.Titer.lambda\$andFinally\$1(Filter.java:56)  at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42)  at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:56)  at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:56)  at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:56)  at org.openqa.selenium.remote.http.CommandExecutor.java:181)  at org.openqa.selenium.remote.http.CommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)		
	at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:332)		
	at com.celtic.automation.cmcs.parallel.RWC001.user_login_as_a_internal_user(RWC001.java:76)		
	at ?.User login as a Internal user(file:///D:/WorkingDirectory/updated_celtic_project-main/src/test/resources/parallel/RWC001.feature:3)		
	Caused by: java.util.concurrent.TimeoutException		
	at java.base/java.util.concurrent.CompletableFuture.timedGet(CompletableFuture.java:1960)		
	at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2095)		
	at org.asynchttpclient.netty.NettyResponseFuture.get(NettyResponseFuture.java:206)		
	at org.openqa.selenium.remote.http.netty.NettyHttpHandler.makeCall(NettyHttpHandler.java:59)		
	at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42)		
	at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:56)		
	at org.openqa.selenium.remote.http.netty.NettyHttpHandler.execute(NettyHttpHandler.java:49)		
	at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42)		
	at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:56)		
	at org.openqa.selenium.remote.http.netty.NettyClient.execute(NettyClient.java:98)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:181)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)		
	at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:332)		
	at com.celtic.automation.cmcs.parallel.RWC001.user_login_as_a_internal_user(RWC001.java:76)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:577)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:577)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
	at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824)		
	at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:794)		
	at org.testng.TestRunner.run(TestRunner.java:596)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:276)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1134)		
	at org.testng.TestNG.runSuites(TestNG.java:1063)		
	at org.testng.TestNG.run(TestNG.java:1031)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - com.celtic.automation.cmcs.apphooks.ApplicationHooks.as(io.cucumber.java.Scenario)	PASSED	1 m 1.660 s
	anyname		
	Welcome to MCOOT Againstance This is the same recommendation  1		
2	When User will navigate to the IRPLink	SKIPPED	0.000 s
3	Then User will provide all the Account Number Details to start with IRP Transaction	SKIPPED	0.000 s
4	Then User will navigate to account section and fill the data	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
5	Then User will navigate to Fleet section and fill the data and validate message "IRPACC00 : [I] Renewal account has been generated."	SKIPPED	0.000 s
6	Then User will navigate to Distance section and fill the data and validate message "IRPFLT01 : [I] Renewal fleet has been generated." "[I] MCE: IRP status successfully updated."	SKIPPED	0.000 s
7	Then User will navigate to Weight group section and fill the data ans validate message "IRPMLG13 : [I] Renewal Distance has been generated."	SKIPPED	0.000 s
8	Then User will navigate to Add vehicle and validate the message "IRPVEH375 : [I] Please search the VIN first to process a vehicle." "IRPVEH491 : [W] New Plate Required flag set for this vehicle to Yes." "IRPVEH004 : [I] Vehicle amended successfully."	SKIPPED	0.000 s
9	Then User will Delete vehicle as per the requiremnet and validate the message "IRPVEH246 : [I] Vehicle(s) deleted successfully."	SKIPPED	0.000 s
10	And User will navigate to vehicle list to cancel the existing amended vehicle and amend it again "GEN1062 : [I] Cancellation completed successfully"	SKIPPED	0.000 s
11	Then User will navigate to vehicle list to cancel the existing deleted vehicle and delete it again "GEN1062 : [I] Cancellation completed successfully"	SKIPPED	0.000 s
12	Then User will navigate to billing to verify as well to adjust the cost & Waive Fees "IRPBILL09 : [E] Manual adj. reason is required."	SKIPPED	0.000 s
13	And User will navigate to Payment Tab to input the data and validate message "GEN24 : [I] Invoice report generated successfully." "IRPREP28 : [I] Billing completed successfully." "GEN1239 : [I] TVR generated successfully."	SKIPPED	0.000 s
14	Then User will navigate to supplement continuance and validate the meesage "GENPAY01 : [E] This transaction already exists in the cart."	SKIPPED	0.000 s
15	Then User will navigate to payment tab and fill the requirement	SKIPPED	0.000 s
16	And user will validate message "Payment Receipt generated successfully" "Credentials generated successfully."	SKIPPED	0.000 s
	AFTER - com.celtic.automation.cmcs.apphooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	1.048 s
	IRP_Renew_fleet		
	Wodome to 10.007 Application **Wis Subtraction endergrees*		