

Cucumber Report

17-Oct-2022, 10:40:12 am

Start : Oct 17, 10:32:31.150 am

End : Oct 17, 10:40:10.415 am

Duration : 7 m 39.265 s

Features






PASSED - 0
FAILED - 1
SKIPPED - 0

Scenarios

PASSED - 0
FAILED - 1
SKIPPED - 0

Steps


PASSED - 14
FAILED - 1
SKIPPED - 4



Feature				Scenario				Step			
Name		Duration		T	P	F	S	T	P	F	S
<i>Renew Fleet feature</i>		7 m 39.265 s		1	0	1	0	19	14	1	4




#	Feature Name	T	P	F	S	Duration
1	<u>Renew Fleet feature</u>	1	0	1	0	7 m 39.265 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Renew Fleet feature</u>	<u>IRP Renew fleet</u>	19	14	1	4	7 m 39.262 s




Renew Fleet feature









IRP Renew fleet




#	Step / Hook Details	Status	Duration
1	Given User login as a Internal user	PASSED	1 m 2.884 s
	AFTER_STEP - AppHooks.Application_Hooks.as(io.cucumber.java.Scenario) anyname 	PASSED	0.564 s
2	When User will navigate to the IRPLink	PASSED	18.629 s
	AFTER_STEP - AppHooks.Application_Hooks.as(io.cucumber.java.Scenario) anyname	PASSED	0.573 s

#	Step / Hook Details	Status	Duration
			
3	Then User will provide all the Account Number Details to start with IRP Transaction AFTER_STEP - AppHooks.Application_Hooks.as(io.cucumber.java.Scenario) anyname	PASSED	6.292 s
		PASSED	0.601 s
4	Then User will navigate to account section and fill the data AFTER_STEP - AppHooks.Application_Hooks.as(io.cucumber.java.Scenario) anyname	PASSED	10.330 s
		PASSED	0.719 s
5	Then User will navigate to Fleet section and fill the data and validate message "IRPACC00 : [I] Renewal account has been generated." AFTER_STEP - AppHooks.Application_Hooks.as(io.cucumber.java.Scenario) anyname	PASSED	22.539 s
		PASSED	0.664 s
6	Then User will navigate to Distance section and fill the data and validate message "IRPFLT01 : [I] Renewal fleet has been generated." "[I] MCE: IRP status successfully updated." AFTER_STEP - AppHooks.Application_Hooks.as(io.cucumber.java.Scenario)	PASSED	35.984 s

#	Step / Hook Details	Status	Duration
	<p>anyname</p>  <p>BeAutomated</p>		
7	Then User will navigate to Weight group section and fill the data ans validate message "IRPMLG13 : [I] Renewal Distance has been generated."	PASSED	34.720 s
	<p>AFTER_STEP - AppHooks.Application_Hooks.as(io.cucumber.java.Scenario)</p> <p>anyname</p>  <p>BeAutomated</p>	PASSED	0.691 s
8	Then User will navigate to Add vehicle and validate the message "IRPVEH375 : [I] Please search the VIN first to process a vehicle." "IRPVEH491 : [W] New Plate Required flag set for this vehicle to Yes." "IRPVEH004 : [I] Vehicle amended successfully."	PASSED	44.141 s
	<p>AFTER_STEP - AppHooks.Application_Hooks.as(io.cucumber.java.Scenario)</p> <p>anyname</p>  <p>BeAutomated</p>	PASSED	0.678 s
9	Then User will Delete vehicle as per the requiremnet and validate the message "IRPVEH246 : [I] Vehicle(s) deleted successfully."	PASSED	18.022 s
	<p>AFTER_STEP - AppHooks.Application_Hooks.as(io.cucumber.java.Scenario)</p> <p>anyname</p>  <p>BeAutomated</p>	PASSED	0.655 s
10	And User will confirm cancel "GEN1062 : [I] Cancellation completed successfully"	PASSED	12.886 s

#	Step / Hook Details	Status	Duration
	<p>AFTER_STEP - AppHooks.Application_Hooks.as(io.cucumber.java.Scenario)</p> <p>anyname</p>  <p>BrAteron BrAteron</p>	PASSED	0.673 s
11	Then User will navigate to vehicle list to update existing vehicle	PASSED	26.559 s
	<p>AFTER_STEP - AppHooks.Application_Hooks.as(io.cucumber.java.Scenario)</p> <p>anyname</p> 	PASSED	0.723 s
12	Then User will navigate to billing to verify as well to adjust the cost & Waive Fees "IRPBILL09 : [E] Manual adj. reason is required."	PASSED	1 m 5.263 s
	<p>AFTER_STEP - AppHooks.Application_Hooks.as(io.cucumber.java.Scenario)</p> <p>anyname</p> 	PASSED	0.868 s
13	And User will navigate to Payment Tab to input the data and validate message "GEN24 : [I] Invoice report generated successfully." "IRPREP28 : [I] Billing completed successfully." "GEN1239 : [I] TVR generated successfully."	PASSED	10.460 s
	<p>AFTER_STEP - AppHooks.Application_Hooks.as(io.cucumber.java.Scenario)</p> <p>anyname</p> 	PASSED	0.720 s

#	Step / Hook Details	Status	Duration
14	Then User will navigate to supplement continuance and validate the message "GENPAY01 : [E] This transaction already exists in the cart."	PASSED	5.197 s
	AFTER_STEP - AppHooks.Application_Hooks.as(io.cucumber.java.Scenario) anyname 	PASSED	0.435 s
15	Then User will navigate to payment tab and fill the requirement org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.xpath: //input[@id='btnProceed']' (tried for 60 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at com.qa.util.ElementUtil.clickElement(ElementUtil.java:369) at com.pages.CommonObjects.clickProceed(CommonObjects.java:131) at Parallel.RWC_001.user_will_navigate_to_payment_tab_and_fill_the_requirement(RWC_001.java:602) at ?.User will navigate to payment tab and fill the requirement(file:///D:/WorkingDirectory/CelticProject_Framework-main/src/test/resources/parallel/RWC_001.feature:17) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@id='btnProceed']"} (Session info: MicrosoftEdge=106.0.1370.47) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'SAIMADHURI', ip: '192.168.1.41', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [715576aaac57dfeddfc138e3630279f5, findElement {using=xpath, value=/input[@id='btnProceed']}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 106.0.1370.47, ms:edgeOptions: {debuggerAddress: localhost:63119}, msedge: {msedgedriverVersion: 106.0.1370.47 (4e0bb7311a0a..., userDataDir: C:\Users\saima\AppData\Loca...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63119/devtoo..., se:cdpVersion: 106.0.1370.47, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 715576aaac57dfeddfc138e3630279f5 at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)	FAILED	1 m 11.782 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:387) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:379) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy32.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at com.qa.util.ElementUtil.clickElement(ElementUtil.java:369) at com.pages.CommonObjects.clickProceed(CommonObjects.java:131) at Parallel.RWC_001.user_will_navigate_to_payment_tab_and_fill_the_requirement(RWC_001.java:602) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'.</p>		
	AFTER_STEP - AppHooks.Application_Hooks.as(io.cucumber.java.Scenario)	PASSED	0.423 s
	anyname		
			
16	And user will validate message "Payment Receipt generated successfully" "Credentials generated successfully."	SKIPPED	0.000 s
17	Then User navigate to inventory tab to input the data and validate the message "ENTINV56 : [I] Length of From No. must be 6 with inventory format ##@@#@ where # must be numeric and @ must be alphabetic." "ENTINV06 : [I] Inventory has been	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
	added successfully."		
18	And Assign the inventory to proceed further "ENTINV56 : [I] Length of From No. must be 6 with inventory format ##@@#@# where # must be numeric and @ must be alphabetic." "Inventory has been assigned successfully."	SKIPPED	0.000 s
19	Then user navigate to post payment for 2nd installment payment and fill the data and validate the message "PAY14 : [I] Payment completed successfully." "GEN24 : [I] Payment Receipt generated successfully."	SKIPPED	0.000 s
	AFTER - AppHooks.Application_Hooks.tearDown(io.cucumber.java.Scenario) IRP_Renew_fleet 	PASSED	0.833 s