Log Fold Changes Compared to Mice on the Chow Diet

Log Fold Changes Compared to Mice on the Chow Diet				
Order:Lachnospirales -	-0.3	-0.16	0.05	0.13
Family:uncultured -	1.41	0.6	0.44	0.85
Family:UCG-010 -	-0.3	-0.18	0.15	-0.1
Family:Tannerellaceae -	1.2	-0.65	0.98	0.1
Family:Sutterellaceae -	0.83	-0.45	0.34	-0.8
Family:Staphylococcaceae -	0.4	2.53	0.41	1.54
Family:Ruminococcaceae -	0.14	0.4	-0.17	0.14
Family:Rikenellaceae -	0.41	0.34	0.7	0.4
Family:RF39 -	-1.2	-0.77	-0.62	-0.73
Family:Peptostreptococcaceae -	1.2	0.8	1.16	0.92
Family:Peptococcaceae -	0.46	0.24	0.83	0.65
Family:Oxalobacteraceae -	-0.34	0.1	0.23	-0.07
Family:Oscillospiraceae -	0.22	0.44	0.08	0.56
Family:Muribaculaceae -	-0.1	-0.34	-0.41	-0.7
Family:Monoglobaceae -	0.74	0.26	1	0.39
Family:Marinifilaceae -	1.14	1.1	0.94	1.62
Family:Lactobacillaceae -	-0.62	-0.93	-1.05	-1.1
Family:Lachnospiraceae -	-0.42	-0.21	-0.69	-0.64
Family:Erysipelotrichaceae -	0.99	-0.27	0.79	0.08
Family:Erysipelatoclostridiaceae -	-0.81	-0.36	-0.46	-0.39
Family:Enterococcaceae -	-0.49	-0.7	-0.96	-0.63
Family:Enterobacteriaceae -	-0.74	-0.57	1.91	-1.89
Family:Eggerthellaceae -	-0.43	-0.01	-0.37	-0.04
Family:Defluviitaleaceae -	0.42	0.41	0.08	0.64
Family:Deferribacteraceae -	0.02	0.39	-0.14	-0.02
Family:Clostridiaceae -	0.74	0.05	-0.2	-0.13
Family:Clostridia_vadinBB60_group -	-0.22	-0.39	0.41	-0.41
Family:Clostridia_UCG-014 -	-0.74	-1.29	-0.55	-1
Family:Christensenellaceae -	-0.05	0.33	0.22	0.71
Family:Butyricicoccaceae -	0.05	-0.16	-0.06	-0.11
Family:Bacteroidaceae -	-0.33	0.05	-0.89	0.47
Family:Anaerovoracaceae -	-0.73	0.18	-0.43	0.18
Family:Anaerofustaceae -	-0.26	-0.21	-0.15	-0.06
Family:Akkermansiaceae -	-1.01	-0.63	-1.25	-0.59
Family:Acholeplasmataceae -	-0.2	-0.31	-0.53	-0.23
Family:[Eubacterium]_coprostanoligenes_group -	0.25	0.39	0.05	0.4
	HFt/HFb	HFt/LFb	LFt/HFb	LFt/LFb