# Assignment 2: Coding Basics

# Maeve Arthur

### **OVERVIEW**

This exercise accompanies the lessons in Environmental Data Analytics on coding basics.

#### **Directions**

- 1. Rename this file <FirstLast>\_A02\_CodingBasics.Rmd (replacing <FirstLast> with your first and last name).
- 2. Change "Student Name" on line 3 (above) with your name.
- 3. Work through the steps, **creating code and output** that fulfill each instruction.
- 4. Be sure to **answer the questions** in this assignment document.
- 5. When you have completed the assignment, **Knit** the text and code into a single PDF file.
- 6. After Knitting, submit the completed exercise (PDF file) to Sakai.

## Basics Day 1

- 1. Generate a sequence of numbers from one to 100, increasing by fours. Assign this sequence a name.
- 2. Compute the mean and median of this sequence.
- 3. Ask R to determine whether the mean is greater than the median.
- 4. Insert comments in your code to describe what you are doing.

```
#1.

by_fours<-seq(1,100,4) #creating a object for a sequence that goes from 1-100 by 4s

by_fours #calling the by_fours object
```

```
## [1] 1 5 9 13 17 21 25 29 33 37 41 45 49 53 57 61 65 69 73 77 81 85 89 93 97

#2.

mean_fours<-mean(by_fours) #creating an object for the mean of the sequence
median_fours<-median(by_fours) #creating an object for the median of the sequence

#3.

isTRUE(mean_fours>median_fours) #asking R if the mean of the sequence is greater than the median of the
```

## [1] FALSE

### Basics Day 2

- 5. Create a series of vectors, each with four components, consisting of (a) names of students, (b) test scores out of a total 100 points, and (c) whether or not they have passed the test (TRUE or FALSE) with a passing grade of 50.
- 6. Label each vector with a comment on what type of vector it is.
- 7. Combine each of the vectors into a data frame. Assign the data frame an informative name.

8. Label the columns of your data frame with informative titles.

```
student_names<-c("maeve", "aileen", "laura", "ally") #character vector
test_scores<-c(99,98,97,49) #numeric vector
passed<-c("true", "true", "false") #character vector
student_stats<-cbind(student_names,test_scores,passed)</pre>
```

9. QUESTION: How is this data frame different from a matrix?

Answer: This data frame consists of different classes of vector data, while a maxtrix may only consist of one type of data.

- 10. Create a function with an if/else statement. Your function should take a **vector** of test scores and print (not return) whether a given test score is a passing grade of 50 or above (TRUE or FALSE). You will need to choose either the **if** and **else** statements or the **ifelse** statement.
- 11. Apply your function to the vector with test scores that you created in number 5.

```
passed_function<-function(test_scores) {
  if(test_scores > 50) {
    print("Passed")
  }
  else {
    print("Failed")
  }
}
```

12. QUESTION: Which option of if and else vs. ifelse worked? Why?

Answer: The 'if' and 'else' option worked here. That is because the 'ifelse' option always returns a value, and in this case we didn't want that—we wanted the value to printed.