

# QueryBee User Manual

A browser-based builder for fielded Boolean literature searches

Mafatlal M. Kher · Department of Chemical Engineering, Ariel University, Israel · ORCID 0000-0001-

Version 1.2.1, June 2026

## Contents

|                                                            |          |
|------------------------------------------------------------|----------|
| <b>1. What QueryBee does</b>                               | <b>2</b> |
| <b>2. How QueryBee saves you time</b>                      | <b>2</b> |
| <b>3. Before you start</b>                                 | <b>2</b> |
| <b>4. Quick start</b>                                      | <b>3</b> |
| <b>5. The workflow in detail</b>                           | <b>3</b> |
| 5.1 Describe your search . . . . .                         | 3        |
| 5.2 Get terms with an AI assistant (optional) . . . . .    | 3        |
| 5.3 Build concept blocks . . . . .                         | 3        |
| 5.4 Copy your queries . . . . .                            | 3        |
| 5.5 Narrow the topic (optional) . . . . .                  | 3        |
| 5.6 Add MeSH headings for PubMed (optional) . . . . .      | 4        |
| 5.7 Check recall against known papers . . . . .            | 4        |
| 5.8 Save, share, and document . . . . .                    | 4        |
| <b>6. Reading the outputs</b>                              | <b>4</b> |
| 6.1 Term suggestions (keyness) . . . . .                   | 4        |
| 6.2 The recall check . . . . .                             | 4        |
| 6.3 The strategy review . . . . .                          | 4        |
| <b>7. Choosing databases by field</b>                      | <b>5</b> |
| <b>8. Smart and effective strategies (do's and don'ts)</b> | <b>5</b> |
| <b>9. Privacy</b>                                          | <b>6</b> |
| <b>10. Honest limits</b>                                   | <b>6</b> |
| <b>11. Troubleshooting</b>                                 | <b>6</b> |
| <b>12. How to cite</b>                                     | <b>7</b> |

## 1. What QueryBee does

QueryBee turns a research topic into a correct, ready-to-run search for the major literature databases and several specialist ones. It keeps two jobs separate. You choose the right words for each idea in your topic. QueryBee writes those words in the exact format each database expects. You stay in control of the vocabulary; the tool guarantees the syntax.

It is free, needs no account or login, and runs entirely in your web browser. Your search is never uploaded to a server.

QueryBee builds for ten engines: Scopus, Web of Science, PubMed, and Google Scholar, plus IEEE Xplore, ACM Digital Library, ERIC, Ovid, EBSCOhost, and Engineering Village. The four general engines are the default; turn on the specialist ones when your field needs them.

What it does not do: it builds the front-end query only. It does not remove duplicates, screen results, retrieve full text, or write the search section of your paper for you. It is a scaffold for building a correct first search, suitable for teaching, scoping, and reaching a structurally correct multi-database query quickly.

## 2. How QueryBee saves you time

Writing correct fielded Boolean for several databases by hand is slow and error-prone, and a single wrong bracket or field tag silently changes what you retrieve. QueryBee removes that work. You enter the concept terms once, and it returns every selected database's query in seconds, correctly fielded and fully parenthesized, so you never have to learn or remember that Scopus uses TITLE-ABS-KEY, Web of Science uses TS=, and PubMed uses [tiab].

Three further savings matter for real projects. The recall check tests your query against papers you already know are relevant and tells you which concept block would miss them, so you fix a gap before running the search rather than after screening hundreds of records. The exportable search record gives you the PRISMA-S documentation (databases, date, full strings, limits, counts) that a methods section needs, without separate note-keeping. And because the tool is a single file with no install, account, or cost, a student or a researcher without library support can still build a defensible multi-database search.

## 3. Before you start

There is nothing to install. Open index.html by double-clicking it, or use the hosted web link if one has been provided.

Use a current browser. QueryBee works in any modern browser, but Google Chrome gives the most reliable experience, especially for the optional online features (finding terms, the recall check, and the MeSH lookup) and for opening the database links. Keep the browser updated.

Log in to your subscription databases first. For Scopus, Web of Science, Embase, and similar paid databases, sign in through your institution or connect to the campus network before you open them, so the Advanced Search page loads for you instead of a paywall.

Three features need an internet connection: finding terms, the recall check, and the MeSH heading suggestions. Everything else works offline.

## 4. Quick start

1. Type your topic in plain words, then set the years, document types, and databases.
2. Copy the generated prompt into any free AI assistant and paste its reply back, or add concept blocks by hand.
3. Copy the finished query for each database into that database's Advanced Search.
4. Optionally paste a few papers you know are relevant and run the recall check to find gaps.
5. Save the search as a link or file, or export a record for your methods section.

## 5. The workflow in detail

### 5.1 Describe your search

Type your topic in plain language. Set the publication year range, the document types, and which databases you want queries for. The four general engines (Scopus, Web of Science, Google Scholar, PubMed) come first; the six specialist engines are off until you turn them on. A database stays hidden in step 4 until you select it, so you see only the engines you asked for. PubMed is off by default because it covers biomedicine and the life sciences; turn it on when your topic fits that scope.

### 5.2 Get terms with an AI assistant (optional)

QueryBee shows a ready-made prompt. Copy it into any free assistant (for example Claude, ChatGPT, or Gemini). The assistant replies with concept blocks and candidate terms for your topic. This step uses no API key and no paid service; it borrows whatever assistant you already have for the one task that needs judgement, the choice of vocabulary. Keep the CONCEPT and TERMS lines if you edit the prompt, because the tool reads those lines to rebuild your blocks.

### 5.3 Build concept blocks

Paste the assistant's reply and press "Build from reply", or click a starter block and edit it, or add blocks by hand. Each block is one idea. The words inside a block are alternatives for that idea, joined with OR. The blocks are joined with AND, so each idea must appear for a record to match. On any block, "find terms in literature" suggests further candidate terms drawn from real papers.

### 5.4 Copy your queries

QueryBee shows a finished query for each selected database. Press "Copy", then paste it into that database's Advanced Search. Scopus and Web of Science take the query in their Advanced Search forms. The Google Scholar and PubMed links run the search directly. Each specialist card names the search mode to use and where to set the field, because the platforms differ; section 7 lists them.

### 5.5 Narrow the topic (optional)

If a search returns too much, narrow it deliberately rather than by deleting terms at random. Add a fourth concept that every relevant paper must share, such as a population, a setting, a method, or an outcome (for example children, in vitro, or randomized). Tighten the year range to the period that matters. Restrict the document type, for example to reviews, using the document-type control rather than by adding words. Replace a broad concept word with a more specific one (for

example carcinoma instead of cancer) only when you accept the narrower scope. Re-run the recall check after each change, so you raise precision without dropping studies you need. The companion documents, Searching effectively with QueryBee and the Subject Playbooks, show this in context for each field.

## **5.6 Add MeSH headings for PubMed (optional)**

When PubMed is on, its card has a “Suggest MeSH headings” button. QueryBee sends each of your free-text terms to the public NLM MeSH service and offers the matching headings as chips, grouped by concept. Click a heading to add it to that concept as “Heading”[MeSH] beside your free-text terms; click again to remove it. This pairs each idea’s everyday words with PubMed’s controlled vocabulary, which is how a thorough PubMed search is built. MeSH is biomedical, so many agriculture, engineering, and education terms have no heading; the free-text terms still cover those. The lookup needs an internet connection, but the query itself still builds offline.

## **5.7 Check recall against known papers**

Paste a few papers you already know should be found, one per line, as a DOI, an OpenAlex ID, or a title. Press “Check recall”. The tool fetches each paper’s title and abstract and tests your concept blocks against them. For any paper your search would miss, it names the concept block responsible, so you know exactly where to add a synonym.

## **5.8 Save, share, and document**

Save the whole search as a link or a file to reopen later, or export a search record for the methods section of your paper. The record lists each concept’s terms and any MeSH headings you added. The shareable link carries the entire search inside the link itself, so nothing is stored on any server.

# **6. Reading the outputs**

## **6.1 Term suggestions (keyness)**

Suggested terms are ranked by keyness: how much more often a word appears in papers about your topic than in the literature as a whole. This pushes distinctive terms to the top and demotes generic words such as “patients” or “treatment”. Each suggestion’s tooltip shows its keyness score and how many sampled papers used it. These are candidates, not confirmed synonyms; read each one before adding it.

## **6.2 The recall check**

For each paper you paste, “Retrieved” means every concept block has at least one matching term in the title or abstract. “Missed” names the block where no term matched; add a synonym there and check again. The test uses title and abstract only, so a subscription database that also searches keyword fields may catch a few more records. When a paper has no freely available abstract, the tool tests on the title alone and tells you so.

## **6.3 The strategy review**

The review panel checks your search against common peer-review-of-search criteria: enough concept blocks, more than one term per block, truncation for word stems, spelling and abbreviation variants,

more than one database, and so on. Warnings are worth acting on; information notes are gentle suggestions. The panel also lists what to record when you report the search.

## 7. Choosing databases by field

Scopus and Web of Science receive a fully fielded Boolean query for their Advanced Search and suit any discipline; use both, because they overlap but each indexes unique sources. PubMed receives field-tagged terms plus any MeSH headings you add, and covers biomedicine and the life sciences. Google Scholar receives a plain full-text query for scoping only; it cannot truncate word stems, so the tool removes the asterisk there, and Scholar should not be the search of record.

Match the specialist databases to your subject:

- Biomedicine, clinical, and life sciences: PubMed (with MeSH), and Embase through Ovid.
- Psychology and behavioural science: PsycINFO through Ovid or EBSCO.
- Nursing and allied health: CINAHL through EBSCO.
- Education: ERIC.
- Computer science and engineering: IEEE Xplore, ACM Digital Library, and Engineering Village (Compendex and Inspec).
- Agriculture, plant science, and food: CAB Abstracts through Ovid or EBSCO, with Scopus and PubMed for the molecular and biological side.
- Earth sciences: GeoRef through Engineering Village.
- Business and economics: Business Source and EconLit through EBSCO.

Turn PubMed on when your topic is biomedical or life-science. On a general or non-biomedical topic the multidisciplinary engines are the better choice, and PubMed may return very little.

The six specialist engines are reached through their platforms, so the syntax follows the platform, not the database:

- IEEE Xplore: Command Search. Set the year in IEEE's own filter.
- ACM Digital Library: paste into Advanced Search and set the field to Abstract in the "Search Within" menu.
- ERIC ([eric.ed.gov](http://eric.ed.gov)): the fielded query runs in the search box.
- Ovid: one query for Embase, PsycINFO, MEDLINE, and CAB Abstracts when you reach them through Ovid.
- EBSCOhost: one query for CINAHL, Business Source, EconLit, SocINDEX, SPORTDiscus, GreenFILE, MLA, and CAB on EBSCO.
- Engineering Village: Expert Search across Compendex, Inspec, GeoRef, and GeoBase.

Two things hold for all six. They build a free-text title-and-abstract query only and do not add controlled-vocabulary terms (Emtree, the APA Thesaurus, the CAB or CINAHL headings), which are proprietary, so add those in the database for the most complete search. And the publication-year range is set in each database's own filter, not in the query string, because these engines do not take the year reliably inline.

## 8. Smart and effective strategies (do's and don'ts)

Do think in two to four concepts joined with AND, each concept one idea with its synonyms joined by OR. Do include synonyms, British and American spellings, and each abbreviation with its full

form. Do truncate specific stems (therap\* for therapy and therapeutic) but do not over-truncate, because cell\* also matches cellular and cellphone. Do run the recall check with three to ten known papers and add a synonym to whichever block it names. Do search at least two databases, and do record the AI model and date if you used one, because the final query is reproducible but the AI step is not.

Do not fill a concept with generic words such as “study”, “analysis”, or “patients”, which add noise without adding the right papers. Do not rely on a single database, or on Google Scholar, as your search of record. And do not judge a paper from its title and abstract alone; read the full text before you cite it. The companion document, “Searching effectively with QueryBee”, works one example through from topic to finished query.

## 9. Privacy

Everything runs in your browser. The only outside requests are the optional lookups: the term finder and recall check query the free OpenAlex database (and, for abstracts, Europe PMC, Crossref, or Semantic Scholar), and the MeSH suggestions query the public NLM service. The shareable link encodes the search in the link itself, so nothing is uploaded to any server.

## 10. Honest limits

The tool builds the search and nothing downstream of it. Term suggestions are most reliable in well-indexed, English-language fields, strongest in biomedicine and the physical sciences and weaker in the social sciences and humanities. The specialist queries are free text only and do not include each database’s controlled vocabulary; the exception is PubMed, where you can add MeSH headings. If you use an AI assistant for terms, that step is not reproducible, because different assistants return different words; the final search you build is reproducible, so record it. Google Scholar is for quick scoping, not a search of record.

## 11. Troubleshooting

Use a current browser. Most odd behaviour comes from an outdated browser; Google Chrome is the most reliable for the links and the online lookups.

A database link does not open, or opens the wrong page. The Google Scholar and PubMed links run the search directly. Scopus and Web of Science do not accept a full Boolean query in a link, so QueryBee opens their site and you paste the copied query into Advanced Search. If a link does nothing, your browser’s popup blocker may have stopped it: allow popups for the page, or right-click the link and open it in a new tab, then paste the query. If a subscription database shows a login or a paywall, sign in through your institution first, then paste the query into Advanced Search.

The Copy button seems to do nothing. Some browsers block clipboard access when the file is opened locally. The tool falls back automatically, but if a copy does not take, select the query text in the panel and copy it by hand.

A lookup is slow or shows “busy or offline”. The free services (OpenAlex for terms and recall, the NLM service for MeSH) are occasionally rate-limited. Wait a moment and try again; the rest of the tool keeps working.

No terms come back. Add another concept block so the suggestions can lock onto your domain, broaden the concept name, or add terms by hand.

No MeSH headings appear. MeSH is biomedical, so a non-biomedical term may have no heading, which is expected, and the free-text terms still cover it. If nothing loads at all, check your internet connection.

A known paper shows “missed”. Read the block it names, add a synonym to that block taken from the paper’s own wording, and check again.

The Google Scholar query is flagged as too long. Scholar has a limit near 256 characters. Trim that panel to the core concepts; the other databases take the full query.

## 12. How to cite

Cite QueryBee using the repository’s CITATION.cff file, or:

Kher, M. M. (2026). *QueryBee: a single-file, browser-based fielded Boolean query builder for literature search* (Version 1.2.1) [Computer software]. Zenodo. <https://doi.org/10.5281/zenodo.20733036>