


# Agriculture (Decrease)




0 2000 4000 6000 8000 10000

Simulations


# Algal blooms (Decrease)



# B-IBI (Decrease)




**Bacteria  
(Decrease)**



0 2000 4000 6000 8000 10000

Simulations


# Chinook spawners (Decrease)



0 2000 4000 6000 8000 10000

Simulations


# Dissolved oxygen (Decrease)




0 2000 4000 6000 8000 10000

Simulations

## Economic vitality (Decrease)




# Edible shellfish (Decrease)







## Eelgrass (Decrease)




## Floodplains (Decrease)




## Forestry (Decrease)




# Greening (Decrease)




## Herring (Decrease)




## Human health (Decrease)



# Juvenile Chinook (Decrease)



# New development (Decrease)




0 2000 4000 6000 8000 10000

Simulations




# Nutrients (Decrease)



0 2000 4000 6000 8000 10000

Simulations


# Orcas (SRKW) (Decrease)



0 2000 4000 6000 8000 10000

Simulations


# Phytoplankton (Decrease)




0 2000 4000 6000 8000 10000

Simulations


# Pinnipeds (Decrease)




# Redevelopment (Decrease)




# Riparian habitat (Decrease)



## Rural runoff (Decrease)




## Sense of place (Decrease)







# Septics (Decrease)



# Stratification (Decrease)




# Sub adult Chinook (Decrease)




Simulations

# Summer flows (Decrease)




# Temperature (Decrease)




0 2000 4000 6000 8000 10000

Simulations


# Toxics (Decrease)



# Transportation corridors (Decrease)




# Urban runoff (Decrease)





# Wastewater (Decrease)



0 2000 4000 6000 8000 10000

Simulations

# Zooplankton (Decrease)

