




Agriculture (Decrease)



Algal blooms (Decrease)




B-IBI (Decrease)



0 2000 4000 6000 8000 10000

Simulations


**Bacteria
(Decrease)**




0 2000 4000 6000 8000 10000

Simulations

Chinook spawners (Decrease)




Dissolved oxygen (Decrease)




0 2000 4000 6000 8000 10000

Simulations


Economic vitality (Decrease)




Edible shellfish (Decrease)




Eelgrass (Decrease)




Floodplains (Decrease)




Greening (Decrease)




Herring (Decrease)




Human health (Decrease)




Juv. Chinook (estuarine) (Decrease)



Juv. Chinook (freshwater) (Decrease)




New development (Decrease)




0 2000 4000 6000 8000 10000

Simulations

Nutrients (Decrease)




Orcas (SRKW) (Decrease)




0 2000 4000 6000 8000 10000

Simulations

Phytoplankton (Decrease)




Pinnipeds (Decrease)




0 2000 4000 6000 8000 10000

Simulations


Redevelopment (Decrease)




Riparian habitat (Decrease)




Rural runoff (Decrease)



Sense of place (Decrease)




Septics
(Decrease)



0 2000 4000 6000 8000 10000

Simulations


Stratification (Decrease)




0 2000 4000 6000 8000 10000

Simulations


Summer flows (Decrease)




Temperature (Decrease)




Toxics (Decrease)




Transportation corridors (Decrease)



Urban runoff (Decrease)



Wastewater (Decrease)



Zooplankton (Decrease)

