Agriculture (Increase) Zooplankton Wastewater Urban runoff Transportation corridors **Toxics Temperature** Summer flows Stratification Septics Sense of place Rural runoff Riparian habitat Redevelopment Pinnipeds Phytoplankton Orcas **Nutrients** New development Juv. Chinook (freshwater) Juv. Chinook (estuarine) Human health Herring Greening Floodplains **Eelgrass** Edible shellfish **Economic vitality** Dissolved oxygen Chinook spawners Bacteria B-IBI Algal blooms Agriculture

0

2000




6000


8000


10000


4000





B-IBI (Increase)

















Economic vitality (Increase)





Edible shellfish (Increase)






Floodplains (Increase) Zooplankton Wastewater Urban runoff Transportation corridors **Toxics Temperature** Summer flows Stratification Septics Sense of place Rural runoff Riparian habitat Redevelopment Pinnipeds Phytoplankton Orcas **Nutrients** New development Juv. Chinook (freshwater) Juv. Chinook (estuarine) Human health Herring Greening













Human health (Increase)










































(Increase) Zooplankton Wastewater Urban runoff Transportation corridors **Toxics Temperature** Summer flows Stratification Septics Sense of place Rural runoff Riparian habitat Redevelopment Pinnipeds Phytoplankton Orcas **Nutrients** New development Juv. Chinook (freshwater) Juv. Chinook (estuarine) Human health Herring Greening Floodplains **Eelgrass** Edible shellfish **Economic vitality** Dissolved oxygen Chinook spawners Bacteria B-IBI Algal blooms Agriculture 0 2000 4000 6000 8000 10000

Sense of place

