

COCS 6323: Statistical Methods in Research
Group Project

Group <number>
Department of Computer Science
University of Houston
March 8, 2019

Contents

1 Contribution	3
2 Figure 2A	4
3 Figure 2B	5
4 Figure 3A	6
5 Figure 3B	7
6 Figure 3C	8
7 Figure 3D	9
8 Figure 3E	10
9 Figure 3F	11
10 Supplementary S1	12
11 Supplementary S2	13
12 Supplementary S3	14
13 Supplementary S4	15

List of Tables

1 Contribution of group member	3
--	---

List of Figures

1 Growth of cross-disciplinary social capital	4
2 Evolution of the fraction of cross-disciplinary collaboration links	5
3 Network Distributions for Direct and Mediated Associations of Biologists	13
4 Network Distributions for Direct and Mediated Associations of Computer Scientists	13
5 Three perspectives on the centrality of F_i in the direct collaboration network	14
6 Evolution of the nongiant components in the network	15

1 Contribution

Member	Contribution
Brad	3A 3B 3C S2
Tung Huynh	2A 2B S3 S4
Yifan	3D 3E 3F S1

Table 1: Contribution of group member

2 Figure 2A




Figure 1: Growth of cross-disciplinary social capital

This figure depicts the evolution of the giant component in the U.S. biology-computing network of collaborations. It consists of six consecutive periods from 1990 to 2015. Each period illustrates the collaborations of the two departments in five previous years. While green and magenta nodes represent faculty F_i in *BIO* and *CS* department, respectively; black vertices represent faculty F_i that published at least one cross-disciplinary publication. In this figure, node size is proportional to the logarithm of the degree centrality, the total number of collaborations of the faculty.

In the first network of the year 1990, the giant component only consists of links between CS nodes. In the period from 1990 to 2005, in which the HGP happens, the networks represent the establishment of cross-disciplinary collaborations. Finally, in the last period from 2005 to 2015, the giant component does not only expands in term of the number of collaborations and robustness, but it also notably illustrates the significant role of *XD* group containing the largest nodes in the network.

3 Figure 2B




Figure 2: Evolution of the fraction of cross-disciplinary collaboration links

This figure depicts the evolution of the fraction of collaboration links in the network that are cross-disciplinary. While blue line illustrate the direct *XD* links, the red line represent the mediated *XD* links by pollinators. The orange area in the middle annotates the HGP project period from 1990 to 2013.

4 Figure 3A

Add the content of this section

5 Figure 3B

Add the content of this section

6 Figure 3C

Add the content of this section

7 Figure 3D

Add the content of this section

8 Figure 3E

Add the content of this section

9 Figure 3F

Add the content of this section Figures 3 a-F, are probability distributions of the following data: year of first publication, total number of collaborators, the fraction of collaborators who are cross-disciplinary, PageRank centrality of professors within the network, and mean impact factor of the publication record of professors within the network. The data visualization above supports a conclusion that cross-disciplinary professors (XDF) are more collaborative than biology or computer science specific professors. Figures 3B, C, and D show that cross-disciplinary professors are more collaborative than their single-discipline counterparts. Cross-disciplinary professors have greater total degrees of collaboration, a greater fraction of collaborators who themselves are cross-disciplinary, and higher overall PageRank centrality. Cross-disciplinary professors also outperform biologists and computer scientists in terms of mean publication impact factor. Figure 3A suggests that cross-disciplinary professors published their first paper in genomics on average before biologists and computer scientists.

10 Supplementary S1

Add your content here

11 Supplementary S2




Figure 3: Network Distributions for Direct and Mediated Associations of Biologists




Figure 4: Network Distributions for Direct and Mediated Associations of Computer Scientists

Figure S2 depicts the number of associations between professors within biology departments (a), and computer science departments (b) with other researchers studying genomics. The dark area shows counts the direct connections between professors, while the lighter orange area shows counts of mediated connections. Vertical lines represent means of each distribution. Direct links are made when professors within the dataset collaborate to publish a paper. Mediated links are established when professors have a collaborator in common. The histograms above demonstrate the importance of the mediated connections, with regards to the robustness of the network.

12 Supplementary S3




Figure 5: Three perspectives on the centrality of F_i in the direct collaboration network

This figure shows the giant connected component of the faculty network using all data up to 2015 from three different perspectives. The position of nodes and links are unchanged in the three networks. And the node sizes change respectively to the three centrality measure including Degree, PageRank, and Betweenness.

While Degree centrality treats the importance of each node equally, PageRank takes into account the prominence of each faculty. Therefore, with the same number of links, a node size of faculty F_i in the network using PageRank centrality measure changes to smaller or larger than its counterpart in the network using Degree centrality measure according to the prominence of his collaborators.

Besides, because the Betweenness centrality measures the number of shortest paths passing through a node, the network using this measure only emphasize on those nodes helping to increase the robustness of the whole network.

Remarkably, regardless of the change of centrality measure using in each network, the group of founders of HGP including Eric Lander always demonstrate their significant role of connecting the cross-disciplinary links with the highest central.

13 Supplementary S4




Figure 6: Evolution of the nongiant components in the network

This figure depicts the development of the nongiant components in the direct collaboration network. Similarly to Figure 2A and Figure S3, green and magenta nodes represent faculty F_i in BIO and CS department, respectively, while black nodes represent faculty F_i in the XD group.

Notably, the number of nodes and links decreases significantly from 1990 to 2015. If in the year 1990, due to the lack of cross-disciplinary collaborations, there are some local strong groups of internal collaboration. In the 1991-1995 period, the network also presents the establishment of cross-disciplinary collaboration. However, those groups of collaboration are still local and disjointed. From 2000 to 2010, when the size of local disjointed groups increases and there were links connecting these groups so that they joined to the giant component and disappear in the network of nongiant in those years. Finally, in the year 2015, there are only a few faculties who are left out of the giant robust component.