

1. As a software developer for a zoo simulation system, you need to model different animal behaviors. Create a base class `Animal` with a virtual function `speak()`. Derive two classes `Dog` and `Cat`, overriding the `speak()` function to simulate their unique sounds. Write a program that uses pointers to call the appropriate `speak()` function based on the object type.
2. You are building an e-commerce platform. Create a base class `Payment` with a virtual function `processPayment()`. Derive two classes `CreditCardPayment` and `PayPalPayment` that override `processPayment()` to handle the respective payment methods. Use function overriding to ensure the correct payment method is invoked based on user selection.
3. Design a program for calculating areas of different shapes. Create a base class `Shape` with a virtual function `calculateArea()`. Derive classes `Rectangle` and `Circle`, overriding the function to calculate their respective areas. Use a base class pointer to demonstrate polymorphism in action.
4. You are designing a speed monitoring system for various vehicles. Create a base class `Vehicle` with a virtual function `maxSpeed()`. Derive classes `Car` and `Bike` that override `maxSpeed()` to return their specific maximum speeds. Write a program to determine the speed of different vehicles using polymorphism.
5. In a company payroll system, create a base class `Employee` with a virtual function `calculateSalary()`. Derive two classes `FullTimeEmployee` and `PartTimeEmployee`, overriding `calculateSalary()` to compute salaries based on hours worked. Use a base class pointer to manage employees polymorphically.
6. You are developing a banking system. Create a base class `BankAccount` with a virtual function `calculateInterest()`. Derive classes `SavingsAccount` and `CurrentAccount`, overriding the function to calculate interest differently. Demonstrate runtime polymorphism by calling the appropriate `calculateInterest()` method.
7. In a learning management system, model different types of users. Create a base class `User` with a virtual function `accessPortal()`. Derive classes `Student` and `Teacher`, overriding the function to define access levels. Write a program to demonstrate how polymorphism manages access for various users.
8. You are tasked with creating a food delivery system. Create a base class `DeliveryVehicle` with a virtual function `deliver()`. Derive classes `Bike` and `Drone`, overriding the `deliver()`

function to define the delivery method. Use function overriding to ensure the correct delivery method is called dynamically.

9. Design a simple game with different types of characters. Create a base class GameCharacter with a virtual function attack(). Derive classes Warrior and Mage, overriding attack() to implement their unique attack methods. Use a base class pointer to call the appropriate attack() function during gameplay.
10. In a travel booking system, create a base class Transport with a virtual function bookTicket(). Derive classes Flight and Train, overriding the function to implement booking details for each mode of transport. Demonstrate polymorphism by using a base class pointer to handle ticket booking dynamically.