Google Cloud Platform

Wednesday 1st May, 2019 - 22:58

Kevin L. Biewesch University of Luxembourg Email: kevin.biewesch.001@student.uni.lu Alfredo Capozucca University of Luxembourg Email: alfredo.capozucca@uni.lu

Abstract

This document is a template for the scientific and technical (S&T for short) report that is to be delivered by any BiCS student at the end of each Bachelor Semester Project (BSP). The Latex source files are available at: https://github.com/nicolasguelfi/lu.uni.course.bics.global

This template is to be used using the Latex document preparation system or using any document preparation system. The whole document should be in between 6000 to 8000 words (excluding the annexes) and the proportions must be preserved. The other documents to be delivered (summaries, ...) should have their format adapted from this template.

1. Introduction (\pm 5% total words)

This paper presents the bachelor semester project made by Motivated Student together with Motivated Tutor as his motivated tutor. It presents the scientific and technical dimensions of the work done. All the words written here have been newly created by the authors and if some sequence of words or any graphic information created by others are included then it is explicitly indicated the original reference to the work reused.

This report separates explicitly the scientific work from the technical one. In deed each BSP must cover those two dimensions with a constrained balance (cf. [?]). Thus it is up to the Motivated Tutor and Motivated Student to ensure that the deliverables belonging to each dimension are clearly stated. As an example, a project whose title would be "A multi-user game for multi-touch devices" could define as scientific [?] deliverables the following ones:

- Study of concurrency models and their implementation
- Study of ergonomics in human-computer interaction

The length of the report should be from 6000 to 8000 words excluding images and annexes.

2. Project description (\pm 10% total words)

2.1. Domains

There are two big domains that are being tackled in this BSP. On the one hand we have virtualization and on the other hand we have cloud computing along side its service models.

2.1.1. Scientific. The different service models are Infrastructure as a Service (IaaS), Platform as a Service (PaaS) and

Software as a Service (SaaS). The three service models are briefly explained in the following.

- IaaS We are provided with the necessary infrastructure to run a virtual machine and the rest is up to us.
- PaaS We get the necessary resource as well as an OS installed with some basic software. We can use the provided platform and modify it as we please. However we are not able to touch the underlying virtual hardware.
- SaaS We are provided with everything needed to run a specific software. We are only able to access the software and none of its underlying components, like the OS or the hardware.

2.1.2. Technical. Virtualization allows us to move from physical mediums to virtual ones without really losing anything. The only major difference is that now we do not manipulate the hardware directly but instead manipulate the virtual hardware through specific software. This allows for great flexibility in a lot of ways.

Cloud computing brings the domain of virtualization to yet another level. We are still manipulating a virtual medium, but the virtual machine does not run locally on our physical machines. Instead these machines run on some servers and we can controll them through a remote connection. This leads us to the various service models employed by the cloud.

2.2. Targeted Deliverables

- **2.2.1. Scientific deliverables.** We want to create a tutorial that accompanies our technical solution. The tutorial is meant to guide the DevOps engineer and help him understand and use our solution.
- **2.2.2. Technical deliverables.** We have to consider two types of users: the DevOps engineer and the Excalibur user.

As for the DevOps engineer, the objective of this BSP is to have a fully automated solution that handles the virtual machine creation on the Google Cloud Platform. Added to this, all the necessary tools should be downloaded such that we can put and Excalibur Environment on it. He also needs to ensure access to the new virtual machine for the Excalibur user.

As for the Excalibur user, we want him to simply be able to connect to the virtual machine created in the cloud and use the Excalibur Environment. The end user should not worry about anything related to the virtual machine's creation and setup.

3. Background (\pm 10% total words)

Describe in this section the main knowledge supposed to be formerly known by you and that is useful to remind in order to understand the remaining parts of your report. Do not include presentation of technologies or scientific concepts that belong to an objective of your BSP since it must be described in the section ??. Thus all the content of this section is not considered as a deliverable

3.1. Scientific background

Virtual machines constitute the big scientific aspect to be familiar with for this BSP. They were already briefly explained before in section 2.1.

Also the concept of provisioning should not be foreign. In essence, provisioning allows us to put files and packages as well as execute scripts onto a virtual machine without accessing it directly. We can write scripts, or in our case configuration files, that will then access the machine and accomplish all the specified tasks.

3.2. Technical background

The technical aspect to be familiar with for this BSP were how provisioning works with Ansible. This is important because we are trying to reuse the work done in the previous BSP and get it to work on our virtual machines in the cloud.

Ansible is a tool that allows to write configuration files that basically specify what a machine should be provisioned with. It allows for great flexibility and keeps the focus on easy to read and write code.

4. A Scientific Deliverable 1

For each scientific deliverable targeted in section 2.2 provide a full section with all the subsections described below.

4.1. Requirements (\pm 15% of section's words)

The scientific deliverable for this project is a tutorial targeted towards a DevOps engineer and is meant to help him understand and use our solution. The tutorial should talk about everything that you may need to understand how the solution works and to build upon it independently.

The functional requirement for this tutorial is, as already said, to help the DevOps engineer in fulfilling the main techincal solution of this BSP, namely to get a new Excalibur Environment.

The non-functional requirements include:

- 1) Completeness, which specifies how well the tutorial explains the given facts. To phrase it in a negated manner: will the reader still have major doubts after reading the tutorial?
- Easy to read, determines the reading quality of the tutorial. We want the tutorial to feel light which in turn allows for an easy reading experience.

4.2. Design (\pm 30% of section's words)

Since the very beginning of the BSP, we were thinking about the best way to present the tutorial and convey its content. There were basically two options we were considering.

- 1) Video format. This would not be a bad decision because it is easy to follow. The person making the tutorial can precisely show how to do the various steps and what to click and so on. It would also be very easy to highlight potential issues and side information on the fly. In textual form if not done well, presenting such information can quickly make the tutorial lose focus from the topic at hand. Plus, there is a video presentation to do for the BSP, so that would allow me to practice recording a video and reuse some of the work done.
 - However, making these videos takes quite a lot of time and preparation. In case of mistakes you would have to record a specific section again and maybe even multiple times if you repeatedly make mistakes. If you notice a problem a little further down the line, it might also be hard to fix.
- 2) Textual format. The main advantage here is that it is a lot faster to produce, since mistakes can be fixed with more ease and less effort. You can also rearrange and restructure the text without losing continuity because if you use transitions¹, rearranging parts of the video may make it lose continuity while in textual form, you simply remove or change these transitions.

In case you already know how to use the solution or have read the tutorial and you have some doubts later down the road, you can quickly refer to a specific section from the tutorial. In addition, if it is well structured, the tutorial allows for a quick and easy read and you can provide things to be aware of and miscellaneous information without deviating from the main topic.

Nonetheless, it is a little harder to visualize steps to be done. If we include images, for illustration purposes, that are not annotated or described well enough, they might lead to confusion².

In both cases, you may also run the risk of not structuring your tutorial well which makes it hard to read or watch and lose focus of the main topic at hand.

Considering all this, we opted for a tutorial in textual form, mainly due to its flexibility and faster production.

- 1. i.e. saying "elaborated in the next part", "as previously mentioned", ..."
- 2. i.e. not understand where they belong or what they are meant to illustrate

4.3. Production (\pm 40% of section's words)

The tutorial has been written in Markdown. We decided to go with Markdown because it is quite easy to use and you can add it to a GitHub repository. Considering that we will put this solution onto GitHub³, this seemed like a very good idea. This way the tutorial is included with the solution and is presented nicely.

To begin with, we needed a way to write Markdown files. I used to write my Markdown files with ReText⁴ however I had a few issues with it and the output did not look all that nice. I tried switching to Vim, which has a pluggin for supporting real-time Markdown rendering in a browser⁵ but again I had an issue here and it did not even seem to work. I kept searching a bit more and I found Remarkable⁶ which was pretty good for the purposes of writing the tutorial.

Once we were set for writing the tutorial, we began with writing down things we already knew how to do. So we build the tutorial as we went, feeding it with new information as we learnt and discovered it.

Some parts of the tutorial required us to completely restart from scratch because once you have everything set up, there are things that differ compared to doing it the first time around. Especially all the things related to GCP have been done from scratch to show to the user everything he needs to know to get started. Once everything is set up there are fewer things to worry about, but they are important to highlight the first time around.

Markdown has the ability to insert images, so we used it to our advantage to illustrate a lot of things. The command we used to insert images in the Markdown file is as follows.

```
<img src=Images/IMAGE_NAME.png width=1000>
```

We used this html version instead of the default <code></code> because here you cannot specify a size for the image. In Remarkable, the images were way too big and it became quite unreadable, so we went with the html version since it allows us to scale it to 1000 pixles in width. See an example of a picture in figure 4.3.

Furthermore, Markdown allows us to include references, either external or internal ones. So we can have references to other websites or to other sections within the file. Internal references need a tag to be references. The tag and the reference look like this in Markdown.

```
<a name=text-tag></a>
Some text with a tag at the beginning.
```

This is an [internal reference](#text-tag) while this is an

[external reference] (https://www.google.com)

- 3. See appendix section A
- 4. https://github.com/retext-project/retext
- 5. https://github.com/suan/vim-instant-markdown
- 6. https://remarkableapp.github.io/




Fig. 1. Markdown example

We also used this to our advantage, to introduce various other notions, without interrupting the flow of the text. See figure 4.3.

Here we have, for instance, the table of contents which is followed by a few items colored in blue. This means that you can click on it to jump some place else. For the table of content, it makes you jump to the corresponding section in the tutorial. Also, in the first bullet point in the figure, you can see that *GCP* is colored blue. This one will actually take you to the Google Cloud Platform. We used this all throughout the tutorial to send the reader, in case of need, to a specific section to get a refresher or some additional information.

4.4. Assessment (\pm 15% of section's words)

To assess that the tutorial fulfills its purpose, we can only give it to some one or multiple people who will test read it for us. These people will afterwards give us their feedback and at the same time insight into how well the tutorial explains everything and if they would be able to follow it without any or too much trouble.

5. A Technical Deliverable 1

For each technical deliverable targeted in section 2.2 provide a full section with all the subsections described below. The cumulative volume of all deliverable sections represents 75% of the paper's volume in words. Volumes below are indicated relative the the section.

5.1. Requirements (\pm 15% of section's words)

The main techical deliverable for this BSP, is a solution that automates the process of creating and provisioning virtual machines on the Google Cloud Platform in order to host an Excalibur Environment on it. Part of this solution relies on work that has been done in the previous semester.

The functional requirement of this solution is to set up a new Excalibur Environment as fast as possible while needing the least amount of effort. We want as much of the set up as possible to be done by simply executing the provided scripts.

The non-functional requirements are more numerous. We want to tackle:

- 1) Operability, which determines how accessible and easy to use the solution is.
- 2) Efficiency, which considers the amount of effort necessary to bring the solution to use.
- 3) Satisfaction, informs us on the degree to which user needs are satisfied when a product or system is used in a specified context of use.
- Maintainability, considers the ease at which the developer can change aspects of the Virtual Machine creation and the provisioning.
- 5) Reliability, tells us whether or not our solution is reliable. In other words: Does it give the same result in successive trials?

This technical deliverable is targeted towards a DevOps engineer, who is in charge of setting up these machines. The Excalibur user should not have to deal with anything regarding the production of the final product, namely the Excalibur Environment.

5.2. Design (\pm 30% of section's words)

As already mentioned, part of this deliverable relies on work done in the previous semester. In the last semester, we also tried to produce an automated solution, however we were working locally on our machines. In this semester we tried to adapt the knowledge aquired and bring it to the next level, namely cloud computing.

While the basic concepts remain the same, we now have to look at the subject from a different perspective which is due to the different nature of working locally versus working in the cloud. Before, all the DevOps could do was to provide scripts the user had to run himself. We considered there was no way for a DevOps to interact with the user's machine which means that actually creating the machine with the provided solution was up to the user.

Now we want a DevOps to create and set up the machines in the cloud and the Excalibur user will merely have to connect to it and is ready to go. There is close to nothing that the user will have to do in order to get access to an Excalibur Environment. Essentially, what we are trying to achieve is Software as a Service.

A first difficulty for this BSP was to create virtual machines in the cloud. We had to get accustomed to the Google Cloud Platform and learn how to use it. This was a relatively easy and straight forward process because Google provided interactive tutorials to guide its users through the basics of the platform.

After getting the hang on the basics, we immediately started wondering if we could reuse the scripts that handled the provisioning from the previous semester. We opted for a provisioning solution that was not specific to the previous semester's solution but would allow for a broader range of application. A quick research revealed that indeed, we were able to reuse the provisioning scripts. Only one minor modification had to be done, namely *how* do we execute it⁷.

Lastly, we inspected the gcloud command line tool which basically allows us to interact with GCP through the terminal. We wrote scripts around this tool to have new machines be created automatically. Automating the provising also relies on some output generated by this tool.

5.3. Production (\pm 40% of section's words)

The first thing we had to get comfortable with is the Google Cloud Platform. There were a few things we needed to know and had to set up before we could even get started with creating virtual machines.

A first requirement was to have a gmail account to be able to operate on GCP. Next, we need to create a new project in which we manage and manipulate our virtual machines. You can read about it in the tutorial on github⁸. Please Refer to section Setting up GCP and section Creating Virtual Machines, subsection Manual Creation. After having created a first virtual machine, with very few resources attributed to it because it was merely a test and we did not want to have high billing for this, we inspected ways to connect to it. Please refer to section Connecting to Virtual Machines and its subsections in the tutorial. The first obvious choice was to connect directly from GCP. However, this did not allow us to provision the machine using our Ansible scripts. So we were forced to inspect manual SSH connection. We had to ensure SSH connection to the virtual machine in order to run our Ansible provisioning.

This is due to the fact, that Ansible relies on a host file or inventory file as it is called. This file contains a list of hosts to provision and Ansible will connect to these host via SSH. There seem to be methods for connecting to a host on GCP from Ansible without requiring manual SSH connection, but these methods looked rather complex and we did not get them to work. That said, we stuck to manually ensuring SSH connection.

```
[GCP]
35.227.50.0

[GCP:vars]
ansible_user = student002
```

Here is an example of a host file that was written manually in order to check if provisioning works. With the [...] we can specify a group of hosts. That way we can have Ansible provision only a specific collection of machines if we so desire. However, in the Ansible scripts, we have set it such that all hosts will be provisioned.

- 7. In the previous semester, the executing of these scripts was very specific to the solution
- 8. https://github.com/niveK77pur/ExcaliburEnvironmentGCP

Furthermore, we have the [...:vars] with which we can specify variables that apply to a certain group of hosts. Here we say what user to connect as on the remote machine. With the scripts that automate the solution, our host file will be generated and look a little different.

```
35.227.50.0 ansible_user = student002
35.653.43.0 ansible_user = other_user
```

This way we are specifying the *main* user for each machine. Since each machine will have multiple users we need to specify a user, with which to connect as, to do the provisioning. The multiple users are required for ensuring Remote Desktop Protocol (RDP) connection. Somehow it is not possible to connect to the remote machine's desktop with the main user, so that is why there will be multiple users.

After being able to handle the provisioning, which is a big step in the right direction, we looked into how to automate the creation of the virtual machine. Our first attempt, was to integrate this into our Ansible workflow. There are methods provided by Ansible to create virtual machines on GCP but here again, we did not manage to get them to work. So we went for the gcloud tool for doing this. The gcloud command we used to create virtual machines is a follows. Please refer to the tutorial section **Creating Virtual Machines** subsection **Creation using gcloud** for more details on this command.

```
gcloud compute instances create "$1" \
    --machine-type="$MACHINE_TYPE" \
    --boot-disk-size="$BOOT_DISK_SIZE" \
    --image-project="$IMAGE_PROJECT" \
    --image-family="$IMAGE_FAMILY" \
    --metadata="$METADATA"
```

After having all of this figured out, we wrote one script around the above command to handle the virtual machine creation and another script is used to handle the provisioning. This second script relies on gcloud to get the external IP of the remote machine because the IP changes each time you start it anew. So we write the IP along with the *main user*, as explained above, to a new host file and have ansible provision the machines specified in that host file.

To wrap things up, we wrote a third script that calls these two scripts. That way we only need to execute one script and everything is handled for us. The last script has the following content.

```
#!/bin/bash

# $1 : instance name
# $2 : main user name at the instance
bash ./new_vm.sh "$1"
bash ./provision.sh "$1" "$2"
```

5.4. Assessment (\pm 15% of section's words)

Due to time constraints, we are not going to use the Excalibur Tutorial as our test case. Instead, we will do a few

basic tasks to check if the machine is usable.

We are going to download and install Remarkable for this purpose. Since downloading and installing software will be part of the tasks required to set up Excalibur, this seems like a good trade off.

Further, to make this test case more adapted to a real lift situation, we will be running one or two Youtube videos in the background as well as having a word editor opened while doing the installation.

We will also evaluate the solution with regards to the nonfunctional requirements to check how well these have been tackled.

Acknowledgment

The authors would like to thank the BiCS management and education team for the amazing work done.

6. Conclusion

The conclusion goes here.

References

[BiCS(2018a)] BiCS Bachelor Semester Project Report Template. https://github.com/nicolasguelfi/lu.uni.course.bics.global University of Luxembourg, BiCS - Bachelor in Computer Science (2017).

Appendix

1. Final solution on GitHub

The final solution along with the tutorial as well as this report are on github: https://github.com/niveK77pur/ExcaliburEnvironmentGCP