SYLHET CADET COLLEGE

PRE-TEST EXAMINATION - 2023

CLASS: XII

MULTIPLE CHOICE QUESTIONS STATISTICS SECOND PAPER

TIME - 25 minutes $FULL\ MARKS-25$

Set C Subject Code: 1 | 3

-	_	s for the correct/best ansv	ver in the "Answer sheet" f	with a black ball- point pen, the for the Multiple Choice Questions			
	Candidates a		mination.] ony mark or spot on the	e question paper.			
1.	Three objects can be placed in 2 positions in – ways.						
	(a) 3	(b) 4	(c) 6	(d) 8			
2.	A die is thrown twice	. This is called $-$					
	(a) An experiment	(b) sample space	(c) A random experiment	t (d) A trial			
3.	A coin is thrown thrice. How many outcomes are generated?						
	(a) 3	(b) 4	(c) 8	(d) 9			
4.	Which is the formula of empirical/relative frequency approach of probability?						
	(a) $P = \frac{\text{No. of favorable outcomes}}{\text{Total no. of possible outcomes}}$		(b) $P = \frac{\text{No. of total outcomes}}{\text{No. of favorable outcomes}}$				
	(c) $P = \lim_{n(S) \to \infty} \frac{n(A)}{n(S)}$		(d) $P = \lim_{n(A) \to \infty} \frac{n(A)}{n(S)}$				
5.	What is the correct formula for conditional probability?						
	(a) $P(A B) = \frac{P(A \cap B)}{P(B A)}$	(b) $P(A B) = \frac{P(A \cap B)}{P(A)}$	(c) $P(A B) = \frac{P(A \cap B)}{P(B)}$	(d) $P(A B) = \frac{P(B A)}{P(B A)}$			
	Answer the next THREE questions based on the following information						
		$\frac{X}{P(x)}$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$				
6.	What is the value of I	E(X)					
	(a) $\frac{15}{12}$	(b) $\frac{13}{12}$	(c) $\frac{1}{12}$	(d) $\frac{11}{13}$			
7.	What is the value of $E(X^2)$						
	(a) $\frac{25}{12}$	(b) $\frac{13}{12}$	(c) $\frac{23}{12}$	(d) $\frac{25}{13}$			
8.	What is $V(2X)$?						
	(a) 2.93	(b) 2.91	(c) 1.97	(d) 2.97			
9.	10 out of each 100 people in a city walk to the office. If one is picked randomly, what is the probability s/he does not walk to the office?						
	(a) 0.95	(b) 0.10	(c) 0.90	(d) 0.01			
10.	The third axiom of probability is –						
	(a) $0 \le P(A) \le 1$		(b) $P(S) = 1$				
	(c) $P(A_1UA_2U\cdots UA_n)$	$=\sum_{i=1}^{\infty}P(A_i)$	(d) $P(A) = 1 - P(A)$				
	Answer the next three questions using the following information						
	$P(A) = \frac{1}{3}, P(B) = \frac{1}{2} \& P(A \cup B) = \frac{7}{12}$						
11.	$P(A \cap B) = ?$						
	(a) $\frac{5}{12}$	(b) $\frac{1}{2}$	(c) $\frac{1}{4}$	(d) $\frac{15}{16}$			
12.	$P(A \cap \bar{B}) = ?$						

(c) $\frac{5}{6}$

(d) $\frac{1}{12}$

(d) $\frac{11}{12}$

13. What is the probability that B occurs or A does not occur?

(b) $\frac{3}{4}$

(a) $\frac{1}{4}$

(a) $\frac{3}{4}$ (b) $\frac{7}{12}$ (c) $\frac{5}{12}$

	i1 ii. 0.5 iii. 0							
	Which one is correct? (a) i and ii	(b) i and iii	(c) ii and iii	(d) i, ii and iii				
15.	A set of sample points tabulated along with th (a) Probability distribution (
16.	Which one is a property of marginal probability density function?							
	(a) $\int_x f(x^2) dx = 1$	(b) $\int_x f(x^2) dx = 0.5$	(c) $\int_{x} f(x) dx = 1$	(d) $P(x \ge 1)$				
17.	Integrated value of $\frac{1}{4}x$ (a) $\frac{1}{20}x^5$		(c) $\frac{1}{5}x^4$	(d) $\frac{5}{4}x^5$				
18.	Which one is NOT an example of a continuous random variable –							
	(a) Weight	(b) Height	(c) Time	(d) Size of television				
	Answer the next THREE questions using the following information							
$P(x) = \frac{x+1}{k}; x = 1, 2, 3, 4$								
19.	What is the value of k	:?						
	(a) 10	(b) 11	(c) 14	(d) 15				
20.	F(2) = -							
	(a) $\frac{2}{14}$	(b) $\frac{3}{11}$	(c) $\frac{5}{14}$	(d) $\frac{5}{11}$				
21.	P(x) is a $-$							
	(a) Joint probability distribution		(b) Cumulative probability distribution					
	(c) Probability mass function		(d) Probability Density function					
22.	A coin is tossed twice and no. of heads appeared is denoted by X . How many possible values of X are there?							
	(a) 1	(b) 2	(c) 0	(d) 3				
	Answer the next two o	the next two questions based on the following information						
	$\begin{array}{c ccccc} X & 0 & 1 & 2 \\ \hline P(x) & \frac{1}{2} & \frac{1}{4} & \frac{1}{4} \end{array}$							
23.	What is F(1)							
	(a) 0.65	(b) 0.75	(c) 0.5	(d) 1				
24.	$P(X \le 1 \le 3) = -$ (a) 0.75	(b) 0.70	(c) 0.95	(d) 1				
25	If $E(X) = -0.5$, then E	• •	(5) 5.55	(*) -				
۷٠.	(a) 0	(1 - 2A) = : (b) -1	(c) 2	(d) 1				
	(-/ -	(·/ =	(· / -	\-/ -				

14. Possible value of probability