

Switch Adapted Light-Up Mini Bubble Machine

MAKER GUIDE

Required Components

1. 	2. 	BOM 1. Fubbles Light-Up Mini Bubble Machine 2. 3.5mm Mono Jack and Ring 3. 22 AWG Wire 4. 3 AA Batteries Refer to the Tool and Component List for purchasing details.
3. 	4. 	

Required Tools

- Phillip screwdriver
- Ruler
- Wire strippers
- Soldering iron and solder
- Drill and 1/4" drill bit

Required Personal Protective Equipment (PPE)

- Safety glasses

Switch Adapted Light-Up Mini Bubble Machine

MAKER GUIDE


Assembly Instructions

1. Carefully remove the toy from its packaging without damaging it. Locate and remove the 4 screws from the bottom of the toy. Separate the toy into two halves.	
2. Remove the motor from the base.	
3. Cut both the red wires using wire cutters.	

Switch Adapted Light-Up Mini Bubble Machine

MAKER GUIDE

4. Cut 2 pieces of wire, each approximately 4 cm long.



5. Strip approximately 0.5cm off the end of each wire.



6. Solder the two wires onto the front two tabs on the mono jack.



Switch Adapted Light-Up Mini Bubble Machine

MAKER GUIDE


7. Tin the other two ends of the wires by adding a small amount of solder to each wire.



8. To 'close the loop,' solder a wire to an existing red wire and solder the second wire to the second red wire.



9. Using a ¼" drill bit, drill a hole into the side of the toy. Remove any loose plastic.
- Secure the mono jack to the case by screwing on the mono jack ring from the outside.




Switch Adapted Light-Up Mini Bubble Machine

MAKER GUIDE

10. Test the toy by installing batteries and plugging an assistive switch into the mono jack.

Note: If the toy does not turn on, please check the soldered connections.



11. Reassemble the toy by placing the motor back and reattaching the toy shell.

Re-test the toy with the assistive switch. If it still works properly, re-install the toy into its original packaging.

