

```
5) Reboot system          14) Enable Secure Shell (sshd)
6) Halt system            15) Restore recent configuration
7) Ping host              16) Restart PHP-FPM
8) Shell
```

Enter an option:

Message from syslogd@pfSense at Jun 25 13:36:40 ...

php-fpm[398]: /index.php: Successful login for user 'admin' from: 192.168.50.100
(Local Database)

7

Enter a host name or IP address: 192.168.50.100

```
PING 192.168.50.100 (192.168.50.100): 56 data bytes
64 bytes from 192.168.50.100: icmp_seq=0 ttl=64 time=0.192 ms
64 bytes from 192.168.50.100: icmp_seq=1 ttl=64 time=0.171 ms
64 bytes from 192.168.50.100: icmp_seq=2 ttl=64 time=0.210 ms
```

--- 192.168.50.100 ping statistics ---

3 packets transmitted, 3 packets received, 0.0% packet loss
round-trip min/avg/max/stddev = 0.171/0.191/0.210/0.016 ms

Press ENTER to continue.

- | | |
|-----------------------------------|----------------------------------|
| 1) Assign Interfaces | 10) Filter Logs |
| 2) Set interface(s) IP address | 11) Restart webConfigurator |
| 3) Reset webConfigurator password | 12) PHP shell + pfSense tools |
| 4) Reset to factory defaults | 13) Update from console |
| 5) Reboot system | 14) Enable Secure Shell (sshd) |
| 6) Halt system | 15) Restore recent configuration |
| 7) Ping host | 16) Restart PHP-FPM |
| 8) Shell | |

Enter an option: 7

Enter a host name or IP address: 192.168.5.101

PING 192.168.5.101 (192.168.5.101): 56 data bytes

64 bytes from 192.168.5.101: icmp_seq=0 ttl=64 time=6.922 ms

64 bytes from 192.168.5.101: icmp_seq=1 ttl=64 time=0.205 ms

64 bytes from 192.168.5.101: icmp_seq=2 ttl=64 time=0.161 ms

--- 192.168.5.101 ping statistics ---

3 packets transmitted, 3 packets received, 0.0% packet loss

round-trip min/avg/max/stddev = 0.161/2.430/6.922/3.177 ms

Press ENTER to continue.

```
Metaspotable [In esecuzione] - Oracle VM VirtualBox
File Macchina Visualizza Inserimento Dispositivi Aiuto

msfadmin@metasploitable:~$ ping 192.168.5.1
PING 192.168.5.1 (192.168.5.1) 56(84) bytes of data.
64 bytes from 192.168.5.1: icmp_seq=1 ttl=64 time=0.163 ms
64 bytes from 192.168.5.1: icmp_seq=2 ttl=64 time=0.194 ms
64 bytes from 192.168.5.1: icmp_seq=3 ttl=64 time=0.189 ms

--- 192.168.5.1 ping statistics ---
3 packets transmitted, 3 received, 0% packet loss, time 1998ms
rtt min/avg/max/mdev = 0.163/0.182/0.194/0.013 ms
msfadmin@metasploitable:~$ ping 192.168.50.100
PING 192.168.50.100 (192.168.50.100) 56(84) bytes of data.
64 bytes from 192.168.50.100: icmp_seq=1 ttl=63 time=0.390 ms
64 bytes from 192.168.50.100: icmp_seq=2 ttl=63 time=0.319 ms
64 bytes from 192.168.50.100: icmp_seq=3 ttl=63 time=0.325 ms

--- 192.168.50.100 ping statistics ---
3 packets transmitted, 3 received, 0% packet loss, time 1998ms
rtt min/avg/max/mdev = 0.319/0.344/0.390/0.038 ms
msfadmin@metasploitable:~$
```

PFS.

KALI

```
kali ueue [In esecuzione] - Oracle VM VirtualBox
File Macchina Visualizza Inserimento Dispositivi Aiuto

(kali@kali)-[~]
$ ping -c4 192.168.5.1
PING 192.168.5.1 (192.168.5.1) 56(84) bytes of data.
64 bytes from 192.168.5.1: icmp_seq=1 ttl=64 time=0.180 ms
64 bytes from 192.168.5.1: icmp_seq=2 ttl=64 time=0.171 ms
64 bytes from 192.168.5.1: icmp_seq=3 ttl=64 time=0.179 ms
64 bytes from 192.168.5.1: icmp_seq=4 ttl=64 time=0.194 ms

--- 192.168.5.1 ping statistics ---
4 packets transmitted, 4 received, 0% packet loss, time 3060ms
rtt min/avg/max/mdev = 0.171/0.181/0.194/0.008 ms

(kali@kali)-[~]
$ ping -c4 192.168.5.101
PING 192.168.5.101 (192.168.5.101) 56(84) bytes of data.
64 bytes from 192.168.5.101: icmp_seq=1 ttl=63 time=0.336 ms
64 bytes from 192.168.5.101: icmp_seq=2 ttl=63 time=0.320 ms
64 bytes from 192.168.5.101: icmp_seq=3 ttl=63 time=0.384 ms
64 bytes from 192.168.5.101: icmp_seq=4 ttl=63 time=0.301 ms

--- 192.168.5.101 ping statistics ---
4 packets transmitted, 4 received, 0% packet loss, time 3071ms
rtt min/avg/max/mdev = 0.301/0.335/0.384/0.030 ms

(kali@kali)-[~]
$
```

PFS.

META