

SQRSHR (four registers)

Multi-vector signed saturating rounding shift right narrow by immediate

Shift right by an immediate value, the signed integer value in each element of the four source vectors and place the rounded results in the quarter-width destination elements. Each result element is saturated to the quarter-width N-bit element's signed integer range $-2^{(N-1)}$ to $(2^{(N-1)})-1$. The immediate shift amount is an unsigned value in the range 1 to number of bits per source element.

This instruction is unpredicated.

SME2

(FEAT_SME2)

31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0
1	1	0	0	0	0	0	1	tsize	1	imm5			1			1	0	1	1	0	Zn		0	0	Zd						
											N				U																

SQRSHR <Zd>.<T>, { <Zn1>.<Tb>-<Zn4>.<Tb> }, #<const>

```
if !HaveSME2() then UNDEFINED;
if tsize == '00' then UNDEFINED;
constant integer esize = 8 << HighestSetBit(tsize);
integer n = UInt(Zn:'00');
integer d = UInt(Zd);
integer shift = (8 * esize) - UInt(tsize:imm5);
```

Assembler Symbols

<Zd> Is the name of the destination scalable vector register, encoded in the "Zd" field.

<T> Is the size specifier, encoded in "tsize":

tsize	<T>
00	RESERVED
01	B
1x	H

<Zn1> Is the name of the first scalable vector register of a multi-vector sequence, encoded as "Zn" times 4.

<Tb>

Is the size specifier, encoded in "tsize":

tsize	<Tb>
00	RESERVED
01	S
1x	D

<Zn4>

Is the name of the fourth scalable vector register of a multi-vector sequence, encoded as "Zn" times 4 plus 3.

<const>

Is the immediate shift amount, in the range 1 to number of bits per source element, encoded in "tsize:imm5".

Operation

```
CheckStreamingSVEEnabled();
constant integer VL = CurrentVL;
constant integer elements = VL DIV (4 * esize);
bits(VL) result;

for r = 0 to 3
    bits(VL) operand = Z[n+r, VL];
    for e = 0 to elements-1
        bits(4 * esize) element = Elem[operand, e, 4 * esize];
        integer res = (SInt(element) + (1 << (shift-1))) >> shift;
        Elem[result, r*elements + e, esize] = SignedSat(res, esize);

Z[d, VL] = result;
```

[Base
Instructions](#)

[SIMD&FP
Instructions](#)

[SVE
Instructions](#)

[SME
Instructions](#)

[Index by
Encoding](#)

[Sh
Pseu](#)

Internal version only: isa v33.64, AdvSIMD v29.12, pseudocode
no_diffs_2023_09_RC2, sve v2023-06_rel ; Build timestamp: 2023-09-18T17:56

Copyright Â© 2010-2023 Arm Limited or its affiliates. All rights reserved. This
document is Non-Confidential.