

# WP 1: Measurements

Benoit Donnet, Brian Trammell, Stephan Neuhaus

Brussels, October 21<sup>st</sup> 2016



measurement and architecture for a middleboxed internet

measurement

architecture

experimentation

*This project has received funding from the European Union's Horizon 2020 research and innovation programme under grant agreement No 688421. The opinions expressed and arguments employed reflect only the authors' view. The European Commission is not responsible for any use that may be made of that information.*





# Agenda

- Overview
- Measurement Tools
- Data Storage
- Publications
- Conclusion



# Agenda

- Overview
- Measurement Tools
- Data Storage
- Publications
- Conclusion



# Overview - Goals

- Large-scale measurements on the dynamics of the packet mangling by middleboxes
- Measurement tools development
- Data
  - storage
  - availability




# Overview - What we are doing?

- Methodology and Measurement Tool Design [1.1, in progress]
  - `tracebox`: middlebox detector, integration with `scamper`
  - `PATHSpider`: A/B path impairment testing, new plugins and framework improvements
  - `copycat`: UDP/TCP differential treatment detection
  - NAT Revelio: CGN detection
- Measurements
  - Initial Measurements and Middlebox Detection [1.2, in progress]
    - `atlas`, `copycat/tracebox` on Ark, PathSpider ECN, TFO, DSCP runs.
  - large-scale measurements [1.3, from January 2017]
    - based on experience gained from 1.2
- Data Model and Middlebox Observatory [1.4, in progress]




# Overview - Timeline 2016 (Y1)





# Overview - Timeline 2017 (Y2)



# Overview - Who does what?



so far, this has been achieved or is ongoing

Partner	MM	Task 1.1 Methodology and Tools	Task 1.2 Initial Measurement	Task 1.3 Large-Scale Measurement	Task 1.4 Data Model and Observatory
ETH	20	✓ pathspider (+mPlane SDK)	✓	✓ Edit D1.3 (2018)	✓ Edit D1.2 (2017)
ULg	12	✓ tracebox + copycat	✓ Edit D1.1 (Dec)		
UoA	15	✓ pathspider	✓	✓	
ZHAW	8				✓
SRL	6	✓ revelio		✓	






# Agenda

- Overview
- **Measurement Tools**
  - `tracebox`
  - `PATHSpider`
  - `copycat`
  - `NAT revelio`
- Data Storage
- Publications
- Conclusion

# tracebox - Concept





# tracebox - Data overview

- Already collected
  - PlanetLab (Top 1M Alexa)
  - March 2016 → July 2016
  - 1/4 of the dataset is already in the Observatory
- Being collected
  - PlanetLab (Top 1M Alexa)
  - Archipelago (IPv6)
- To-be collected
  - RIPE Atlas
- Started collecting data
  - MONROE



# tracebox - Mobile networks

- Data collected with traceboxAndroid
- Dataset
  - 214 users, from 45 countries
    - 80 carriers
    - 252 wifi networks
  - mobile phones
    - cellular: 37 rooted, 70 unrooted
    - wifi: 61 rooted, 211 unrooted
- Will be uploaded asap in the Observatory






# tracebox - Mobile network algorithms

- Among others
  - Proxies detection
  - NAT detection
  - Options feasibility tests




# PATHSpider - Background

- Active measurement of path transparency
- Basic methodology
  1. throw a bunch of packets at the Internet
  2. see what happens.
- Ideal: two-ended A/B testing
- Scalable: one-ended A/B testing
- Multiple sources: isolate on-path from near-target impairment
- PATHSpider provides a framework for generalizing and scaling the one-ended approach.
- Details: see <https://pathspider.net>





# PATHSpider - Architecture



- *Configurator*: puts system into configuration A or B (e.g., `sysctl`)
- *Workers*: generate test traffic
- *Observer*: passively observes test traffic
- *Merger*: combine information about active measurement with passive observations.
- Plugins allow for customizing traffic generation and observation for each kind of test (ECN, DSCP, TFO, etc.)
- Output fed into Path Transparency Observatory



# PATHSpider - Data overview

- Explicit Congestion Notification (ECN) to Alexa top 1M websites:

	IPv4	IPv6	all
No ECN connectivity issues	<b>99.5%</b>	<b>99.9%</b>	<b>99.5%</b>
ECN successfully negotiated	<b>70.0%</b>	<b>82.8%</b>	<b>70.5%</b>

- Cited in June '16 Apple announcement to activate ECN by default.
- Differentiated Services Codepoint (DSCP): ~10% of Alexa top 100k have unexpected DSCP values on downstream. Non-zero DSCP causes connection failure on up to 0.07% of paths.
- TCP Fast Open (TFO): 0.1 % of Alexa top 1M supports TFO (mostly Google). CPE, anti-DDoS sites impair TFO.
- More detailed DSCP and TFO measurements under submission to PAM '17
- Data being currently collected on MONROE






## copycat - Basics

- UDP encapsulation to circumvent middleboxes impairments (SCTP, QUIC, SPUD)
- Does the path discriminate flows based on transport?
- Study with `copycat`
  - differential treatment
    - connectivity, QoS, ...
  - is transport protocol *X* less ossified than *Y*?
    - e.g., TCP vs. UDP
- Details at <https://github.com/mami-project/udptun>



# copycat - Architecture



- runs pairs of flows between 2 end-points
  - one TCP flow
  - one TCP flow user UDP as outer transport
- same 4-tuple between both flows
- copycat uses a tun virtual network interface for encapsulating TCP within UDP
- both ends are under control





# copycat - Dataset

- PlanetLab
  - full mesh measurements between 93 PL machines
  - March 6<sup>th</sup>, 2016 → April 23<sup>rd</sup>, 2016
  - already in the Observatory
- DigitalOcean
  - full mesh measurements between 6 DO machines
  - May 2<sup>nd</sup>, 2016 → May, 12<sup>th</sup>, 2016
  - IPv4 and IPv6
  - already in the Observatory
- + RIPE Atlas pings




# copycat - UDP vs. TCP results

- UDP connectivity bias: -1% to -5% depending on ports



# NAT Revelio - Basics



- Detect the usage of *private/shared address space* beyond the service Demarcation device (CPE), in the ISP access network
- Detection the location (*home network or ISP access network*) device doing the translation to the GRA of the subscriber



# NAT Revelio - Phases

- The NAT revelio test suite includes 2 phases

## *1. environmental characterization*

- understand the environment hosting the device running the Revelio client
- objective: avoid NAT444 false positives

## *2. NAT444 discovery*

- detection of signals that the ISP might deploy a NAT444 solution in the ISP access network
- objective: access link detection




# Agenda

- Overview
- Measurement Tools
- **Data Storage**
  - Path Transparency Observatory
- Publications
- Conclusion



# Path Transparency Observatory (PTO)

- Make decisions about deployability with data
  - Active measurements made by the project
  - External measurements (e.g. traceroutes, BGP, traces)
- Focus on easing replication and providing insight to Internet operations community and general public



- More details, front-end demo this afternoon





# Agenda

- Overview
- Measurement Tools
- Data Storage
- **Publications**
- Conclusion



## Publications - Papers

- S. Neuhaus, K. Edeline, B. Donnet, E. Gubser. *Towards an Observatory for Network Transparency Research*. In Proc. Applied Network Research Workshop (ANRW). July 2016
- I. Learmonth, B. Trammell, M. Kühlewind, G. Fairhurst. *PATHspider: A Tool for Active Measurement of Path Transparency*. In Proc. Applied Network Research Workshop (ANRW). July 2016
- M. Varvello, J. Blackburn, D. Naylor, K. Papagiannaki. *EYEORG: A Platform for Crowdsourcing Web Quality of Experiment Measurements*. In Proc. ACM CoNEXT. December 2016



# Publications - Presentations

- M. Kühlewind. *What if We Designed Measurement as a First-order Service?* RIPE 72 RACI, Copenhagen (Denmark), May 2016.
- B. Trammell. *Internet Path Transparency Measurements using RIPE Atlas.* RIPE 72 MAT WG, Copenhagen (Denmark), May 2016.
- B. Trammell, *Can we run the Internet over UDP?*, IRTF MAPRG, Buenos Aires (Argentina), April 2016.
- B. Trammell, M. Kühlewind. *On Explicit In-Band Measurement.* Cisco - Ecole Polytechnique Network Innovation and Research Symposium, Paris (France). March 2016.
- M. Kühlewind, B. Trammell. *Middlebox Measurement and Cooperation.* CleanSky Conference, Heidelberg (Germany). February 2016.
- B. Trammell. *A Path Transparency Observatory.* Seminar on Global Measurements: Practice and Experience, Dagstuhl (Germany). January 2016.



# Publications - Technical Reports

- K. Edeline, M. Kühlewind, B. Trammell, E. Aben, B. Donnet.  
*Using UDP for Internet Transport Evolution*. To be published in arXiv



# Agenda

- Overview
- Measurement Tools
- Data Storage
- Publications
- Conclusion



# Conclusion

- Progress has been done, since the beginning of the work package, on all front lines
  - tools have been developed
  - tools have been deployed and a first dataset is already available
- Work still to be done on those tools
- Deliverable 1.2 will be provided on time



# Conclusion - Next steps

- Short term (end of 2016)
  - MS4
    - Observatory public release
  - Deliverable D1.1, report on initial measurements
  - Adapt `traceboxAndroid` algorithms to standard `tracebox`
  - Measurements on MONROE
    - `tracebox`
    - `PATHSpider`
- Mid term (early 2017)
  - Task T1.3
    - more analyses modules to integrate all measurement data in the Observatory