

MULTIWALL DRAWING REGISTER

PROJECT: COLIN STREET
TYPOLOGY: D2E(R)
CLIENT: KAIANGA ORA

Julius Torres	✓								
Aisea Taunisila	✓								
Arpit Chaudhari	✓								

P = PDF FILE FORMAT	P								
B = BTL FILE FORMAT	B								
W = WUP FILE FORMAT	W								

DATE	28 Feb 23								
Initial Of person Issuing	EI								
REVISION : FC_Number	01								

COVER SHEET	01								
MW01 - Station 1	01								
- Station 2	01								
- Station 3	01								
- Station 4	01								
MW02 - Station 1	01								
- Station 2	01								
- Station 3	01								
- Station 4	01								
MW03 - Station 1	01								
- Station 2	01								
- Station 3	01								
- Station 4	01								
MW04 - Station 1	01								
- Station 2	01								
- Station 3	01								
- Station 4	01								
MW05 - Station 1	01								
- Station 2	01								
- Station 3	01								
- Station 4	01								
MW06 - Station 1	01								
- Station 2	01								
- Station 3	01								
- Station 4	01								
MW07 - Station 1	01								
- Station 2	01								
- Station 3	01								
- Station 4	01								
MW08 - Station 1	01								
- Station 2	01								
- Station 3	01								
- Station 4	01								
MW09 - Station 1	01								
- Station 2	01								
- Station 3	01								
- Station 4	01								
MW10 - Station 1	01								
- Station 2	01								
- Station 3	01								
- Station 4	01								
MW01 - Station 1	01								
- Station 2	01								
- Station 3	01								
- Station 4	01								
MW12 - Station 1	01								
- Station 2	01								
- Station 3	01								
- Station 4	01								
MW13 - Station 1	01								
- Station 2	01								
- Station 3	01								
- Station 4	01								



A Smarter Way to Build
232 Cavendish Drive,
Wiri, Auckland 2104
P.O. Box 76514, Manukau 2241
clevercore.nz

FABRICATION DOCUMENTATION APPROVAL

These documents have been thru' a design review process with all the services consultants and are fully coordinated to align with the architect's and consultants' documentations.

CLIENT: _____

Name: _____ Sign: _____ Date: _____

ELECTRICAL CONTRACTOR: _____

Name: _____ Sign: _____ Date: _____

PLUMBING CONTRACTOR: _____

Name: _____ Sign: _____ Date: _____


A complete sign-off of this document is required prior to commencing production of closed wall panels, floor cassettes and roof cassettes by Clever Core.

FOR CONSTRUCTION



A Smarter Way to Build
232 Cavendish Drive,
Wiri, Auckland 2104
P.O. Box 76514, Manukau 2241
clevercore.nz

Station 1-MW01



E5

CLEVER
CORE

RELEASED FOR FABRICATION

BY . E. IBALIO DATE 28.02.23

**COLIN ST.
LOTS 04, 11, 16**

FRAMING

POSNUM	NAME	WIDTH	HEIGHT	LENGTH	MATERIAL	QTY
076	Stud	45	90	2315	LVL8	21
242	Stud	45	90	2315	LVL8	2
329	Stud	45	90	2315	LVL8	2
332	Stud	45	90	2315	LVL8	1
333	Stud	45	90	2315	LVL8	1
336	Stud	45	90	2315	LVL8	1
344	Stud	45	90	2315	LVL8	1
1575	Stud	45	90	2315	LVL8	1
1573	Stud	45	90	2315	LVL8	1
1579	Stud	45	90	2315	LVL8	1
1580	Stud	45	90	2315	LVL8	1
3285	Stud	45	90	2315	LVL8	1
3288	Stud	45	90	2315	LVL8	1

BOTTOM/TOP PLATES, LINTELS AND TRANSOMS

POSNUM	NAME	WIDTH	HEIGHT	LENGTH	MATERIAL	QTY
205	King Stud	45	90	2315	LVL8	2
207	King Stud	45	90	2315	LVL8	2
386	Transom	20	90	2010	Strandboard	1
387	Transom	20	90	690	Strandboard	1
1461	Lintel	45	140	690	LVL11	2
1548	Sill	45	90	600	LVL8	1
1573	Lintel	45	140	2010	LVL11	2
3456	Bottom Plate	45	90	9618	LVL11	1
3457	Top Plate	45	90	9618	LVL11	1


Cad Number	RM Code	Supplier	Product	*Qty
25	RM000289	Simpson	SST SDWS225...	39
38	RM000399	Spax	6x180	40
41	RM000413	Hilti	6x160	32
36	RM000378	Rothoblaas	9x160	5

CLEVER
CORE
New Zealand

A Smarter Way to Build
232 Cavendish Drive,
Wiri, Auckland 2104
P.O. Box 76514, Manukau 2241
clevercore.nz



KO-D2E(R)
WALLS

LVL8
LVL8
LVL8
LVL8
LVL8
LVL11
LVL11
STRANDBOARD
LVL8
LVL8
LVL8
LVL8
LVL8



Client:	Clever Core	REV:	
Drawn By:	A Bansal	FC01	22/02/2023
Group:	01_all_multiwalls	SHEET:	
Weight:	Weight 1156 kg	1 OF	

Station 2-MW01



STATION 2 - Zone 6						
PONUM	NAME	QTY	MATERIAL	WIDTH	HEIGHT	LENGTH
308	GIB_BL_OFF	1	GIB_BL_OFF	1200	10	1775
310	GIB_BL_OFF	1	GIB_BL_OFF	1200	10	2400
316	GIB_BL	1	GIB_BL	1200	10	1841
318	GIB_BL	1	GIB_BL	1200	10	3586
319	GIB_BL	1	GIB_BL	1200	10	4800
321	GIB_BL	1	GIB_BL	506	10	1200
3372	GIB_BL	1	GIB_BL	1200	10	1200
3375	GIB_BL	1	GIB_BL	1200	10	1200

STATION 2 - Zone 7




A Smarter Way to Build
232 Cavendish Drive,
Wiri, Auckland 2104
P.O. Box 76514, Manukau 2241
clevercore.nz

KO-D2E(R)
WALLS




LVL8
LVL11
LVL11
LVL8
LVL8
LVL8
LVL8
LVL8
STRANDBOARD
LVL8
LVL8
LVL8
GIB_BL_OFF
GIB_BL
GIB_BL



Client:	Clever Core	REV:	
Drawn By:	A Bansal	FC01	22/02/2023
Group:	01_all_multiwalls	SHEET:	
Weight:	Weight 1156 kg	1 OF	

Station 3- MW01



STATION 3 - Insulation

POSNUM	NAME	QTY	MATERIAL	WIDTH	HEIGHT	LENGTH
070	R2.2 Wall Batts	1	Insulation	36	90	2315
093	R2.2 Wall Batts	1	Insulation	236	90	710
125	R2.2 Wall Batts	1	Insulation	355	90	2315
270	R2.2 Wall Batts	1	Insulation	139	90	710
271	R2.2 Wall Batts	1	Insulation	305	90	2315
272	R2.2 Wall Batts	1	Insulation	344	90	1955
273	R2.2 Wall Batts	1	Insulation	344	90	115
274	R2.2 Wall Batts	1	Insulation	344	90	65
275	R2.2 Wall Batts	1	Insulation	246	90	1955
276	R2.2 Wall Batts	1	Insulation	246	90	115
277	R2.2 Wall Batts	1	Insulation	246	90	65
280	R2.2 Wall Batts	1	Insulation	195	90	2315
281	R2.2 Wall Batts	1	Insulation	171	90	2315
283	R2.2 Wall Batts	1	Insulation	95	90	2315
283	R2.2 Wall Batts	1	Insulation	94	90	2315
284	R2.2 Wall Batts	1	Insulation	65	90	2315
285	R2.2 Wall Batts	1	Insulation	355	90	1652
286	R2.2 Wall Batts	1	Insulation	355	90	573
289	R2.2 Wall Batts	1	Insulation	355	90	1605
290	R2.2 Wall Batts	4	Insulation	355	90	430
292	R2.2 Wall Batts	2	Insulation	355	90	1605
296	R2.2 Wall Batts	1	Insulation	260	90	2315
1996	R2.2 Wall Batts	1	Insulation	135	90	2315
1999	R2.2 Wall Batts	1	Insulation	130	90	2315
2024	R2.2 Wall Batts	3	Insulation	90	90	480
2025	R2.2 Wall Batts	6	Insulation	90	90	303
2026	R2.2 Wall Batts	3	Insulation	45	90	480
3298	R2.2 Wall Batts	1	Insulation	242	90	2315
3334	R2.2 Wall Batts	1	Insulation	355	90	1795
3699	R2.2 Wall Batts	1	Insulation	180	90	2315
3972	R2.2 Wall Batts	1	Insulation	265	90	2315

CLEVER CORE

RELEASED FOR FABRICATION

BY : E. IBALIO DATE.....
28.02.23

INSULATION
INSULATION
INSULATION
LVL8
LVL8
LVL11
LVL11
STRANDBOARD
LVL8
LVL8
LVL11
LVL11
LVL8
LVL8
LVL8
LVL8
LVL8


Cad Number	RM Code	Supplier	Product	Qu...
41	RM000413	Hilti	6x160	32
38	RM000399	Spax	6x180	40
36	RM000378	Rothoblaas	9x160	5
25	RM000289	Simpson	SST SD...	39

CLEVER CORE
New Zealand


A Smarter Way to Build
232 Cavendish Drive,
Wiri, Auckland 2104
P.O. Box 76514, Manukau 2241
clevercore.nz

KO-D2E(R)
WALLS

Client:	Clever Core	REV:	
Drawn By:	A Bansal	FC01	22/02/2023
Group:	01_all_multwalls	SHEET:	
Weight:	Weight 1156 kg	1 OF	



Station 4- MW01




STATION 4 - Layer 1						
POSNUM	NAME	QTY	MATERIAL	WIDTH	HEIGHT	LENGTH
030	GIB_WL 1	GIB_WL	203	10	1200	
297	GIB_WL 2	GIB_WL	1200	10	2425	
298	GIB_WL 1	GIB_WL	1200	10	2425	
300	GIB_WL 1	GIB_WL	416	10	2425	
306	GIB_WL 1	GIB_WL	1200	10	2425	
3283	GIB_WL 1	GIB_WL	1200	10	2425	
3284	GIB_WL 1	GIB_WL	1200	10	2425	
3378	GIB_WL 1	GIB_WL	800	10	2425	

CLEVER CORE
RELEASED FOR FABRICATION
BY: E. IBALIO DATE: 28.02.23

LVL8
LVL8
LVL8
LVL8
LVL8
LVL11
LVL11
STRANDBOARD
LVL8
LVL8
LVL8
GIB_WL
GIB_WL

Station 1-MW02



CLEVER CORE

RELEASED FOR FABRICATION

BY: E. IBALIO DATE: 28.02.23

FRAMING					
POSNUM	NAME	WIDTH	HEIGHT	LENGTH	MATERIAL QTY
076	Stud	45	90	2315	LVL8 13
242	Stud	45	90	2315	LVL8 1
252	Stud	45	90	2315	LVL8 1
320	Stud	45	90	2315	LVL8 1
344	Stud	45	90	2315	LVL8 3
498	Packer	20	90	1020	Strandboard 1
1258	Packer	17	90	2315	Strandboard 1
1446	Packer	20	90	1490	Strandboard 1
3463	Packer	17	90	2315	Strandboard 1
3843	PACKER	20	90	2480	Strandboard 1
3858	Stud	45	90	2315	LVL8 1
1258	Packer	17	90	2315	Strandboard 1
1446	Packer	20	90	1490	Strandboard 1
3463	Stud	45	90	2315	LVL8 1
3843	PACKER	20	90	2480	Strandboard 1
3858	Stud	45	90	2315	LVL8 1

BOTTOM/TOP PLATES, LINTELS AND TRANSOMS

POSNUM	NAME	WIDTH	HEIGHT	LENGTH	MATERIAL	QTY
205	King Stud	45	90	2315	LVL8	1
207	King Stud	45	90	2315	LVL8	1
254	Top Plate	45	90	2828	LVL11	1
262	Top Plate	45	90	1307	LVL11	1
299	King Stud	45	90	2315	LVL8	1
338	Lintel	45	140	1490	LVL11	2
343	Sill	45	90	1400	LVL8	1
352	King Stud	45	90	2315	LVL8	1
498	Packer	20	90	1020	Strandboard	1
498	Packer	17	90	2315	Strandboard	1
1258	Packer	20	90	1490	Strandboard	1
1446	Packer	20	90	1490	Strandboard	1
3463	Packer	17	90	2315	Strandboard	1
3843	PACKER	20	90	2480	Strandboard	1
3858	Stud	45	90	2315	LVL8 1	

BLOCKING & JACK STUDS


POSNUM	NAME	WIDTH	HEIGHT	LENGTH	MATERIAL	QTY
--------	------	-------	--------	--------	----------	-----



A Smarter Way to Build
232 Cavendish Drive,
Wiri, Auckland 2104
P.O. Box 76514, Manukau 2241
clevercore.nz


KO-D2E(R)
WALLS

LVL8
LVL8
LVL8
LVL8
LVL8
LVL8
STRANDBOARD
LVL8
LVL8
LVL8
LVL8
LVL8
STRANDBOARD
STRANDBOARD
LVL11
LVL11
LVL8
LVL8



Client:	Clever Core	REV:	
Drawn By:	A Bansal	FC01	22/02/2023
Group:	01_all_multiwalls	SHEET:	
Weight:	Weight 801 kg	1 OF	

Station 2-MW02



STATION 2 - Zone 6						
PONUM	NAME	QTY	MATERIAL	WIDTH	HEIGHT	LENGTH
211	GIB_GS	1	GIB_GS	133	10	1200
240	GIB_BL_OFF	1	GIB_BL_OFF	1200	10	1200
243	GIB_BL	1	GIB_BL	1200	10	1628
244	GIB_BL_OFF	1	GIB_BL_OFF	1200	10	1200
246	GIB_BL	1	GIB_BL	1200	10	1628
261	GIB_GS	1	GIB_GS	240	10	1200
264	GIB_BL_OFF	1	GIB_BL_OFF	830	10	1200
266	GIB_BL_OFF	1	GIB_BL_OFF	630	10	1200
334	GIB_GS	1	GIB_GS	1200	10	1307
335	GIB_GS	2	GIB_GS	496	10	1200
3379	GIB_BL	1	GIB_BL	1200	10	3315
3380	GIB_BL	1	GIB_BL	1121	10	1200


STATION 2 - Zone 7




A Smarter Way to Build
232 Cavendish Drive,
Wiri, Auckland 2104
P.O. Box 76514, Manukau 2241
clevercore.nz

KO-D2E(R)
WALLS

Client:	Clever Core	REV:	
Drawn By:	A Bansal	FC01	22/02/2023
Group:	01_all_multwalls	SHEET:	
Weight:	Weight 801 kg	1 OF	



Station 3- MW02




STATION 3 - Insulation					
POSNUM	NAME	QTY	MATERIAL	WIDTH	HEIGHT
235	R2.2 Wall Batts	1	Insulation	167	90
236	R2.2 Wall Batts	1	Insulation	355	90
237	R2.2 Wall Batts	1	Insulation	193	90
238	R2.2 Wall Batts	1	Insulation	270	90
253	R2.2 Wall Batts	1	Insulation	334	90
255	R2.2 Wall Batts	1	Insulation	334	90
577	R2.2 Wall Batts	1	Insulation	316	90
1070	R2.2 Wall Batts	1	Insulation	248	90
1396	R2.2 Wall Batts	1	Insulation	173	90
2026	R2.2 Wall Batts	2	Insulation	45	90
3305	R2.2 Wall Batts	1	Insulation	119	90
3577	R2.2 Wall Batts	1	Insulation	344	90
3699	R2.2 Wall Batts	1	Insulation	180	90
3701	R2.2 Wall Batts	1	Insulation	305	90
3702	R2.2 Wall Batts	1	Insulation	199	90
3703	R2.2 Wall Batts	1	Insulation	338	90
3704	R2.2 Wall Batts	1	Insulation	355	90
3951	R2.2 Wall Batts	2	Insulation	45	90

Cad Number	RM Code	Supplier	Product	Qu...
41	RM000413	Hilti	6x160	35
38	RM000399	Spax	6x180	70
36	RM000378	Rothoblaas	9x160	20
25	RM000289	Simpson	SST SD...	23



A Smarter Way to Build
232 Cavendish Drive,
Wiri, Auckland 2104
P.O. Box 76514, Manukau 2241
clevercore.nz

KO-D2E(R)
WALLS

Client:	Clever Core	REV:	
Drawn By:	A Bansal	FC01	DATE: 22/02/2023
Group:	01_all_multwalls	SHEET:	
Weight:	Weight 801 kg	1 OF	



Station 4- MW02




STATION 4 - Layer 1						
POSNUM	NAME	QTY	MATERIAL	WIDTH	HEIGHT	LENGTH
030	GIB_WL	1	GIB_WL	203	10	1200
032	GIB_WL	1	GIB_WL	423	10	2425
033	GIB_WL	1	GIB_WL	496	10	2425
268	GIB_WL	1	GIB_WL	1200	10	2425
1781	GIB_WL	1	GIB_WL	428	10	2425
1834	GIB_WL	1	GIB_WL	1200	10	2425
3315	GIB_WL	1	GIB_WL	1200	10	2425
3316	GIB_WL	1	GIB_WL	1200	10	2425
3487	GIB_WL	1	GIB_WL	545	10	2425
3989	GIB_WL	1	GIB_WL	884	10	2425



A Smarter Way to Build
232 Cavendish Drive,
Wiri, Auckland 2104
P.O. Box 76514, Manukau 2241
clevercore.nz


KO-D2E(R)
WALLS

LVL8
LVL8
LVL8
STRANDBOARD
LVL8
LVL8
LVL8
LVL8
LVL8
STRANDBOARD
STRANDBOARD
LVL11
LVL11
LVL8
LVL8
GIB_WL
GIB_WL



Client:	Clever Core	REV:	
Drawn By:	A Bansal	FC01	22/02/2023
Group:	01_all_multiwalls	SHEET:	
Weight:	Weight 801 kg	1 OF	

Station 1-MW03



IT1

CLEVER
CORE

RELEASED FOR FABRICATION

BY: E. IBALIO DATE: 28.02.23

BLOCKING & JACK STUDS

PONUM	NAME	WIDTH	HEIGHT	LENGTH	MATERIAL	QTY
035	Blocking	180	18	1721	LVL8	1
967	Blocking	45	90	365	LVL8	6
1590	Blocking	45	90	250	LVL8	18
3551	Blocking	45	140	355	LVL8	1
3552	Blocking	45	90	291	LVL8	4
3553	Blocking	45	90	169	LVL8	4
3554	Blocking	45	90	480	LVL8	3
3562	Blocking	45	90	79	LVL8	1
3563	Blocking	45	90	116	LVL8	1
3564	Blocking	45	90	259	LVL8	1

FRAMING

PONUM	NAME	WIDTH	HEIGHT	LENGTH	MATERIAL	QTY
1593	Stud	45	90	2315	LVL8	26
3438	Stud	45	90	2315	LVL8	3
3460	Stud	45	90	2315	LVL8	2
3461	Stud	45	90	2315	LVL8	1
3462	Stud	45	90	2315	LVL8	2
3565	Stud	45	90	2315	LVL8	1
3589	Stud	45	90	2315	LVL8	3
3590	Stud	45	90	2315	LVL8	4
3591	Stud	45	90	2315	LVL8	1
3700	Stud	45	90	2315	LVL8	1
3705	Stud	45	90	2315	LVL8	1
3706	Stud	45	90	2315	LVL8	1


PONUM	NAME	WIDTH	HEIGHT	LENGTH	MATERIAL	QTY
3575	Bottom Plate	45	90	9720	LVL11	1
3583	Top Plate	45	90	9720	LVL11	1



A Smarter Way to Build
232 Cavendish Drive,
Wiri, Auckland 2104
P.O. Box 76514, Manukau 2241
clevercore.nz

KO-D2E(R)
WALLS


LVL8
LVL8
LVL11
LVL8
LVL8
LVL8
LVL8




Cad Number	RM Code	Supplier	Product	*Qty
25	RM000289	Simpson	SST SDWS225...	46
38	RM000399	Spax	6x180	26
41	RM000413	Hilti	6x160	31
36	RM000378	Rothoblaas	9x160	2

Client:	Clever Core	REV:	
Drawn By:	A Bansal	FC01	22/02/2023
Group:	01_all_multiwalls	SHEET:	
Weight:	Weight 1872 kg	1 OF	

Station 2-MW03



CLEVER CORE
RELEASED FOR FABRICATION
BY: E. IBALIO DATE: 28.02.23



STATION 2 - Zone 6					
POSNUM	NAME	QTY	MATERIAL	WIDTH	HEIGHT LENGTH
129	GIB_FL	7	GIB_FL	1200	13 2400
189	GIB_FL	1	GIB_FL	500	13 2400
210	GIB_FL	1	GIB_FL	208	13 2400
367	GIB_WL	1	GIB_WL	607	10 2425

STATION 2 - Zone 7						
POSNUM	NAME	QTY	MATERIAL	WIDTH	HEIGHT	LENGTH
129	GIB_FL	2	GIB_FL	1200	13	2400
260	GIB_FL	2	GIB_FL	1200	13	1978
368	GIB_FL	1	GIB_FL	1008	13	2400
470	GIB_FL	1	GIB_FL	900	13	2400
1454	GIB_FL	1	GIB_FL	1200	13	2400
1466	GIB_FL	1	GIB_FL	1200	13	2400




A Smarter Way to Build
232 Cavendish Drive,
Wiri, Auckland 2104
P.O. Box 76514, Manukau 2241
clevercore.nz

KO-D2E(R)
WALLS

Client:	Clever Core	REV:	
Drawn By:	A Bansal	FC01	22/02/2023
Group:	01_all_multiwalls	SHEET:	
Weight:	Weight 1872 kg	1 OF	

Station 3- MW03



STATION 3 - Insulation

POSNUM	NAME	QTY	MATERIAL	WIDTH	HEIGHT	LENGTH
1982	R2.2 Wall Batts	8	Insulation	355	90	2315
1987	R2.2 Wall Batts	5	Insulation	355	90	355
1988	R2.2 Wall Batts	3	Insulation	355	90	1915
2022	R2.2 Wall Batts	1	Insulation	318	90	230
2024	R2.2 Wall Batts	2	Insulation	90	90	480
2025	R2.2 Wall Batts	4	Insulation	90	90	303
2026	R2.2 Wall Batts	5	Insulation	45	90	480
2027	R2.2 Wall Batts	1	Insulation	50	90	2315
2031	R2.2 Wall Batts	1	Insulation	355	90	807
2032	R2.2 Wall Batts	1	Insulation	355	90	1142
2033	R2.2 Wall Batts	1	Insulation	355	90	518
2034	R2.2 Wall Batts	1	Insulation	355	90	1431
2035	R2.2 Wall Batts	1	Insulation	355	90	1720
2040	R2.2 Wall Batts	1	Insulation	106	90	1915
2060	R2.2 Wall Batts	1	Insulation	355	90	215
2197	R2.2 Wall Batts	1	Insulation	69	90	1915
2198	R2.2 Wall Batts	1	Insulation	69	90	355
2199	R2.2 Wall Batts	1	Insulation	106	90	355
3577	R2.2 Wall Batts	1	Insulation	344	90	2315
3699	R2.2 Wall Batts	1	Insulation	180	90	2315
3951	R2.2 Wall Batts	1	Insulation	45	90	302
3951	R2.2 Wall Batts	3	Insulation	45	90	303
3972	R2.2 Wall Batts	1	Insulation	265	90	2315
3973	R2.2 Wall Batts	1	Insulation	249	90	1915
3974	R2.2 Wall Batts	1	Insulation	249	90	355
3975	R2.2 Wall Batts	1	Insulation	281	90	190
3976	R2.2 Wall Batts	2	Insulation	281	90	395
3977	R2.2 Wall Batts	1	Insulation	281	90	665
3978	R2.2 Wall Batts	1	Insulation	281	90	355
3979	R2.2 Wall Batts	1	Insulation	159	90	355
3980	R2.2 Wall Batts	1	Insulation	159	90	665
3981	R2.2 Wall Batts	2	Insulation	159	90	395

Cad Number	RM Code	Supplier	Product	Qu...
41	RM000413	Hilti	6x160	31
38	RM000399	Spax	6x180	26
36	RM000378	Rothoblaas	9x160	2
25	RM000289	Simpson	SST SD...	46




A Smarter Way to Build
232 Cavendish Drive,
Wiri, Auckland 2104
P.O. Box 76514, Manukau 2241
clevercore.nz

KO-D2E(R)
WALLS

Client:	Clever Core	REV:	
Drawn By:	A Bansal	FC01	22/02/2023
Group:	01_all_multiwalls	SHEET:	
Weight:	Weight 1872 kg	1 OF	

Station 4- MW03




IT1

CLEVER CORE

RELEASED FOR FABRICATION


BY . E. IBALIO DATE.....
28.02.23

LVL8
LVL8
LVL11
LVL8
LVL8
LVL8
GIB_WL



STATION 4 - Layer 1						
POSNUM	NAME	QTY	MATERIAL	WIDTH	HEIGHT	LENGTH
057	GIB_WL	1	GIB_WL	416	10	2400
059	GIB_WL	7	GIB_WL	1200	10	2400
148	GIB_WL	1	GIB_WL	900	10	2400

Station 1-MW04



FRAMING					
POSNUM	NAME	WIDTH	HEIGHT	LENGTH	MATERIAL QTY
076	Stud	45	90	2315	LVL8 11 225
222	Stud	45	90	2315	LVL8 2 231
242	Stud	45	90	2315	LVL8 1 295
252	Stud	45	90	2315	LVL8 2 389
256	Stud	45	90	2315	LVL8 1 426
279	Stud	45	90	2315	LVL8 1 685
320	Stud	45	90	2315	LVL8 1 694
425	Stud	45	90	2315	LVL8 1 1227
437	Stud	45	90	2315	LVL8 1 1585
1585	GIBHBRAC	65	97	54	STEEL 1 1586
1586	GIBHBRAC	65	97	54	STEEL 1 1587
1587	GIBHBRAC	65	97	54	STEEL 1 1588
1588	GIBHBRAC	65	97	54	STEEL 1 2160
2074	Stud	45	90	2315	LVL8 1 2161
3453	Stud	45	90	2315	LVL8 1 3335
3454	Stud	45	90	2315	LVL8 1 3371
3455	Stud	45	90	2315	LVL8 1 3451
3566	Stud	45	90	2310	LVL8 2 3838

POSNUM	NAME	WIDTH	HEIGHT	LENGTH	MATERIAL	QTY
102	Blocking	45	90	175	LVL8	1
134	Jack Stud	45	90	235	LVL8	2
214	Blocking	45	90	365	LVL8	1
220	Jack Stud	45	90	235	LVL8	1
302	Blocking	45	90	250	LVL8	12
703	Blocking	45	90	342	LVL8	1
967	Blocking	45	90	365	LVL8	2
1066	Blocking	45	90	157	LVL8	1
1073	Jack Stud	45	90	342	LVL8	1
3304	Jack Stud	45	90	1208	LVL8	1
3306	Jack Stud	45	90	631	LVL8	1
3307	Jack Stud	45	90	919	LVL8	1
3329	Blocking	45	90	226	LVL8	1
3345	Jack Stud	45	90	135	LVL8	1
3587	Blocking	45	90	120	LVL8	1
3959	Blocking	45	90	155	LVL8	1
4979						
5179						
5375						
5575						
5975						
6336						
6674						
6671						
6471						
7457						
7767						
7567						
8383						
8665						

Cad Number	RM Code	Supplier	Product	*Qty
25	RM000289	Simpson	SST SDWS225...	18
38	RM000399	Spax	6x180	66
41	RM000413	Hilti	6x160	24
36	RM000378	Rothoblaas	9x160	6
22	RM000084		GIBHBRAC	4



A Smarter Way to Build
232 Cavendish Drive,
Wiri, Auckland 2104
P.O. Box 76514, Manukau 2241
clevercore.nz


KO-D2E(R)
WALLS

Client:	Clever Core	REV:	
Drawn By:	A Bansal	FC01	22/02/2023
Group:	01_all_multiwalls	SHEET:	
Weight:	Weight 432 kg	1 OF	


CLEVER
CORE

RELEASED FOR FABRICATION

BY : E. IBALIO DATE 28.02.23



Station 2-MW04



STATION 2 - Zone 6						
POSNUM	NAME	QTY	MATERIAL	WIDTH	HEIGHT	LENGTH
063	GIB_BL	1	GIB_BL	1148	10	1200
213	GIB_GS	1	GIB_GS	43	10	1200
216	GIB_GS	1	GIB_GS	3631	10	1200
221	GIB_GS	1	GIB_GS	1577	10	1200
1244	GIB_BL	1	GIB_BL	1148	10	1200
1469	GIB_GS	1	GIB_GS	86	10	1200
1787	GIB_BL	1	GIB_BL	896	10	1200
2149	GIB_BL	1	GIB_BL	896	10	1200


STATION 2 - Zone 7

POSNUM	NAME	QTY	MATERIAL	WIDTH	HEIGHT	LENGTH
--------	------	-----	----------	-------	--------	--------


CLEVER CORE
RELEASED FOR FABRICATION
BY E. IBALIO DATE 28.02.23

LVL11 (Lightest shade)
LVL11 (Medium shade)
LVL8 (Lightest shade)
LVL11 (Medium shade)
LVL8 (Lightest shade)
LVL8 (Medium shade)
LVL8 (Medium shade)
LVL8 (Medium shade)
LVL8 (Medium shade)

GIB_GS
GIB_BL



Station 3- MW04




CLEVER CORE

RELEASED FOR FABRICATION

BY : E. IBALIO DATE 28.02.23

LVL11
LVL11
LVL11
LVL8
LVL8
LVL8
STEEL
LVL8
LVL8
LVL8
LVL8



Cad Number	RM Code	Supplier	Product	Qu...
41	RM000413	Hilti	6x160	24
38	RM000399	Spax	6x180	66
36	RM000378	Rothoblaas	9x160	6
25	RM000289	Simpson	SST SD...	18

CLEVER CORE
New Zealand


A Smarter Way to Build
232 Cavendish Drive,
Wiri, Auckland 2104
P.O. Box 76514, Manukau 2241
clevercore.nz

KO-D2E(R)
WALLS

Client:	Clever Core	REV:	
Drawn By:	A Bansal	FC01	DATE: 22/02/2023
Group:	01_all_multiwalls	SHEET:	
Weight:	Weight 432 kg	1 OF	

STATION 3 - Insulation
POSNUM NAME QTY MATERIAL WIDTH HEIGHT LENGTH


Station 4- MW04



STATION 4 - Layer 1						
POSPN	NAME	QTY	MATERIAL	WIDTH	HEIGHT	LENGTH
215	GIB_GS	2	GIB_GS	196	10	1200
224	GIB_BL_OFF	1	GIB_BL_OFF	896	10	1200
226	GIB_BL	1	GIB_BL	896	10	1200
227	GIB_BL	2	GIB_BL	348	10	1200
229	GIB_BL_OFF	1	GIB_BL_OFF	800	10	1200
230	GIB_BL_OFF	1	GIB_BL_OFF	800	10	1200
697	GIB_GS	1	GIB_GS	1200	10	2655
1787	GIB_BL	3	GIB_BL	896	10	1200
1789	GIB_BL_OFF	1	GIB_BL_OFF	896	10	1200
2203	GIB_GS	1	GIB_GS	1200	10	43
2205	GIB_GS	1	GIB_GS	86	10	778
2206	GIB_GS	1	GIB_GS	1204	10	778
2207	GIB_GS	1	GIB_GS	43	10	778
2208	GIB_GS	1	GIB_GS	1200	10	86

CLEVER CORE
RELEASED FOR FABRICATION
BY E. IBALIO DATE 28.02.23

STEEL
LVL8
LVL8
LVL8
LVL8
LVL11
LVL11
LVL11
LVL8
LVL8
LVL8
GIB_GS
GIB_GS
GIB_BL_OFF
GIB_BL




Station 1-MW05



Wall

Studs




X6

**CLEVER
CORE**

RELEASED FOR FABRICATION

BY . E.IBALIO DATE .. 28.02.23 ..



BLOCKING & JACK STUDS
POSDNUM NAME WIDTH HEIGHT LENGTH MATERIAL QTY

Cad Number	RM Code	Supplier	Product	*Qty
38	RM000399	Spax	6x180	3
41	RM000413	Hilti	6x160	3

LVL8
LVL8
LVL11
LVL8
LVL8

FRAMING

POSDNUM NAME WIDTH HEIGHT LENGTH MATERIAL QTY

3988	Stud	45	90	2267	LVL8	2
3994	Stud	45	90	2104	LVL8	1
3995	Stud	45	90	2104	LVL8	1
3996	Stud	45	90	2267	LVL8	2

BOTTOM/TOP PLATES, LINTELS AND TRANSOMS

POSDNUM	NAME	WIDTH	HEIGHT	LENGTH	MATERIAL	QTY
169	Bottom Plate	45	90	1046	LVL11	1
1327	Top Plate	45	90	956	LVL11	1



**CLEVER
CORE**
New Zealand

A Smarter Way to Build
232 Cavendish Drive,
Wiri, Auckland 2104
P.O. Box 76514, Manukau 2241
clevercore.nz

KO-D2E(R)
WALLS

Client:	Clever Core	REV:	
Drawn By:	A Bansal	FC01	22/02/2023
Group:	01_all_multiwalls	SHEET:	
Weight:	Weight 74 kg	1 OF	

Station 2-MW05



LVL11
LVL8
LVL8
LVL8
LVL8
GIB_GS
GIB_GS

STATION 2 - Zone 6						
POSNUM	NAME	QTY	MATERIAL	WIDTH	HEIGHT	LENGTH
212	GIB_GS	1	GIB_GS	1152	10	1046
381	GIB_GS	1	GIB_GS	1046	10	1200

STATION 2 - Zone 7						
POSNUM	NAME	QTY	MATERIAL	WIDTH	HEIGHT	LENGTH




A Smarter Way to Build
232 Cavendish Drive,
Wiri, Auckland 2104
P.O. Box 76514, Manukau 2241
clevercore.nz

KO-D2E(R)
WALLS

Client:	Clever Core	REV:	FC01	DATE:	22/02/2023
Drawn By:	A Bansal	SHEET:			
Group:	01_all_multiwalls	1 OF			
Weight:	Weight 74 kg				

Station 3- MW05

OFF-LINE WALL




X6

**CLEVER
CORE**

RELEASED FOR FABRICATION

BY . E.IBALIO DATE 28.02.23



LVL11
LVL8
LVL8
LVL8
LVL8

Cad Number	RM Code	Supplier	Product	Qu...
41	RM000413	Hilti	6x160	3
38	RM000399	Spax	6x180	3

**CLEVER
CORE**
New Zealand

A Smarter Way to Build
232 Cavendish Drive,
Wiri, Auckland 2104
P.O. Box 76514, Manukau 2241
clevercore.nz



KO-D2E(R)
WALLS

Client: Clever Core	REV: FC01	DATE: 22/02/2023
Drawn By: A Bansal		
Group: 01_all_multiwalls	SHEET:	
Weight: Weight 74 kg	1 OF	


STATION 3 - Insulation
PONUM NAME QTY MATERIAL WIDTH HEIGHT LENGTH

Station 4- MW05

OFF-LINE WALL



X6



LVL8
LVL8
LVL11
LVL8
LVL8
GIB_AQ
GIB_AQ_OFF

STATION 4 - Layer 1						
POSNUM	NAME	QTY	MATERIAL	WIDTH	HEIGHT	LENGTH
208	GIB_AQ	1	GIB_AQ	1046	10	1200
209	GIB_AQ_OFF	1	GIB_AQ_OFF	1152	10	1046


Station 1-MW06



OFF-LINE WALL

Wall

Studs




X7

CLEVER CORE

RELEASED FOR FABRICATION

BY . E.IBALIO DATE..... 28.02.23



BLOCKING & JACK STUDS

POSDNUM	NAME	WIDTH	HEIGHT	LENGTH	MATERIAL	QTY
1308	Blocking	45	90	247	LVL8	1

FRAMING						
POSDNUM	NAME	WIDTH	HEIGHT	LENGTH	MATERIAL	QTY
3337	Stud	45	90	988	LVL8	1
3339	Stud	45	90	888	LVL8	1
3340	Stud	45	90	1854	LVL8	1
3997	Stud	45	90	2058	LVL8	1
3998	Stud	45	90	1565	LVL8	1
3999	Stud	45	90	1276	LVL8	1

BOTTOM/TOP PLATES, LINTELS AND TRANSOMS

POSDNUM	NAME	WIDTH	HEIGHT	LENGTH	MATERIAL	QTY
1501	Top Plate	45	90	2087	LVL11	1
3338	Bottom Plate	45	90	1666	LVL11	1

Cad Number	RM Code	Supplier	Product	*Qty
41	RM000413	Hilti	6x160	5



A Smarter Way to Build
232 Cavendish Drive,
Wiri, Auckland 2104
P.O. Box 76514, Manukau 2241
clevercore.nz



KO-D2E(R)
WALLS

LVL8
LVL8
LVL11
LVL8
LVL11


Client:	Clever Core	REV:	
Drawn By:	A Bansal	FC01	3/02/2023
Group:	01_all_multiwalls	SHEET:	
Weight:	Weight 42 kg	1 OF	

Station 2-MW06

OFF-LINE WALL



CLEVER CORE
RELEASED FOR FABRICATION
BY . E.IBALIO DATE..... 28.02.23




LVL11
LVL8
LVL11
LVL8
GIB_AQ_OFF
GIB_AQ_OFF

STATION 2 - Zone 6									
POSNUM	NAME	QTY	MATERIAL	WIDTH	HEIGHT	LENGTH	STATION 2 - Zone 7		
494	GIB_AQ_OFF	1	GIB_AQ_OFF	1200	10	1666	POSNUM	NAME	QTY
3321	GIB_AQ_OFF	1	GIB_AQ_OFF	773	10	1629	POSNUM	NAME	QTY

Station 3- MW06




OFF-LINE WALL



CLEVER CORE

RELEASED FOR FABRICATION

BY . E.IBALIO DATE.....
28.02.23



LVL8
LVL11
LVL8
LVL11
LVL8

Cad Number	RM Code	Supplier	Product	Qu...
41	RM000413	Hilti	6x160	5

CLEVER CORE
New Zealand

A Smarter Way to Build
232 Cavendish Drive,
Wiri, Auckland 2104
P.O. Box 76514, Manukau 2241
clevercore.nz

KO-D2E(R)
WALLS



Client:	Clever Core	REV:	
Drawn By:	A Bansal	FC01	3/02/2023
Group:	01_all_multwalls	SHEET:	
Weight:	Weight 42 kg	1 OF	

STATION 3 - Insulation


POSNUM NAME QTY MATERIAL WIDTH HEIGHT LENGTH

Station 4- MW06

OFF-LINE WALL



LVL8
LVL8
LVL11
LVL8
LVL11



A Smarter Way to Build
232 Cavendish Drive,
Wiri, Auckland 2104
P.O. Box 76514, Manukau 2241
clevercore.nz

KO-D2E(R)
WALLS


Client:	Clever Core	REV:		DATE:
Drawn By:	A Bansal	FC01	3/02/2023	
Group:	01_all_multwalls	SHEET:		
Weight:	Weight 42 kg	1 OF		

STATION 4 - Layer 1
POSNUM NAME QTY MATERIAL WIDTH HEIGHT LENGTH

Station 1-MW07- Offline Wall



Wall




Studs

CLEVER CORE

RELEASED FOR FABRICATION

BY . E.IBALIO DATE . 28.02.23 ..



BLOCKING & JACK STUDS

POSDNUM	NAME	WIDTH	HEIGHT	LENGTH	MATERIAL	QTY
414	Blocking	45	90	979	LVL8	1

LVL8
 LVL8
 LVL8
 LVL11
 LVL8
 LVL8

FRAMING

POSDNUM	NAME	WIDTH	HEIGHT	LENGTH	MATERIAL	QTY
429	Stud	45	90	841	LVL8	1
1975	Stud	45	90	979	LVL8	2
3450	Stud	45	90	841	LVL8	1
3987	Stud	45	90	979	LVL8	1

BOTTOM/TOP PLATES, LINTELS AND TRANSOMS

POSDNUM	NAME	WIDTH	HEIGHT	LENGTH	MATERIAL	QTY
169	Bottom Plate	45	90	1046	LVL11	1
1327	Top Plate	45	90	956	LVL11	1




A Smarter Way to Build
232 Cavendish Drive,
Wiri, Auckland 2104
P.O. Box 76514, Manukau 2241
clevercore.nz

KO-D2E(R)
WALLS

Client:	Clever Core	REV:	
Drawn By:	A Bansal	FC01	3/02/2023
Group:	00_ground_floor	SHEET:	
Weight:	Weight 36 kg	1 OF	


Station 2-MW07- Offline Wall



**CLEVER
CORE**

RELEASED FOR FABRICATION

BY . E.IBALIO DATE ..28.02.23..



LVL11
LVL8
LVL8
LVL8
LVL8
LVL8
LVL8
GIB_AQ

STATION 2 - Zone 6
POSNUM NAME QTY MATERIAL WIDTH HEIGHT LENGTH
497 GIB_AQ 1 GIB_AQ 1064 10 1046

STATION 2 - Zone 7
POSNUM NAME QTY MATERIAL WIDTH HEIGHT LENGTH



**CLEVER
CORE**
New Zealand

A Smarter Way to Build
232 Cavendish Drive,
Wiri, Auckland 2104
P.O. Box 76514, Manukau 2241
clevercore.nz

KO-D2E(R)
WALLS

Client:	Clever Core	REV:	
Drawn By:	A Bansal	FC01	3/02/2023
Group:	00_ground_floor	SHEET:	
Weight:	Weight 36 kg	1 OF	

Station 3- MW07- Offline Wall



LVL11
LVL8
LVL8
LVL8
LVL8
LVL8
LVL8

Cad Number	RM Code	Supplier	Product	Qu...
41	RM000413	Hilti	6x160	3
38	RM000399	Spax	6x180	1





A Smarter Way to Build
232 Cavendish Drive,
Wiri, Auckland 2104
P.O. Box 76514, Manukau 2241
clevercore.nz

KO-D2E(R)
WALLS

Client:	Clever Core	REV:	
Drawn By:	A Bansal	FC01	3/02/2023
Group:	00_ground_floor	SHEET:	
Weight:	Weight 35 kg	1 OF	

STATION 3 - Insulation
PONUM NAME QTY MATERIAL WIDTH HEIGHT LENGTH

Station 4- MW07- Offline Wall




CLEVER CORE

RELEASED FOR FABRICATION


BY . E.IBALIO DATE.....
28.02.23

LVL8
LVL8
LVL8
LVL11
LVL8
LVL8
GIB_GS



STATION 4 - Layer 1						
POSNUM	NAME	QTY	MATERIAL	WIDTH	HEIGHT	LENGTH
1236	GIB_GS	1	GIB_GS	1064	10	1046

Station 1-MW08




E8

**CLEVER
CORE**

RELEASED FOR FABRICATION

BY . E. IBALIO DATE 28.02.23



BLOCKING & JACK STUDS

POSNUM	NAME	WIDTH	HEIGHT	LENGTH	MATERIAL	QTY
040	Blocking	45	90	454	LVL8	2
046	Blocking	45	90	365	LVL8	2
052	Jack Stud	45	90	710	LVL8	8
053	Jack Stud	45	90	1110	LVL8	5
149	Blocking	45	90	145	LVL8	1
151	Blocking	45	90	195	LVL8	1
167	Blocking	45	90	135	LVL8	1
168	Blocking	45	90	355	LVL8	1
170	Blocking	45	90	185	LVL8	1
302	Blocking	45	90	250	LVL8	12
340	Trim Stud	45	90	2155	LVL8	5
795	Jack Stud	45	90	710	LVL8	2
1546	Trim Stud	45	90	2155	LVL8	1

BOTTOM/TOP PLATES, LINTELS AND TRANSOMS

POSNUM	NAME	WIDTH	HEIGHT	LENGTH	MATERIAL	QTY
205	King Stud	45	90	2315	LVL8	3
206	King Stud	45	90	2315	LVL8	1
207	King Stud	45	90	2315	LVL8	2
228	King Stud	45	90	2315	LVL8	2
984	King Stud	45	90	2315	LVL8	1
1461	Lintel	45	140	690	LVL11	6
1462	Transom	20	90	690	LVL8	3
1548	Sill	45	90	600	LVL8	3
3381	Bottom Plate	45	90	9618	LVL11	1
3448	Top Plate	45	90	9618	LVL11	1

Cad Number	RM Code	Supplier	Product	*Qty
25	RM000289	Simpson	SST SDWS225...	35
38	RM000399	Spax	6x180	81
36	RM000378	Rothoblaas	9x160	4

**CLEVER
CORE**
New Zealand


A Smarter Way to Build
232 Cavendish Drive,
Wiri, Auckland 2104
P.O. Box 76514, Manukau 2241
clevercore.nz

KO-D2E(R)
WALLS

LVL8
LVL8
LVL8
LVL11
LVL11
LVL8
LVL8
LVL8
LVL8
LVL8

Client:	Clever Core	REV:	
Drawn By:	A Bansal	FC01	22/02/2023
Group:	01_all_multowalls	SHEET:	
Weight:	Weight 1346 kg	1 OF	

Station 2-MW08



STATION 2 - Zone 6						
POSNUM	NAME	QTY	MATERIAL	WIDTH	HEIGHT	LENGTH
171	GIB_BL	1	GIB_BL	3571	10	1200
184	GIB_AQ	1	GIB_AQ	3025	10	1200
192	GIB_BL	1	GIB_BL	3571	10	1200
1438	GIB_AQ	1	GIB_AQ	3025	10	1200
3299	GIB_BL	1	GIB_BL	3020	10	1200
3309	GIB_BL	1	GIB_BL	3020	10	1200

STATION 2 - Zone 7
POSNUM NAME QTY MATERIAL WIDTH HEIGHT LENGTH




A Smarter Way to Build
232 Cavendish Drive,
Wiri, Auckland 2104
P.O. Box 76514, Manukau 2241
clevercore.nz

KO-D2E(R)
WALLS




LVL11
LVL11
LVL8
LVL8
LVL8
LVL8
LVL8
LVL8
LVL8
LVL8
GIB_BL
GIB_AQ



Client:	Clever Core	REV:	
Drawn By:	A Bansal	FC01	22/02/2023
Group:	01_all_multiwalls	SHEET:	
Weight:	Weight 1346 kg	1 OF	

Station 3- MW08



STATION 3 - Insulation					
POSNUM	NAME	QTY	MATERIAL	WIDTH	HEIGHT LENGTH
070	R2.2 Wall Batts	1	Insulation	36	90 2315
090	R2.2 Wall Batts	1	Insulation	139	90 710
093	R2.2 Wall Batts	1	Insulation	236	90 710
094	R2.2 Wall Batts	1	Insulation	339	90 2315
099	R2.2 Wall Batts	1	Insulation	135	90 1048
100	R2.2 Wall Batts	1	Insulation	135	90 1133
101	R2.2 Wall Batts	1	Insulation	355	90 1048
103	R2.2 Wall Batts	1	Insulation	355	90 1133
104	R2.2 Wall Batts	1	Insulation	120	90 2315
105	R2.2 Wall Batts	1	Insulation	185	90 1048
107	R2.2 Wall Batts	1	Insulation	185	90 1133
108	R2.2 Wall Batts	1	Insulation	179	90 1110
109	R2.2 Wall Batts	1	Insulation	196	90 1110
110	R2.2 Wall Batts	1	Insulation	334	90 2315
111	R2.2 Wall Batts	1	Insulation	355	90 410
112	R2.2 Wall Batts	1	Insulation	355	90 1815
114	R2.2 Wall Batts	1	Insulation	101	90 2315
121	R2.2 Wall Batts	1	Insulation	294	90 710
122	R2.2 Wall Batts	1	Insulation	81	90 710
123	R2.2 Wall Batts	1	Insulation	97	90 2315
124	R2.2 Wall Batts	1	Insulation	352	90 2315
125	R2.2 Wall Batts	1	Insulation	355	90 2315
1982	R2.2 Wall Batts	7	Insulation	355	90 2315
1984	R2.2 Wall Batts	2	Insulation	90	90 454
1985	R2.2 Wall Batts	4	Insulation	90	90 329
1986	R2.2 Wall Batts	2	Insulation	45	90 454
1997	R2.2 Wall Batts	1	Insulation	40	90 2315
3298	R2.2 Wall Batts	1	Insulation	243	90 2315
3962	R2.2 Wall Batts	1	Insulation	260	90 2315




Cad Number	RM Code	Supplier	Product	Qu...
38	RM000399	Spax	6x180	81
36	RM000378	Rothoblaas	9x160	4
25	RM000289	Simpson	SST SD...	35




A Smarter Way to Build
232 Cavendish Drive,
Wiri, Auckland 2104
P.O. Box 76514, Manukau 2241
clevercore.nz

KO-D2E(R)
WALLS

Client: Clever Core	REV: FC01	DATE: 22/02/2023
Drawn By: A Bansal	SHEET: 1 OF	
Group: 01_all_multwalls		
Weight: Weight 1346 kg		



Station 4- MW08




E8

STATION 4 - Layer 1						
POSNUM	NAME	QTY	MATERIAL	WIDTH	HEIGHT	LENGTH
057	GIB_WL	1	GIB_WL	416	10	2400
059	GIB_WL	2	GIB_WL	1200	10	2400
126	GIB_WL	1	GIB_WL	1200	10	2400
127	GIB_WL	1	GIB_WL	1200	10	2400
137	GIB_WL	1	GIB_WL	1200	10	2400
143	GIB_WL	1	GIB_WL	1200	10	2400
144	GIB_WL	1	GIB_WL	1200	10	2400
3376	GIB_WL	1	GIB_WL	800	10	2400


RELEASED FOR FABRICATION


 BY E. IBALIO DATE 28.02.23.

LVL8
 LVL8
 LVL11
 LVL11
 LVL8
 LVL8
 LVL8
 LVL8
 GIB_WL



Client:	Clever Core	REV:	
Drawn By:	A Bansal	FC01	22/02/2023
Group:	01_all_multiwalls	SHEET:	
Weight:	Weight 1346 kg	1 OF	

Station 1-MW09



RELEASED FOR FABRICATION

BY E. IBALIO DATE 28.02.23

BLOCKING & JACK STUDS

POSNUM	NAME	WIDTH	HEIGHT	LENGTH	MATERIAL	QTY
040	Blocking	45	90	454	LVL8	2
052	Jack Stud	45	90	710	LVL8	7
064	Jack Stud	45	90	910	LVL8	8
302	Blocking	45	90	250	LVL8	12
340	Trim Stud	45	90	2155	LVL8	2
351	Trim Stud	45	90	2155	LVL8	2

BOTTOM/TOP PLATES, LINTELS AND TRANSOMS

FRAMING

POSNUM	NAME	WIDTH	HEIGHT	LENGTH	MATERIAL	QTY
076	Stud	45	90	2315	LVL8	15
252	Stud	45	90	2315	LVL8	4
320	Stud	45	90	2315	LVL8	1
344	Stud	45	90	2315	LVL8	2
1446	Packer	20	90	1490	Strandboard	1
1450	Packer	20	90	1690	Strandboard	1


Cad Number	RM Code	Supplier	Product	*Qty
25	RM000289	Simpson	SST SDWS225...	26
38	RM000399	Spax	6x180	91
36	RM000378	Rothoblaas	9x160	8



A Smarter Way to Build
232 Cavendish Drive,
Wiri, Auckland 2104
P.O. Box 76514, Manukau 2241
clevercore.nz

KO-D2E(R)
WALLS


LVL8
LVL8
LVL8
LVL8
LVL8
LVL8
LVL11
LVL11
STRANDBOARD
LVL8
LVL8
LVL8



E7


Client:	Clever Core	REV:	
Drawn By:	A Bansal	FC01	22/02/2023
Group:	01_all_multwalls	SHEET:	
Weight:	Weight 1033 kg	1 OF	

Station 2-MW09



CLEVER CORE
RELEASED FOR FABRICATION
BY: E. IBALIO DATE: 28.02.23.

LVL11
LVL11
LVL8
LVL8
LVL8
LVL8
LVL8
LVL8
STRANDBOARD
LVL8
LVL8
GIB_BL



E7

STATION 2 - Zone 6

POSNUM	NAME	QTY	MATERIAL	WIDTH	HEIGHT	LENGTH
2150	GIB_BL	1	GIB_BL	1200	10	4045
2151	GIB_BL	1	GIB_BL	1200	10	4045
3465	GIB_BL	1	GIB_BL	1200	10	4145
3467	GIB_BL	1	GIB_BL	1200	10	4145

STATION 2 - Zone 7

POSNUM	NAME	QTY	MATERIAL	WIDTH	HEIGHT	LENGTH
--------	------	-----	----------	-------	--------	--------




A Smarter Way to Build
232 Cavendish Drive,
Wiri, Auckland 2104
P.O. Box 76514, Manukau 2241
clevercore.nz

KO-D2E(R)
WALLS

Client:	Clever Core	REV:	FC01	DATE:	22/02/2023
Drawn By:	A Bansal	SHEET:			
Group:	01_all_multiwalls				
Weight:	Weight 1033 kg	1 OF			

Station 3- MW09



STATION 3 - Insulation

POSNUM	NAME	QTY	MATERIAL	WIDTH	HEIGHT	LENGTH
110	R2.2 Wall Batts	1	Insulation	333	90	2315
576	R2.2 Wall Batts	1	Insulation	73	90	2315
577	R2.2 Wall Batts	1	Insulation	316	90	2315
701	R2.2 Wall Batts	1	Insulation	65	90	910
704	R2.2 Wall Batts	3	Insulation	355	90	910
1064	R2.2 Wall Batts	1	Insulation	110	90	910
1070	R2.2 Wall Batts	1	Insulation	248	90	2315
1396	R2.2 Wall Batts	1	Insulation	173	90	2315
1982	R2.2 Wall Batts	2	Insulation	355	90	2315
1984	R2.2 Wall Batts	2	Insulation	90	90	454
1985	R2.2 Wall Batts	4	Insulation	90	90	329
1986	R2.2 Wall Batts	2	Insulation	45	90	454
2055	R2.2 Wall Batts	1	Insulation	109	90	2315
3296	R2.2 Wall Batts	1	Insulation	189	90	2315
3297	R2.2 Wall Batts	1	Insulation	155	90	2315
3305	R2.2 Wall Batts	2	Insulation	119	90	2315
3305	R2.2 Wall Batts	1	Insulation	118	90	2315
3699	R2.2 Wall Batts	1	Insulation	180	90	2315
3965	R2.2 Wall Batts	1	Insulation	271	90	2315
3966	R2.2 Wall Batts	1	Insulation	150	90	2315
3967	R2.2 Wall Batts	1	Insulation	199	90	710
3968	R2.2 Wall Batts	1	Insulation	355	90	710
3969	R2.2 Wall Batts	1	Insulation	338	90	710
3970	R2.2 Wall Batts	1	Insulation	193	90	710
3971	R2.2 Wall Batts	1	Insulation	399	90	2315




Cad Number	RM Code	Supplier	Product	Qu...
38	RM000399	Spax	6x180	99
36	RM000378	Rothoblaas	9x160	8
25	RM000289	Simpson	SST SD...	26



A Smarter Way to Build
232 Cavendish Drive,
Wiri, Auckland 2104
P.O. Box 76514, Manukau 2241
clevercore.nz


KO-D2E(R)
WALLS

INSULATION
INSULATION
INSULATION
INSULATION
INSULATION
INSULATION
INSULATION
LVL11
LVL11
STRANDBOARD
LVL8
LVL8
LVL8
LVL8
LVL8
LVL8



Client:	Clever Core	REV:	
Drawn By:	A Bansal	FC01	22/02/2023
Group:	01_all_multwalls	SHEET:	
Weight:	Weight 1033 kg	1 OF	

Station 4- MW09




E6

E7


	CLEVER CORE
RELEASED FOR FABRICATION	
BY . DATE.....	
E. IBALIO 28.02.23	

LVL8
LVL8
LVL11
LVL11
STRANDBOARD
LVL8
LVL8
LVL8
GIB_WL



STATION 4 - Layer 1						
POSNUM	NAME	QTY	MATERIAL	WIDTH	HEIGHT	LENGTH
059	GIB_WL	2	GIB_WL	1200	10	2400
1237	GIB_WL	1	GIB_WL	1200	10	2400
1238	GIB_WL	1	GIB_WL	1200	10	2400
1239	GIB_WL	1	GIB_WL	1200	10	2400
1240	GIB_WL	1	GIB_WL	1200	10	2400
1777	GIB_WL	1	GIB_WL	445	10	2400
3469	GIB_WL	1	GIB_WL	545	10	2400

Station 1-MW10




IT2

CLEVER CORE

RELEASED FOR FABRICATION

BY : E. IBALIO DATE : 28.02.23



BLOCKING & JACK STUDS

POSNUM	NAME	WIDTH	HEIGHT	LENGTH	MATERIAL	QTY
040	Blocking	45	90	454	LVL8	3
046	Blocking	45	90	365	LVL8	9
087	Blocking	180	18	1245	LVL8	2
302	Blocking	45	90	250	LVL8	18
468	Blocking	45	140	355	LVL8	1
3550	Blocking	45	140	365	LVL8	1

FRAMING

POSNUM	NAME	WIDTH	HEIGHT	LENGTH	MATERIAL	QTY
076	Stud	45	90	2315	LVL8	20
242	Stud	45	90	2315	LVL8	3
325	Stud	45	90	2315	LVL8	1
326	Stud	45	90	2315	LVL8	1
330	Stud	45	90	2315	LVL8	5
331	Stud	45	90	2315	LVL8	1
372	Stud	45	90	2315	LVL8	1
3741	Stud	45	90	2315	LVL8	1
3776	Stud	45	90	2315	LVL8	1

BOTTOM/TOP PLATES, LINTELS AND TRANSOMS

POSNUM	NAME	WIDTH	HEIGHT	LENGTH	MATERIAL	QTY
062	Bottom Plate	45	90	9720	LVL11	1
066	Top Plate	45	90	9720	LVL11	1

Cad Number	RM Code	Supplier	Product	*Qty
25	RM000289	Simpson	SST SDWS225...	35
38	RM000399	Spax	6x180	62
36	RM000378	Rothoblaas	9x160	4



CLEVER CORE
New Zealand

A Smarter Way to Build
232 Cavendish Drive,
Wiri, Auckland 2104
P.O. Box 76514, Manukau 2241
clevercore.nz

KO-D2E(R)
WALLS

Client:	Clever Core	REV:	
Drawn By:	A Bansal	FC01	21/02/2023
Group:	01_all_multwalls	SHEET:	
Weight:	Weight 1920 kg	1 OF	

Station 2-MW10



LVL11
LVL8
LVL8
LVL8
LVL8
LVL8
GIB_FL

STATION 2 - Zone 6						
POSNUM	NAME	QTY	MATERIAL	WIDTH	HEIGHT	LENGTH
129	GIB_FL	7	GIB_FL	1200	13	2400
189	GIB_FL	1	GIB_FL	500	13	2400
402	GIB_FL	1	GIB_FL	816	13	2400
		1453	GIB_FL	1200	13	2405

POSNUM	NAME	QTY	MATERIAL	WIDTH	HEIGHT	LENGTH
091	GIB_FL	2	GIB_FL	1200	13	1983
129	GIB_FL	2	GIB_FL	1200	13	2400
239	GIB_FL	1	GIB_FL	1200	13	2400
251	GIB_FL	1	GIB_FL	416	13	2400
470	GIB_FL	1	GIB_FL	900	13	2400
1140	GIB_FL	1	GIB_FL	1200	13	2405
1453	GIB_FL	1	GIB_FL	1200	13	2405




A Smarter Way to Build
232 Cavendish Drive,
Wiri, Auckland 2104
P.O. Box 76514, Manukau 2241
clevercore.nz

KO-D2E(R)
WALLS

Client:	Clever Core	REV:	
Drawn By:	A Bansal	FC01	DATE: 21/02/2023
Group:	01_all_multiwalls	SHEET:	
Weight:	Weight 1920 kg	1 OF	

Station 3- MW10



STATION 3 - Insulation					
POSNUM	NAME	QTY	MATERIAL	WIDTH	HEIGHT LENGTH
1982	R2.2 Wall Batts	9	Insulation	355	90 2315
1983	R2.2 Wall Batts	1	Insulation	220	90 2315
1984	R2.2 Wall Batts	3	Insulation	90	90 454
1985	R2.2 Wall Batts	6	Insulation	90	90 329
1986	R2.2 Wall Batts	3	Insulation	45	90 454
1987	R2.2 Wall Batts	8	Insulation	355	90 355
1988	R2.2 Wall Batts	7	Insulation	355	90 1915
1993	R2.2 Wall Batts	3	Insulation	355	90 1475
1995	R2.2 Wall Batts	3	Insulation	355	90 80
1996	R2.2 Wall Batts	1	Insulation	135	90 2315
1997	R2.2 Wall Batts	1	Insulation	40	90 2315
1998	R2.2 Wall Batts	1	Insulation	45	90 2315
1999	R2.2 Wall Batts	1	Insulation	130	90 2315
2060	R2.2 Wall Batts	1	Insulation	355	90 215
2195	R2.2 Wall Batts	1	Insulation	355	90 260
3577	R2.2 Wall Batts	1	Insulation	345	90 2315
3962	R2.2 Wall Batts	1	Insulation	261	90 2315




Cad Number	RM Code	Supplier	Product	Qu...
38	RM000399	Spax	6x180	62
36	RM000378	Rothoblaas	9x160	4
25	RM000289	Simpson	SST SD...	35



A Smarter Way to Build
232 Cavendish Drive,
Wiri, Auckland 2104
P.O. Box 76514, Manukau 2241
clevercore.nz

KO-D2E(R)
WALLS


INSULATION
INSULATION
INSULATION
LVL11
LVL8
LVL8
LVL8
LVL8
LVL8
LVL8
LVL8




IT2

Client:	Clever Core	REV:	
Drawn By:	A Bansal	FC01	21/02/2023
Group:	01_all_multwalls	SHEET:	
Weight:	Weight 1920 kg	1 OF	

Station 4- MW10




IT2



LVL8
LVL8
LVL11
LVL8
LVL8
LVL8
GIB_WL

STATION 4 - Layer 1						
POSNUM	NAME	QTY	MATERIAL	WIDTH	HEIGHT	LENGTH
057	GIB_WL	1	GIB_WL	418	10	2400
059	GIB_WL	7	GIB_WL	1200	10	2400
561	GIB_WL	1	GIB_WL	902	10	2400

Station 1-MW11



FRAMING						BOTTOM/TOP PLATES, LINTELS AND TRANSOMS							
POSNUM	NAME	WIDTH	HEIGHT	LENGTH	MATERIAL	POSNUM	NAME	WIDTH	HEIGHT	LENGTH	MATERIAL	QTY	
076	Stud	45	90	2315	LVL8	11	228	King Stud	45	90	2315	LVL8	5
217	Stud	45	90	2315	LVL8	1	311	Lintel	45	90	920	LVL11	2
218	Stud	45	90	2315	LVL8	1	312	Lintel	45	90	570	LVL11	2
242	Stud	45	90	2315	LVL8	1	313	King Stud	45	90	2315	LVL8	1
252	Stud	45	90	2315	LVL8	3	360	Top Plate	45	90	596	LVL11	1
314	Stud	45	90	2315	LVL8	1	374	Top Plate	45	90	4045	LVL11	1
315	Stud	45	90	2315	LVL8	1	413	Lintel	45	90	1800	LVL11	2
320	Stud	45	90	2315	LVL8	2	2096	Top Plate	45	90	2896	LVL11	1
370	Stud	45	90	2315	LVL8	1	2163	Bottom Plate	45	90	4045	LVL11	1
375	Stud	45	90	2315	LVL8	1	3348	Bottom Plate	45	90	596	LVL11	1
378	Stud	45	90	2315	LVL8	1	3361	Bottom Plate	45	90	888	LVL11	1
2092	Stud	45	90	2315	LVL8	1	3362	Top Plate	45	90	888	LVL11	1
2093	Stud	45	90	2315	LVL8	1	3363	Bottom Plate	45	90	2896	LVL11	1
2094	Stud	45	90	2315	LVL8	1	3445	Top Plate	45	90	704	LVL11	1
3302	Stud	45	90	2315	LVL8	1	4002	Bottom Plate	45	90	704	LVL11	1

BLOCKING & JACK STUDS						
POSNUM	NAME	WIDTH	HEIGHT	LENGTH	MATERIAL	
046	Blocking	45	90	365	LVL8	2
049	Blocking	45	90	150	LVL8	1
113	Blocking	45	90	169	LVL8	2
134	Jack Stud	45	90	235	LVL8	13
140	Blocking	45	90	248	LVL8	1
220	Jack Stud	45	90	235	LVL8	2
302	Blocking	45	90	250	LVL8	21
366	Trim Stud	45	90	1990	LVL8	2
967	Blocking	45	90	366	LVL8	1
1278	Blocking	45	90	215	LVL8	2
1521	Blocking	45	90	140	LVL8	1
1950	Blocking	45	90	205	LVL8	1
1970	Blocking	45	90	273	LVL8	1
2157	Blocking	45	90	235	LVL8	2
3328	Blocking	45	90	2315	LVL8	2
3333	Blocking	45	90	283	LVL8	2


Cad Number	RM Code	Supplier	Product	*Qty
38	RM000399	Spax	6x180	86
25	RM000289	Simpson	SST SDWS225...	15
36	RM000378	Rothoblaas	9x160	2

CLEVER CORE New Zealand

A Smarter Way to Build
232 Cavendish Drive,
Wiri, Auckland 2104
P.O. Box 76514, Manukau 2241
clevercore.nz


KO-D2E(R)
WALLS

CLEVER CORE
RELEASED FOR FABRICATION
BY: E. IBALIO DATE: 28.02.23



Client: Clever Core	REV: FC01	DATE: 22/02/2023
Drawn By: A Bansal		
Group: 01_all_multwalls		
Weight: Weight 557 kg		
1 OF		

Station 2-MW11




STATION 2 - Zone 6						
POUNUM	NAME	QTY	MATERIAL	WIDTH	HEIGHT	LENGTH
211	GIB_GS	1	GIB_GS	131	10	1200
213	GIB_GS	1	GIB_GS	43	10	1200
294	GIB_GS	1	GIB_GS	241	10	1200
303	GIB_GS	1	GIB_GS	941	10	1200
304	GIB_GS	1	GIB_GS	1200	10	2896
305	GIB_GS	2	GIB_GS	596	10	1200
363	GIB_GS	1	GIB_GS	1200	10	1476
442	GIB_AQ	1	GIB_AQ	888	10	1200
447	GIB_AQ	2	GIB_AQ	704	10	1200
453	GIB_GS	1	GIB_GS	1200	10	3148
1250	GIB_AQ_OFF	1	GIB_AQ_OFF	888	10	1200
2154	GIB_AQ	1	GIB_AQ	896	10	1200
2155	GIB_AQ	1	GIB_AQ	896	10	1115

STATION 2 - Zone 7



A Smarter Way to Build
232 Cavendish Drive,
Wiri, Auckland 2104
P.O. Box 76514, Manukau 2241
clevercore.nz

KO-D2E(R)
WALLS




LVL11	
LVL11	
LVL8	
GIB_GS	
GIB_GS	
GIB_AQ_OFF	
GIB_AQ	




Client:	Clever Core	REV:	
Drawn By:	A Bansal	FC01	DATE: 22/02/2023
Group:	01_all_multwalls	SHEET:	
Weight:	Weight 557 kg	1 OF	

Station 3- MW11



LVL11
LVL11
LVL8
LVL8



Cad Number	RM Code	Supplier	Product	Qu...
38	RM000399	Spax	6x180	86
36	RM000378	Rothoblaas	9x160	2
25	RM000289	Simpson	SST SD...	15




A Smarter Way to Build
232 Cavendish Drive,
Wiri, Auckland 2104
P.O. Box 76514, Manukau 2241
clevercore.nz

KO-D2E(R)
WALLS

Client: Clever Core	REV:	DATE:
Drawn By: A Bansal	FC01	22/02/2023
Group: 01_all_multiwalls	SHEET:	
Weight: Weight 557 kg	1 OF	

STATION 3 - Insulation
POSNUM NAME QTY MATERIAL WIDTH HEIGHT LENGTH

Station 4- MW11




POSPNUM	NAME	STATION 4 - Layer 1				
		QTY	MATERIAL	WIDTH	HEIGHT	LENGTH
211	GIB_GS	1	GIB_GS	131	10	1200
213	GIB_GS	1	GIB_GS	43	10	1200
248	GIB_GS	2	GIB_GS	888	10	1200
249	GIB_GS	2	GIB_GS	704	10	1200
294	GIB_GS	1	GIB_GS	241	10	1200
303	GIB_GS	1	GIB_GS	941	10	1200
304	GIB_GS	1	GIB_GS	1200	10	2896
358	GIB_GS	1	GIB_GS	596	10	1200
359	GIB_GS_OFF	1	GIB_GS_OFF	596	10	1200
361	GIB_BL	1	GIB_BL	1200	10	2575
362	GIB_BL	1	GIB_BL	1200	10	2373
3990	GIB_GS	1	GIB_GS	1200	10	1470



RELEASED FOR FABRICATION

 BY . **E. IBALIO** DATE **28.02.23**

LVL8
 LVL8
 LVL8
 LVL8
 LVL8
 LVL8
 LVL8
 LVL8
 LVL11
 LVL11
 LVL8
 LVL8
 LVL8
 GIB_GS_OFF
 GIB_GS
 GIB_BL
 GIB_GS



Station 2-MW12



STATION 2 - Zone 6					
POUNUM	NAME	QTY	MATERIAL	WIDTH	HEIGHT LENGTH
213	GIB_GS	1	GIB_GS	43	10 1200
241	GIB_GS	2	GIB_GS	88	10 1200
291	GIB_GS	1	GIB_GS	1200	10 1796
293	GIB_GS	1	GIB_GS	1200	10 1640
339	GIB_AQ	1	GIB_AQ	936	10 1200
341	GIB_AQ	1	GIB_AQ	1200	10 2124
350	GIB_AQ	1	GIB_AQ	1200	10 1807
415	GIB_GS	1	GIB_GS	1078	10 1200
430	GIB_GS	1	GIB_GS	923	10 1200
431	GIB_GS	1	GIB_GS	156	10 1200
432	GIB_AQ	1	GIB_AQ	263	10 1200
1469	GIB_GS	1	GIB_GS	88	10 1200
1477	GIB_GS	1	GIB_GS	1200	10 1046
1478	GIB_GS	1	GIB_GS	1046	10 783
3300	GIB_AQ_OFF	1	GIB_AQ_OFF	1493	10 1200
3301	GIB_GS	1	GIB_GS	380	10 1200
3323	GIB_GS	1	GIB_GS	1200	10 1640


STATION 2 - Zone 7




A Smarter Way to Build
232 Cavendish Drive,
Wiri, Auckland 2104
P.O. Box 76514, Manukau 2241
clevercore.nz

KO-D2E(R)
WALLS

Client: Clever Core	REV: FC01	DATE: 22/02/2023
Drawn By: A Bansal		
Group: 01_all_multiwalls	SHEET: 1 OF	
Weight: Weight 586 kg		




Station 3- MW12





CLEVER CORE
RELEASED FOR FABRICATION
BY E. IBALIO DATE 28.02.23.

1.55MM G300 Z275	LVL11
LVL8	LVL11
LVL8	LVL8




Cad Number	RM Code	Supplier	Product	Qu...
38	RM000399	Spax	6x180	77
36	RM000378	Rothoblaas	9x160	2
25	RM000289	Simpson	SST SD...	5

Station 4- MW12




STATION 4 - Layer 1						
POSNUM	NAME	QTY	MATERIAL	WIDTH	HEIGHT	LENGTH
213	GIB_GS 1	1	GIB_GS	43	10	1200
241	GIB_GS 2	2	GIB_GS	88	10	1200
245	GIB_GS 1	1	GIB_GS	419	10	1200
247	GIB_GS 1	1	GIB_GS	1200	10	3046
250	GIB_BL 2	2	GIB_BL	1046	10	1200
291	GIB_GS 1	1	GIB_GS	1200	10	1796
293	GIB_GS 2	2	GIB_GS	1200	10	1640
337	GIB_GS 1	1	GIB_GS	936	10	1200
346	GIB_GS 1	1	GIB_GS	1200	10	1873
347	GIB_GS 1	1	GIB_GS	1200	10	2885
1469	GIB_GS 1	1	GIB_GS	88	10	1200



Station 1-MW13- Offline Wall



Wall



Studs


Element

NOTE: 2/ CPC40 PER SIDE CAN BE REPLACED WITH 1/ CPC80 PER SIDE

**CLEVER
CORE**

RELEASED FOR FABRICATION

BY . E. IBALIO DATE.....
28.02.23



FRAMING

POSNUM	NAME	WIDTH	HEIGHT	LENGTH	MATERIAL	QTY
602	Stud	45	90	905	LVL8	1
603	Stud	45	90	910	LVL8	4
698	Stud	45	90	905	LVL8	1
3985	Stud	45	90	910	LVL8	2

BOTTOM/TOP PLATES, LINTELS AND TRANSOMS

POSNUM	NAME	WIDTH	HEIGHT	LENGTH	MATERIAL	QTY
586	Bottom Plate	45	90	1978	LVL11	1
601	Top Plate	45	90	1978	LVL11	1

**CLEVER
CORE**
New Zealand


A Smarter Way to Build
232 Cavendish Drive,
Wiri, Auckland 2104
P.O. Box 76514, Manukau 2241
clevercore.nz

KO-D2E(R)
WALLS

LVL8
LVL8
LVL11
LVL8
LVL8

Client:	Clever Core	REV:	
Drawn By:	A Bansal	FC01	3/02/2023
Group:	01_first_floor	SHEET:	
Weight:	Weight 54 kg	1 OF	


Station 2-MW13- Offline Wall



**CLEVER
CORE**

RELEASED FOR FABRICATION

BY . E. IBALIO DATE . 28.02.23...



LVL11
LVL8
LVL8
LVL8
LVL8
GIB_GS_OFF

STATION 2 - Zone 6						STATION 2 - Zone 7							
POSNUM	NAME	QTY	MATERIAL	WIDTH	HEIGHT	LENGTH	POSNUM	NAME	QTY	MATERIAL	WIDTH	HEIGHT	LENGTH
585	GIB_GS_OFF	1	GIB_GS_OFF	1978	10	995							




A Smarter Way to Build
232 Cavendish Drive,
Wiri, Auckland 2104
P.O. Box 76514, Manukau 2241
clevercore.nz

KO-D2E(R)
WALLS

Client:	Clever Core	REV:	
Drawn By:	A Bansal	FC01	3/02/2023
Group:	01_first_floor	SHEET:	
Weight:	Weight 54 kg	1 OF	

Station 3-MW13- Offline Wall




**CLEVER
CORE**

RELEASED FOR FABRICATION

E. IBALIO

DATE **28.02.23**



Cad Number	RM Code	Supplier	Product	Qu...
Lum	x 3.15mm			216
CPC	CPC	Mitek	CPC40	24

LVL11
LVL8
LVL8
LVL8
LVL8
LVL8




A Smarter Way to Build
232 Cavendish Drive,
Wiri, Auckland 2104
P.O. Box 76514, Manukau 2241
clevercore.nz

KO-D2E(R)
WALLS

Client:	Clever Core	REV:	
Drawn By:	A Bansal	FC01	3/02/2023
Group:	01_first_floor	SHEET:	
Weight:	Weight 54 kg	1 OF	

STATION 3 - Insulation
POSNUM NAME QTY MATERIAL WIDTH HEIGHT LENGTH


Station 4- MW13- Offline Wall



CLEVER
CORE

RELEASED FOR FABRICATION

BY E. IBALIO DATE 28.02.23



LVL8
LVL8
LVL11
LVL8
LVL8
GIB GS

STATION 4 - Layer 1						
POSNUM	NAME	QTY	MATERIAL	WIDTH	HEIGHT	LENGTH
571	GIB GS	1	GIB GS	1978	10	995