Aggregation

Open windows prompt and connect to mongos in a sharded cluster or to any other standalone mongo database

```
mongo --port 27200
mongos> use cars
switched to db cars
mongos> db.list.find({},{ id:0})
{ "brand" : "Toyota", "model" : "Camry", "engine" : "Petrol", "gearbox" : "Auto", "mileage" :
120000, "year" : 2010 }
{ "brand" : "Honda", "model" : "Accord", "engine" : "Diesel", "gearbox" : "CVT", "mileage" :
NumberLong(65000), "year" : 2010 }
{ "brand" : "Ford", "model" : "F-150", "engine" : "Petrol", "gearbox" : "Auto", "mileage" : 27000,
"vear" : 2015 }
{ "brand" : "Nissan", "model" : "Leaf", "engine" : "Electric", "gearbox" : "CVT", "mileage" :
15000, "year" : 2010 }
{ "brand" : "Honda", "model" : "Civic", "engine" : "Diesel", "gearbox" : "Manual", "mileage" :
35000, "year" : 2016 }
{ "brand" : "Honda", "model" : "CR-V", "engine" : "Hybrid", "gearbox" : "CVT" }
{ "brand" : "Toyota", "model" : "Corolla", "engine" : "Petrol", "gearbox" : "Manual", "mileage" :
NumberLong(200000), "year" : 2000 }
{ "brand" : "Lexus", "model" : "RX350H", "engine" : "Hybrid", "gearbox" : "CVT", "mileage" :
7000, "year" : 2018 }
{ "brand" : "Toyota", "model" : "Supra", "engine" : "Petrol", "gearbox" : "Manual" }
{ "brand" : "Honda", "model" : "Civic", "engine" : "Petrol", "gearbox" : "Auto", "mileage" : 5000,
"year" : 2019 }
mongos> db.list.count()
mongos> db.list.count({brand:'Toyota'})
mongos> db.list.distinct('brand')
["Ford", "Honda", "Lexus", "Nissan", "Toyota"]
mongos > db.list.distinct('engine')
["Diesel", "Electric", "Hybrid", "Petrol"]
mongos> db.list.distinct('engine',{brand:{$in:['Toyota','Lexus']}})
["Hybrid", "Petrol"]
```

```
mongos> load('pipeline.js')
true
mongos> sales_record
    {
        "staff_id": 101,
        "name" : "Tom",
        "sales": 6000,
        "month" : 1
    },
    {
        "staff_id": 202,
        "name": "Jerry",
        "sales": 5000,
        "month": 1
    },
    {
        "staff_id": 101,
        "name": "Tom",
        "sales": 4000,
        "month": 2
    },
        "staff id": 202,
        "name": "Jerry",
        "sales": 7000,
        "month" : 2
    },
    {
        "staff_id": 101,
        "name": "Tom",
        "sales": 5000,
        "month": 3
    },
    {
        "staff_id": 202,
        "name": "Jerry",
        "sales": 9000,
        "month": 3
    }
]
```

```
mongos> db.sales.insert(sales record)
BulkWriteResult({
    "writeErrors" : [],
    "writeConcernErrors":[],
    "nInserted": 6,
    "nUpserted": 0,
    "nMatched": 0,
    "nModified": 0,
    "nRemoved": 0,
    "upserted":[]
})
mongos> db.sales.find()
{ " id" : ObjectId("60b11795d280bd9dbdc975c9"), "staff id" : 101, "name" : "Tom", "sales" :
6000, "month": 1}
{ " id" : ObjectId("60b11795d280bd9dbdc975ca"), "staff id" : 202, "name" : "Jerry", "sales" :
5000, "month": 1}
{ " id" : ObjectId("60b11795d280bd9dbdc975cb"), "staff id" : 101, "name" : "Tom", "sales" :
4000, "month": 2}
{ " id" : ObjectId("60b11795d280bd9dbdc975cc"), "staff id" : 202, "name" : "Jerry", "sales" :
7000, "month": 2 }
{ " id" : ObjectId("60b11795d280bd9dbdc975cd"), "staff id" : 101, "name" : "Tom", "sales" :
5000, "month": 3 }
{ "_id" : ObjectId("60b11795d280bd9dbdc975ce"), "staff id" : 202, "name" : "Jerry", "sales" :
9000, "month": 3 }
mongos> db.sales.aggregate({$match:{name:{$eq:'Tom'}}})
{ " id" : ObjectId("60b11795d280bd9dbdc975c9"), "staff id" : 101, "name" : "Tom", "sales" :
6000, "month": 1}
{ " id" : ObjectId("60b11795d280bd9dbdc975cb"), "staff id" : 101, "name" : "Tom", "sales" :
4000, "month" : 2 }
{ " id" : ObjectId("60b11795d280bd9dbdc975cd"), "staff id" : 101, "name" : "Tom", "sales" :
5000, "month": 3 }
mongos> db.sales.aggregate({$match:{name:{$eq:'Tom'}}},{$project:{ id:0,sales:1}})
{ "sales" : 6000 }
{ "sales" : 4000 }
{ "sales" : 5000 }
```

```
mongos>
db.sales.aggregate({$match:{name:{$eq:'Tom'}}},{$project:{id:0,sales:1}},{$group:{id:'Tom',to
tal_sales:{$sum:'$sales'}}})
{ " id": "Tom", "total sales": 15000 }
mongos>
db.sales.aggregate({$match:{name:{$eq:'Tom'}}},{$project:{ id:0,sales:1}},{$group:{ id:'Tom',to
tal_sales:{$sum:'$sales'},avg_sales:{$avg:'$sales'}}})
{ "_id" : "Tom", "total_sales" : 15000, "avg_sales" : 5000 }
mongos> db.price.insert({_id:0,price:100,shipping:10,coupon:-5})
WriteResult({ "nInserted" : 1 })
mongos> db.price.aggregate({$project:{total_price:{$sum:['$price','$shipping','$coupon']}}})
{ "_id" : 0, "total_price" : 105 }
mongos> db.price.insert({_id:1,price:120,shipping:10,coupon:-5})
WriteResult({ "nInserted" : 1 })
mongos> db.price.aggregate({$group:{_id:'avg_price',avg_price:{$avg:'$price'}}})
{ "_id" : "avg_price", "avg_price" : 110 }
mongos> db.ratings.aggregate({$project:{total_rating:{$sum:'$ratings'}}})
{ " id" : 0, "total rating" : 42.2 }
mongos> db.ratings.aggregate({$project:{avg rating:{$avg:'$ratings'}}})
{ "_id" : 0, "avg_rating" : 4.6888888888888888 }
mongos> db.ratings.aggregate({$project:{ar:{$avg:'$ratings'}}},{$project:{tr:{$trunc:['$ar',2]}}})
{ " id" : 0, "tr" : 4.68 }
```

```
mongos> db.products.insert({'name':'iPad 16GB Wifi', 'manufacturer':"Apple",
                     'category':'Tablets',
                     'price':499.00})
mongos> db.products.insert({'name':'iPad 32GB Wifi', 'category':'Tablets',
                     'manufacturer': "Apple",
                     'price':599.00})
mongos> db.products.insert({'name':'iPad 64GB Wifi', 'category':'Tablets',
                     'manufacturer': "Apple",
                     'price':699.00})
mongos> db.products.insert({'name':'Galaxy S3', 'category':'Cell Phones',
                     'manufacturer': 'Samsung',
                     'price':563.99})
mongos> db.products.insert({'name':'Galaxy Tab 10', 'category':'Tablets',
                     'manufacturer': 'Samsung',
                     'price':450.99})
mongos> db.products.insert({'name':'Vaio', 'category':'Laptops',
                     'manufacturer': "Sony",
                     'price':499.00})
mongos> db.products.insert({'name':'Macbook Air 13inch', 'category':'Laptops',
                     'manufacturer': "Apple",
                     'price':499.00})
mongos> db.products.insert({'name':'Nexus 7', 'category':'Tablets',
                     'manufacturer': "Google",
                     'price':199.00})
mongos> db.products.insert({'name':'Kindle Paper White', 'category':'Tablets',
                     'manufacturer': "Amazon",
                     'price':129.00})
mongos> db.products.insert({'name':'Kindle Fire', 'category':'Tablets',
                     'manufacturer':"Amazon",
                     'price':199.00})
/****First aggregate Querry****Count of each manufacturer******/
mongos> db.products.aggregate([
    {$group:
     {
       id:"$manufacturer",
       num products:{$sum:1}
      }
    }
1)
```

```
/***Agrregation Pipeline**********/
Collection->$project->$match->$group->$sort->Result
$project: reshape the document
$match: Filter step
$group: aggregate(sum, avg,count etc)
$sort: sorting the document
$skip: Skip documents
$limit: limit number of document
$unwind: Normalize tag /*
   tags;["red","blue","green"]
    tag:"red",
    tag:"blue",
   tag:"green" */
$out: output
/*******************Count of manufacturer with category/
mongos> db.products.aggregate([
    {$group:
     {
      _id:{ "manufacturer":"$manufacturer",
         "category": "$category"
         },
      num_products:{$sum:1}
     }
    }
])
```

```
/*** Id can have values********/
mongos> db.foo.insert({_id:{name:"aakash",class:"7module"}, hometown:"IND"})
/****using sum operator *******/
mongos> db.products.aggregate([
    {$group:
      _id:{"manufacturer":"$manufacturer"},
      total_price:{$sum:"$price"}
    }
])
/****Using avg function **********/
mongos> db.products.aggregate([
    {$group:
      _id:{"manufacturer":"$manufacturer"},
      avg_price:{$avg:"$price"}
    }
])
/****Addto set ***********/
mongos> db.products.aggregate([
    {$group:
     {
      _id:{"manufacturer":"$manufacturer"},
      categories:{$addToSet:"$category"}
])
```

```
/********Push function ********/
mongos> db.products.aggregate([
    {$group:
      _id:{"manufacturer":"$manufacturer"},
      categories:{$push:"$category"}
     }
    }
])
/*********Max function *********/
mongos> db.products.aggregate([
    {$group:
     {
      _id:{"manufacturer":"$manufacturer"},
      maxPrice:{$max:"$price"}
    }
1)
/**Double group*********/
mongos> db.grades.aggregate([
  {'$group':{ id:{class id:"$class id", student id:"$student id"}, 'average':{"$avg":"$score"}}},
 {'$group':{_id:"$_id.class_id", 'average':{"$avg":"$average"}}}])
/********$project *************/
mongos> db.products.aggregate([
    {$project:
     {
       _id:1,
       'maker':{$toLower: "$manufacturer"},
       'details':{'category':"$category",
             'price':{"$multiply":["$price",10]}
            },
       'item':'$name'
      }
    }
])
```

```
mongos> db.city.count({city:"CHICOPEE"})
mongos> db.city.distinct("state")
mongos> db.city.distinct("city").length
/*************************/
mongos> db.city.aggregate([
 {$match:
    state:"CA"
 }
])
/************************/
mongos> db.city.aggregate([
 {$match:
    state:"CA"
  },
 {$group:
   _id: "$city",
   population: {$sum: "$pop"},
   zip_codes: {$addToSet: "$_id"}
  }
 }
])
```

```
/************$match with $group and $project******/
mongos> db.city.aggregate([
  {$match:
   {
    state:"CA"
  }
  },
  {$group:
    _id: "$city",
    population: {$sum: "$pop"},
    zip_codes: {$addToSet: "$_id"}
  }
  },
  {$project:
    _id: 0,
    city: "$_id",
    population: 1,
    zip_codes: 1
  }
  }
])
```

```
/************$match with $group and $project add sort to this******/
mongos> db.city.aggregate([
  {$match:
   {
     state:"CA"
   }
  },
  {$group:
    _id: "$city",
    population: {$sum: "$pop"},
    zip_codes: {$addToSet: "$_id"}
   }
  },
  {$project:
    _id: 0,
    _
city: "$_id",
    population: 1,
    zip_codes: 1
   }
  },
  {$sort:
    population: 1
  },
  {$skip: 10},
  {$limit: 5}
])
```

```
mongos> db.collection.mapReduce(
           function(){emit(key,value)},
           function(key, values){return reduceFunction},
             { out: collection,
              query:document,
               sort: document,
              limit:number
             )
mongos> db.books.insert({name:"JAVA", pages:100});
mongos> db.books.insert({name:"XML", pages:400});
mongos> db.books.insert({name:"JSON", pages:300});
mongos> db.books.insert({name:"AngularJs", pages:250});
mongos> db.books.insert({name:"NodeJS", pages:150});
var map = function(){
var category;
if(this.pages >=250)
  category='Big Books';
}
else
  category ="small Book";
  emit(category, {name:this.name})
};
var reduce = function(key, values){
 var sum = 0;
 values.forEach(function(doc){
 sum += 1;
 });
return {books:sum};
};
```

```
var count = mongos> db.books.mapReduce(map, reduce, {out: "book_result"});
/*************Order of skip sort and limit********/
$sort -> $skip -> $limit
mongos> db.restaurants.aggregate([
    "$project": {
     "avgRating": { "$sum": "$reviews.rating" }
... },
... "$out": "restaurants"
... }
... ])
uncaught exception: Error: command failed: {
    "errmsg": "mongoMart.restaurants cannot be sharded",
    "code": 28769,
    "codeName": "Location28769",
    "operationTime": Timestamp(1624975122, 2),
    "$clusterTime": {
        "clusterTime": Timestamp(1624975122, 2),
        "signature": {
            "hash": BinData(0,"AAAAAAAAAAAAAAAAAAAAAAAAAAA="),
            "keyId" : NumberLong(0)
    }
}: aggregate failed
```