



Practice > Python > Closures and Decorators > Standardize Mobile Number Using Decorators

Standardize Mobile Number Using Decorators ☆

112/115 challenges solved

Rank: 1377 | Points: 2235 ⓘ



Your Standardize Mobile Number Using Decorators submission got 30.00 points.

[Share](#)[Tweet](#)[Try the next challenge](#) | [Try a Random Challenge](#)**Problem**

Submissions

Leaderboard

Discussions

Editorial ⓘ

Let's dive into decorators! You are given N mobile numbers. Sort them in ascending order then print them in the standard format shown below:

```
+91 xxxxx xxxxx
```

The given mobile numbers may have **+91**, **91** or **0** written before the actual **10** digit number. Alternatively, there may not be any prefix at all.

Input Format

The first line of input contains an integer N , the number of mobile phone numbers.
 N lines follow each containing a mobile number.

Output Format

Print N mobile numbers on separate lines in the required format.

Sample Input

```
3
07895462130
919875641230
9195969878
```

Sample Output

```
+91 78954 62130
+91 91959 69878
+91 98756 41230
```

Concept

Like most other programming languages, Python has the concept of closures. Extending these closures gives us decorators, which are an invaluable asset. You can learn about decorators in 12 easy steps [here](#).

To solve the above question, make a list of the mobile numbers and pass it to a function that sorts the

Author

harsh_beria93

Difficulty

Easy

Max Score

30

Submitted By

7294

NEED HELP?

[View discussions](#)[View editorial](#)[View top submissions](#)

RATE THIS CHALLENGE



MORE DETAILS

[Download problem statement](#)[Download sample test cases](#)[Suggest Edits](#)

array in ascending order. Make a decorator that standardizes the mobile numbers and apply it to the function.

Current Buffer (saved locally, editable) Python 3

```
1 def wrapper(f):
2     def fun(l):
3         f(["+91 "+s[-10:-5]+" "+s[-5:] for s in l])
4     return fun
5
7 @wrapper
8 def sort_phone(l):
9     print(*sorted(l), sep='\n')
10
11 if __name__ == '__main__':
12     l = [input() for _ in range(int(input()))]
13     sort_phone(l)
14
15
16
```

Line: 3 Col: 15

[Upload Code as File](#) ☐ Test against custom input

Run Code

Submit Code



You have earned 30.00 points!

112/115 challenges solved.

97%

Congratulations

You solved this challenge. Would you like to challenge your friends?



Next
Challenge

✔ Testcase 0

✔ Testcase 1

✔ Testcase 2

✔ Testcase 3

10 Testcases

Input (stdin)

[Download](#)

Expected Output

[Download](#)

```
3
07895462130
919875641230
0105060070
```

```
+91 78954 62130
+91 91959 69878
+91 98756 41230
```

Compiler Message

Success[Contest Calendar](#) | [Blog](#) | [Scoring](#) | [Environment](#) | [FAQ](#) | [About Us](#) | [Support](#) | [Careers](#) | [Terms Of Service](#) | [Privacy Policy](#) | [Request a Feature](#)