

Practice > Python > Built-Ins > Athlete Sort

# Athlete Sort ☆

60/115 challenges solved

Rank: 7262 | Points: 1025



Your Athlete Sort submission got 30.00 points. [Share](#) [Tweet](#)

[Try the next challenge](#) | [Try a Random Challenge](#)

- Problem
- Submissions
- Leaderboard
- Discussions
- Editorial

You are given a spreadsheet that contains a list of  $N$  athletes and their details (such as age, height, weight and so on). You are required to sort the data based on the  $K^{\text{th}}$  attribute and print the final resulting table. Follow the example given below for better understanding.

Rank	Age	Height (in cm)		Rank	Age	Height (in cm)
1	32	190	sort based on $k=1$ i.e (age) →	5	24	176
2	35	175		4	26	195
3	41	188		1	32	190
4	26	195		2	35	175
5	24	176		3	41	188

Note that  $K$  is indexed from 0 to  $M - 1$ , where  $M$  is the number of attributes.

**Note:** If two attributes are the same for different rows, for example, if two athletes are of the same age, print the row that appeared first in the input.

### Input Format

The first line contains  $N$  and  $M$  separated by a space.

The next  $N$  lines each contain  $M$  elements.

The last line contains  $K$ .

### Constraints

$1 \leq N, M \leq 1000$

$0 \leq K < M$

Each element  $\leq 1000$

### Output Format

Print the  $N$  lines of the sorted table. Each line should contain the space separated elements. Check the sample below for clarity.

### Sample Input 0

```
5 3
10 2 5
7 1 0
9 9 9
1 23 12
6 5 9
1
```

Authorshashank21j

DifficultyMedium

Max Score30

Submitted By11030

### NEED HELP?

- [View discussions](#)
- [View editorial](#)
- [View top submissions](#)

### RATE THIS CHALLENGE



### MORE DETAILS

- [Download problem statement](#)
- [Download sample test cases](#)
- [Suggest Edits](#)



## Sample Output 0

```
7 1 0
10 2 5
6 5 9
9 9 9
1 23 12
```

## Explanation 0

The details are sorted based on the second attribute, since  $K$  is zero-indexed.

Current Buffer (saved locally, editable) Python 3

```
1  #!/bin/python3
2
3  import math
4  import os
5  import random
6  import re
7  import sys
8
9
10
11 if __name__ == '__main__':
12     nm = input().split()
13
14     n = int(nm[0])
15
16     m = int(nm[1])
17
18     arr = []
19
20     for _ in range(n):
21         arr.append(list(map(int, input().rstrip().split())))
22
23     k = int(input())
24     for i in sorted(arr, key=lambda x: x[k]):
25         print(str(i).replace(',', ' ').replace('[' , '').replace(']', ''))
```

Line: 25 Col: 70

[Upload Code as File](#) ☐ Test against custom input

[Run Code](#)[Submit Code](#)

You have earned 30.00 points!  
60/115 challenges solved.

52%

## Congratulations

You solved this challenge. Would you like to challenge your friends?

[Next Challenge](#)

✔ Testcase 0

✔ Testcase 1

Input (stdin)

Download

100 10

64 79 18 94 46 81 74 97 71

92

46 34 23 20 68 15 53 83 24

Expected Output

Download

4 76 57 28 60 3 46 4 6 17

93 85 99 87 67 3 54 16 98 5

7

17 66 34 64 38 5 55 25 44 8

Compiler Message

Success