

The Game Of Life | Puja Gurudevshri Rakeshji

How to creatively deal with challenges - An insightful v...
Gurudevshri Rakeshji. Follow our page for more such v...

SPONSORED BY SHRIMAD RAJCHANDRA MISSION...

S

HTML Paragraphs

[< Previous](#)[Next >](#)

A paragraph always starts on a new line, and is usually a block of text.

HTML Paragraphs

The HTML `<p>` element defines a paragraph.

A paragraph always starts on a new line, and browsers automatically add some white space (a margin) before and after a paragraph.

Example

```
<p>This is a paragraph.</p>  
<p>This is another paragraph.</p>
```

Try it Yourself »



You cannot be sure how HTML will be displayed.

Large or small screens, and resized windows will create different results.

With HTML, you cannot change the display by adding extra spaces or extra lines in your HTML code.

The browser will automatically remove any extra spaces and lines when the page is displayed:

Example

```
<p>
```

```
This paragraph  
contains a lot of lines  
in the source code,  
but the browser  
ignores it.
```

```
</p>
```

```
<p>
```

```
This paragraph  
contains          a lot of spaces  
in the source      code,  
but the            browser  
ignores it.
```

```
</p>
```

[Try it Yourself »](#)

ADVERTISEMENT

Dark mode



HTML Horizontal Rules

The `<hr>` tag defines a thematic break in an HTML page, and is most often displayed as a horizontal rule.

The `<hr>` element is used to separate content (or define a change) in an HTML page:

Example

```
<h1>This is heading 1</h1>
<p>This is some text.</p>
<hr>
<h2>This is heading 2</h2>
<p>This is some other text.</p>
<hr>
```

Try it Yourself »

The `<hr>` tag is an empty tag, which means that it has no end tag.

HTML Line Breaks

The HTML `
` element defines a line break.

Dark mode



Example

```
<p>This is<br>a paragraph<br>with line breaks.</p>
```

Try it Yourself »

The `
` tag is an empty tag, which means that it has no end tag.

The Poem Problem

This poem will display on a single line:

Example

```
<p>
  My Bonnie lies over the ocean.

  My Bonnie lies over the sea.

  My Bonnie lies over the ocean.

  Oh, bring back my Bonnie to me.
</p>
```

Try it Yourself »

Solution - The HTML `<pre>` Element

The HTML `<pre>` element defines preformatted text.

Dark mode



Example

```
<pre>  
  My Bonnie lies over the ocean.  
  
  My Bonnie lies over the sea.  
  
  My Bonnie lies over the ocean.  
  
  Oh, bring back my Bonnie to me.  
</pre>
```

Try it Yourself »

HTML Exercises

Test Yourself With Exercises

Exercise:

Use the correct HTML tag to add a paragraph with the text "Hello World!".

```
<html>  
<body>  
<p> Hello World</p>  
</body>  
</html>
```

Dark mode



[Start the Exercise](#)

HTML Tag Reference

W3Schools' tag reference contains additional information about HTML elements and their attributes.

Tag	Description
<code><p></code>	Defines a paragraph
<code><hr></code>	Defines a thematic change in the content
<code>
</code>	Inserts a single line break
<code><pre></code>	Defines pre-formatted text


For a complete list of all available HTML tags, visit our [HTML Tag Reference](#).

[◀ Previous](#)

[Next ▶](#)

ADVERTISEMENT


Dark mode



Be your own boss by becoming a Mutual Funds Distributor

Do you aspire to build a successful career and work on your own terms? Become a Mutual Funds Distributor...

SPONSORED BY [MFDKAREINSHUR](#)





HTML

CSS



Get certified
by completing
a HTML
course today!



Get started

IMPROVE YOUR
Learning Journey

- ✓ No More Ads
- ✓ Hosting Benefits
- ✓ More Spaces
- ✓ HTML Video

UPGRADE



ADVERTISEMENT

Dark mode



ADVERTISEMENT

ADVERTISEMENT

Dark mode

Report Error

Spaces

Upgrade

Newsletter

Get Certified



Top Tutorials

- HTML Tutorial
- CSS Tutorial
- JavaScript Tutorial
- How To Tutorial
- SQL Tutorial
- Python Tutorial
- W3.CSS Tutorial
- Bootstrap Tutorial
- PHP Tutorial
- Java Tutorial
- C++ Tutorial
- jQuery Tutorial

Top References

- HTML Reference
- CSS Reference
- JavaScript Reference
- SQL Reference

Dark mode

[HTML](#)[CSS](#)[Bootstrap Reference](#)[PHP Reference](#)[HTML Colors](#)[Java Reference](#)[Angular Reference](#)[jQuery Reference](#)

Top Examples

[HTML Examples](#)[CSS Examples](#)[JavaScript Examples](#)[How To Examples](#)[SQL Examples](#)[Python Examples](#)[W3.CSS Examples](#)[Bootstrap Examples](#)[PHP Examples](#)[Java Examples](#)[XML Examples](#)[jQuery Examples](#)

Get Certified

[HTML Certificate](#)[CSS Certificate](#)[JavaScript Certificate](#)[Front End Certificate](#)[SQL Certificate](#)[Python Certificate](#)[PHP Certificate](#)[jQuery Certificate](#)[Java Certificate](#)[C++ Certificate](#)[C# Certificate](#)[XML Certificate](#)[FORUM](#) | [ABOUT](#)

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using W3Schools, you agree to have read and accepted our terms of use, cookie and privacy policy.

Copyright 1999-2022 by Refsnes Data. All Rights Reserved.

W3Schools is Powered by W3.CSS.

[Dark mode](#)

