

Project 1

The theme of this project is to implement the basic network design model that is presented in the lecture note entitled “An Application to Network Design,” and experiment with it.

Specific Tasks:

1. Create a program that is capable of doing the following:
 - As input, it receives the number of nodes (N), the traffic demand values (b_{ij}) between pairs of nodes, and the unit cost values for the potential links (a_{ij}).
 - As output, the program generates a network topology (directed graph), with capacities assigned to the links (directed edges), according to the studied model, **using the shortest path based fast solution method** (see at the end of the referred lecture note). The program also computes the total cost of the designed network.

Important notes:

- Any programming language and operating system can be used, it is your choice.
 - For the shortest path algorithm you may download and utilize any existing software module from the Internet. If you use this opportunity, then include in your documentation a precise reference that tells where the module comes from.
2. Clearly explain how your program works. It is helpful to use flowcharts for visualizing the explanation.
 3. Run your program on examples that are generated as explained below.
 - Let the number of nodes be $N = 20$ in each example.
 - For each example, generate the a_{ij}, b_{ij} values according to the rules described below. In these rules k is a parameter that will change in the experiments.

- For generating the b_{ij} values, take your 10-digit student ID, and repeat it 2 times, to obtain a 20-digit number. For example, if the ID is 0123456789, then after repetition it becomes 01234567890123456789. Let d_1, d_2, \dots, d_{20} denote the individual digits in this 20-digit number. Then the value of b_{ij} is computed by the formula

$$b_{ij} = |d_i - d_j|.$$

For example, using the above sample ID, the value of $b_{3,7}$ will be $b_{3,7} = |d_3 - d_7| = |2 - 6| = 4$.

- For generating the a_{ij} values, do the following. For any given i , pick k random indices j_1, j_2, \dots, j_k , all different from each other and also from i . Then set

$$a_{ij_1} = a_{ij_2} = \dots = a_{ij_k} = 1,$$

and set $a_{ij} = 100$, whenever $j \neq j_1, \dots, j_k$. Carry out this independently for every i .

Remark: The effect of this is that for every node i there will be k low cost links going out of the node, the others will have large cost. The shortest path algorithm will try to avoid the high cost links, if possible, so it effectively means that we limit the number of links that go out of the node, thus limiting the network density.

- Run your program with $k = 3, 4, 5, \dots, 14$. For each run generate new random a_{ij} parameters independently.

4. Show graphically in diagrams the following:

- How does the total cost of the network depends on k ?
- How does the density of the obtained network depends on k ? Here the density is defined as the number of directed edges that are assigned nonzero capacity, divided by the total possible number of directed edges, which is $N(N - 1)$.
- Show some of the obtained network topologies graphically. Specifically, draw three of them: one with $k = 3$, one with $k = 8$, and one with $k = 14$.

5. Structure of the program: your entire program should contain three well separated modules:
 - *Module 1*: generates the parameters of the random examples, These are passed on to Module 2.
 - *Module 2*: carries out the main algorithm (see Task 1.), and passes on the result to Module 3.
 - *Module 3*: creates the required presentation of the results (diagrams, figures, see Task 4.).
6. Provide a brief (1-2 paragraph) verbal justification that explains why the obtained diagrams look the way they do. In other words, try to convince a reader that what your diagrams show is indeed the “right” behavior, that is, your program that carries out the network design is likely correct.
7. Also include a section in the project document that is often referred to in a software package as ”ReadMe file.” The ReadMe file (or section) provides instructions on how to run the program.

Notes:

Note 1. If there is anything that is not specified in this project description, it automatically means that it is left to your independent choice.

Note 2. Something is still not clear? Then refer to Note 1.

Examples: What programming language should I use? How should I organize the data? Do you recommend a specific data structure? Which shortest path algorithm do you recommend, and where do I find an implementation of it? How do I integrate it into my program? Which random number generator should I use?... and so on...

Answer: Refer to Note 1!

Submission guidelines

Describe everything, including algorithms, program, sources, results and figures neatly and clearly in a study. Include everything in a **single document** that can be read as a report. It should have a **neat, professional**

appearance. For example, *scanned handwriting and hand-drawn figures are not acceptable!*

The preferred file type is pdf. Do not submit executable code, but include the *source code* as an Appendix in the document. Upload the document file in eLearning. Do not send it via e-mail! In most cases, the project report will be read as a document and we typically do not run the program (but there are two exceptions, see them under Evaluation).

Notes:

- The work should be fully individual and original. (Except that a shortest path algorithm may be downloaded from the Internet, but it cannot come from a classmate.) Any form of cheating is a serious violation of University policies and can lead to serious consequences. Also note that while there were *similar* projects in earlier semesters, the *exact same* project has never been assigned. The minor differences between this and earlier similar projects make it easy to detect if a submission is copied from an earlier one.
- It may be helpful to think about the whole project presentation that your task is not only to *solve* a technical problem, but you also have to *convincingly present and “sell”* the results. Try to look at your work from the viewpoint of a potential customer, to whom you want to sell such a software product. How convincing would your presentation look for a customer?

Evaluation

The evaluation will focus on how well each of the specific tasks have been carried out, and also on how professional the whole presentation looks. The projects will be graded on a scale of 0...100, so the grade can be viewed as percentage.

Note: Even though in most cases the submission will not be run, only read as a document, there are two exceptions. You will be asked to demonstrate to the TA on a computer how your program actually runs, if any of the following cases occur:

1. You do not agree with the grade and want to improve it. In this case the demonstration should show that your work is actually better than the received grade.

2. There is suspicion that the work is not original or not individually done or the results were not produced by your own correctly running program. In this case a demonstration is required to clarify the situation and to receive any score.