Name	Manish Shashikant Jadhav
UID no.	2023301005
Subject	Linear Algebra
Department	Computer Engineering-B

```
Experiment 3
                    Implementation of Row Echelon Form in Scilab.
AIM:
Row Echelon
                   clc
                   A = [1 \ 2; 3 \ -1];
Form 2x2
                   printf("The Matrix A is\n");
                   disp(A);
                   n = 2;
                   for i = 1:n
                      if A(i,i) == 0
                        A(i,:) = A(i,:);
                      else
                        A(i,:) = A(i,:) / A(i,i);
                        disp(A);
                        for j = 1:n-1
                           if i+j \le n
                             A(i+j,:) = A(i+j,:) - A(i+j,i)*A(i,:);
                           end
                        end
                      end
                   end
                   if A(1,2) == A(2,2)
                      A(1,:) = A(1,:) - A(2,:);
                   end
                   printf("The final matrix is: ")
                   disp(A);
```

```
| Scilab 6.0.2 Console | The Matrix A is | 1. 2. | 3. -1. | 1. 2. | 3. -1. | 1. 2. | 0. 1. | The final matrix is: | 1. 2. | 0. 1. | --> | w Echelon | clc |
```

Row Echelon Form 3x3

```
A = [1 \ 2 \ -1 \ ; \ 3 \ -1 \ 1 \ ; \ 2 \ -2 \ 3];
printf("The Matrix A is\n");
disp(A);
n = 3;
for i = 1:n
   if A(i,i) == 0
     A(i,:) = A(i,:);
  else
     A(i,:) = A(i,:) / A(i,i);
     disp(A);
     for j = 1:n-1
        if i+j \le n
           A(i+j,:) = A(i+j,:) - A(i+j,i)*A(i,:);
        end
     end
   end
end
if A(1,2) == A(2,2)
  A(1,:) = A(1,:) - A(2,:);
end
printf("The final matrix is: ")
disp(A);
```

```
Scilab 6.0.2 Console
 The Matrix A is
       2. -1.
  3. -1. 1.
  2. -2.
            з.
      2. -1.
  3. -1. 1.
  2. -2.
            з.
     2. -1.
     1. -0.5714286
  0. -6. 5.
       2. -1.
       1. -0.5714286
       0.
           1.
The final matrix is:
       2. -1.
       1. -0.5714286
       0.
            1.
  0.
```

Row Echelon Form 4x4

clc

```
A = [1 \ 2 \ -1 \ 3 \ ; 1 \ -1 \ 1 \ -1 \ ; 2 \ -2 \ 3 \ 2 \ ; 3 \ -1 \ 2 \ 1]
printf("The Matrix A is\n");
disp(A);
n = 4;
for i = 1:n
   if A(i,i) == 0
      A(i,:) = A(i,:);
   else
      A(i,:) = A(i,:) / A(i,i);
      disp(A);
      for j = 1:n-1
        if i+j \le n
           A(i+j,:) = A(i+j,:) - A(i+j,i)*A(i,:);
         end
      end
   end
```

```
end
if A(1,2) == A(2,2)
  A(1,:) = A(1,:) - A(2,:);
end
printf("The final matrix is: ")
disp(A);
Scilab 6.0.2 Console
 The Matrix A is
     2. -1. 3.
  3. -1. 2. 1.
  2. -2. 3. 2.
  1. -1. 1. -1.
     2. -1. 3.
  3. -1. 2. 1.
2. -2. 3. 2.
          1. -1.
  1. -1.
  1. 2. -1.
  0. 1. -0.7142857 1.1428571
  0. -6. 5. -4.
0. -3. 2. -4.
     2. -1.
                     3.
  0. 1. -0.7142857 1.1428571
  0. 0. 1. 4.
0. 0. -0.1428571 -0.5714286
     2. -1.
  0. 1. -0.7142857 1.1428571
  0. 0. 1. 4.
  0. 0. 0.
The final matrix is:
  1. 2. -1.
                    3.
  0. 1. -0.7142857 1.1428571
  0. 0. 1. 4.
0. 0. 0. 1.
```

CONCLUSION: Hence, by completing this experiment I came to know about Implementation of Row Echelon Form in Scilab.