


Circles

17.1 Introduction :

A circle is defined as the figure (closed curve) obtained by joining all those points in a plane which are at a constant distance from a fixed point in the same plane.

Infact, a circle is the locus of a point which moves in a plane in such a way that its distance from a fixed point in the same plane always remains constant.





The perimeter of the circle is called its circumference.

1. Concentric circles:

Two or more circles are said to be concentric if they have same centre and different radii.

In the adjoining figure, O is the centre of each circle drawn; so the circles are called *concentric circles*.






2. Equal circles:

Circles are said to be equal or congruent if they have equal radii.

3. Circumscribed circle:


A circle that passes through all the vertices of a polygon is called the *circumscribed* circle. The centre of circumscribed circle is called *circumcentre* and the polygon is called *incribed polygon*. See below:



4. Inscribed circle:

A circle that touches all the sides of a polygon is called the *inscribed circle* (or, in-circle) of the polygon.

The centre of inscribed circle is called *incentre* and the polygon is called *circumscribed polygon*. See below:



5. Chord:

The line segment, joining any two points on the circumference of the circle, is called a chord.


A chord, which passes through the centre of the circle is called diameter, and is the largest chord of the circle.

6. A straight line drawn from the centre of a circle to bisect a chord, which is not a diameter, is at right angles to the chord.

In the given figure, line OM, drawn from the centre O to bisect the chord AB, is perpendicular to AB.


i.e.
$$AM = BM \Rightarrow OM \perp AB$$


 $\Rightarrow \angle OMA = \angle OMB = 90^{\circ}$



In the given figure, O is the centre of the circle and OP is perpendicular to the chord AB.

$$\Rightarrow$$
 AP = BP






Remember:

Greater is the size of a chord, smaller is its distance from the centre and vice-versa.

The adjoining figure shows a circle with centre O. OP is perpendicular to chord AB and OQ is perpendicular to chord CD. Since, chord AB is greater than chord CD

- ⇒ AB is at smaller distance from the centre as compared to CD
- i.e. OP < 00. Conversely, as $OP < OQ \implies AB > CD$.




- **9.** Equal chords of a circle are equidistant from the centre.
- 10. Chords of a circle, equidistant from the centre of the circle, are equal.

In the given figure,

(i) if
$$AB = CD \Rightarrow OM = ON$$

and, (ii) if
$$OM = ON \Rightarrow AB = CD$$




17.2 Arc and its types :

An arc is a part of the circumference of a circle.

A chord divides the circumference of a circle into two parts and each part is called *an arc*.

In the figure, given alongside, chord AB divides the circumference into two unequal arcs APB and AQB.

The arc APB, which is *less than* the semi-circle, is called *minor arc* and the arc AQB, which is *greater than* the semi-circle, is called *major arc*.



0

ō

Q

17.3 Segment and relation between arcs and segments:

A segment is the part of a circle bounded by an arc and a chord.

Theorem 5

The angle which, an arc of a circle subtends at the centre is double that which it subtends at any point on the remaining part of the circumference.

Given: A circle with centre O. Arc APB subtends angle AOB at the centre and angle ACB at point C on the remaining circumference.

To Prove : $\angle AOB = 2\angle ACB$.

Construction: Join CO and produce it to a point D.

Proof:

Statement

Reason

In Δ AOC;

1.
$$OA = OC$$

Radii of the same circle.

Angles opposite to equal sides of a Δ are equal.

3.
$$\angle AOD = \angle OAC + \angle OCA$$

Exterior angle of a Δ = sum of its interior opposite angles.

From (2): $\angle OAC = \angle OCA$

Similarly, in Δ BOC,

Ext. ∠BOD = 2∠OCB

5.
$$\angle AOB = \angle AOD + \angle BOD$$

= $2\angle OCA + 2\angle OCB$ From (3) and (4)

 $= 2 (\angle OCA + \angle OCB)$

= 2∠ACB

Hence Proved.

Similarly, consider the following figures:

(i)

P

(ii)

A

(ii)

A

A

B

A

A

A

B

A

A

A

B

Reflex ∠AOB = 2∠APB

Theorem 6

Angles in the same segment of a circle are equal.

Given: A circle with centre O. Angle ACB and angle ADB are in the same segment.

To Prove : $\angle ACB = \angle ADB$.

Construction: Join OA and OB.

Proof:

Statement Reason

- Arc APB subtends angle AOB at the centre and angle ACB at point C of the remaining circumference.
 - \therefore $\angle AOB = 2\angle ACB$
- 2. Similarly, $\angle AOB = 2\angle ADB$
- 3. ∴ ∠ACB = ∠ADB

Angle at the centre is twice the angle at remaining circumference.

C

From (1) and (2)

Hence Proved.

Similarly, in the adjoining figure:

(i) ∠DAB = ∠DCB

[Angles in the same segment]

(ii) ∠ADC = ∠ABC


[Angles in the same segment]

Theorem 7

The angle in a semi-circle is a right angle.

Given: A circle with centre O. AB is a diameter and ACB is the angle of semi-circle.

To Prove : $\angle ACB = 90^{\circ}$.



Proof:

Statement

Reason

 Arc APB subtends ∠AOB at the centre and ∠ACB at pt. C of remaining circumference.

$$\angle AOB = 2\angle ACB$$

Angle at the centre is twice the angle at remaining circumference.

2.
$$\angle AOB = 180^{\circ}$$

AOB is a straight line.

3.
$$2\angle ACB = 180^{\circ}$$

From (1) and (2)

$$\Rightarrow$$
 $\angle ACB = 90^{\circ}$

Hence Proved.

17.4 Cyclic Properties :

When a quadrilateral is inscribed in a circle *i.e.* the vertices of the quadrilateral lie on the circumference of a circle; the quadrilateral is called a *cyclic quadrilateral*.

The points, which lie on the circumference of the same circle, are called *concyclic points*.

Theorem 8

The opposite angles of a cyclic quadrilateral (quadrilateral inscribed in a circle) are supplementary.

Given: A quadrilateral ABCD inscribed in a circle with centre O.

To Prove :

$$\angle ABC + \angle ADC = 180^{\circ}$$


and, $\angle BAD + \angle BCD = 180^{\circ}$.

Construction: Join OA and OC.

Proof:

Statement

Reason



 Arc ABC subtends angle AOC at the centre and angle ADC at point D of the remaining circumference.

Angle at the centre is twice the angle at remaining circumference.

 $\Rightarrow \angle ADC = \frac{1}{2} \angle AOC$

Similarly,

2.
$$\angle ABC = \frac{1}{2} \text{ reflex } \angle AOC$$

3. ∠ABC + ∠ADC

$$= \frac{1}{2} \text{ (reflex } \angle AOC + \angle AOC)$$

From (1) and (2)

$$=\frac{1}{2}\times 360^{\circ} = 180^{\circ}$$

Reflex
$$\angle AOC + \angle AOC = 360^{\circ}$$


Similarly, $\angle BAD + \angle BCD = 180^{\circ}$

Hence Proved.

Remember:

- 1. If the opposite angles of a quadrilateral are supplementary, the quadrilateral is cyclic.
- 2. Angle of major segment is acute and angle of minor segment is obtuse.

In the adjoining figure, $\angle ABC$ is the angle of major segment, so it is acute *i.e.* $\angle ABC$ is less than 90°. In the same way, $\angle ADC$ is the angle of minor segment, so it is obtuse *i.e.* angle ADC is greater than 90°.




Theorem 9

The exterior angle of a cyclic quadrilateral is equal to the interior opposite angle.

Given: A cyclic quadrilateral ABCD whose side AB is produced to a point E.

To Prove : Ext. ∠CBE = ∠ADC



Proof:

Statement

- 1. $\angle ABC + \angle CBE = 180^{\circ}$
- 2. $\angle ABC + \angle ADC = 180^{\circ}$
 - \therefore \angle ABC + \angle CBE = \angle ABC + \angle ADC
 - \Rightarrow $\angle CBE = \angle ADC$.

Reason


 $\angle ABC + \angle CBE = \angle ABE = 180^{\circ}$

Opp. angles of a cyclic quadrilateral are supplementary.

- From (1) and (2)
- Hence Proved.

Similarly, in the adjoining figure:


- (i) $\angle PAB = \angle BCD$,
- (ii) ∠QBC = ∠ADC,
- (iii) $\angle RCD = \angle BAD$ and so on.





In the adjoining figure; ∠AOC = 110°; calculate:

- (i) ∠ADC
- (ii) ∠ABC
- (iii) ∠OAC.



Solution:

(i) $\angle ADC = \frac{1}{2} \angle AOC$ [Angle at centre is twice the angle at remaining circumference]

$$=\frac{1}{2}\times 110^{\circ} = 55^{\circ}$$

Ans.

(ii) $\angle ABC + \angle ADC = 180^{\circ}$ [Opp. angles of a cyclic quadrilateral are supplementary]

$$\therefore$$
 $\angle ABC + 55^{\circ} = 180^{\circ}$

$$\Rightarrow$$
 $\angle ABC = 125^{\circ}$

Ans.

(iii) In Δ AOC,

$$OA = OC$$

OC [Radii of the same circle]

[Angles opposite to equal sides]

Since,
$$\angle OAC + \angle OCA + \angle AOC = 180^{\circ}$$

[Sum of angles of a
$$\Delta = 180^{\circ}$$
]

$$\Rightarrow \angle OAC + \angle OAC + 110^{\circ} = 180^{\circ}$$


$$[\angle OCA = \angle OAC]$$

$$\angle OAC = 35^{\circ}$$

Ans.



In the adjoining figure, PQ = PR and \angle PRQ = 70°. Find \angle QAR.



Solution:

In ΔPQR ,

$$PQ = PR$$

[Given]

$$\therefore \angle PQR = \angle PRQ = 70^{\circ}$$

[In a Δ , angles opposite to equal sides are equal]

$$\therefore \angle QPR = 180^{\circ} - (70^{\circ} + 70^{\circ}) = 40^{\circ}$$


[Sum of angles of a $\Delta = 180^{\circ}$]


Now,
$$\angle QAR = \angle QPR$$

[Angles of same segment are equal]

$$=40^{\circ}$$

Ans.





Solution:

$$\angle BDC = \angle BAC = 67^{\circ}$$

[Angles of the same segment are equal]

In ADBC,


$$\angle BDC + \angle DBC + \angle DCB = 180^{\circ}$$

$$\Rightarrow$$
 67° + \angle DBC + \angle DCB = 180°

$$\Rightarrow$$
 $\angle DBC + \angle DCB = 180^{\circ} - 67^{\circ} = 113^{\circ}$

Ans.

In the given figure, BC//DE and O is the centre of the circle. If \angle CDE = x° ; find, in terms of x° , the value of \angle BAC.



Solution:

Since, BC//DE and DC is a transversal,

$$\therefore$$
 $\angle BCD = \angle CDE = x^{\circ}$

[Alternate angles]

Now join OB and OC.

Since, angle at the centre is twice the angle at remaining circumference.

$$\therefore$$
 $\angle COE = 2\angle CDE = 2x^{\circ}$

and, $\angle BOD = 2\angle BCD = 2x^{\circ}$

DOE is a straight line (diameter)

$$\therefore$$
 $\angle DOB + \angle BOC + \angle COE = 180^{\circ}$


$$\Rightarrow$$
 $2x^{\circ} + \angle BOC + 2x^{\circ} = 180^{\circ}$

$$\Rightarrow$$
 $\angle BOC = (180 - 4x)^{\circ}$

Also,
$$\angle BOC = 2\angle BAC$$

$$\Rightarrow (180^{\circ} - 4x)^{\circ} = 2\angle BAC$$

and,



Ans.

Second method:

Join CE and BD

[Angle of semi-circle]

$$\Rightarrow$$
 \angle CDE + \angle CED = 90°

$$\Rightarrow$$
 $x^{\circ} + \angle CED = 90^{\circ} i.e. \angle CED = (90 - x)^{\circ}$

BCED is a cyclic quadrilateral

$$\Rightarrow$$
 \angle CBD + \angle CED = 180°

[Opp. angles of cyclic quadrilateral are supplementary]

$$\Rightarrow$$
 \angle CBD + $(90 - x)^{\circ} = 180^{\circ}$

$$\Rightarrow \qquad \angle CBD = (180 - 90 + x)^{\circ}$$

$$= (90 + x)^{\circ}$$

Also,
$$\angle BCD = \angle CDE = x^{\circ}$$

[Alternate angles]

∴ In ∆CBD,


$$\angle$$
CBD + \angle BCD + \angle BDC = 180°

$$\Rightarrow$$
 $(90 + x)^{\circ} + x^{\circ} + \angle BDC = 180^{\circ}$

$$\Rightarrow \qquad \angle BDC = (180 - 90 - x - x)^{\circ}$$

$$= (90 - 2x)^{\circ}$$

∴
$$\angle BAC = \angle BDC$$
 [Angles of the same segment]
= $(90 - 2x)^{\circ}$



Third method:

Join AD and CE

Show that
$$\angle CED = (90 - x)^{\circ}$$
 and

$$\angle BCD = x^{\circ}$$

$$\angle BAD = \angle BCD = x^{\circ}$$

[Angles of same segment]

$$\angle DAC = \angle DEC = (90 - x)^{\circ}$$

[Angles of same segment]


$$\Rightarrow \angle BAD + \angle BAC = (90 - x)^{\circ}$$


$$[\angle BAD + \angle BAC = \angle DAC]$$

$$\Rightarrow$$
 $x^{\circ} + \angle BAC = (90 - x)^{\circ}$

$$\Rightarrow$$
 $\angle BAC = (90 - 2x)^{\circ}$

Ans.





Solution:

(i) Join EC.

$$\angle AEC = 90^{\circ}$$

[Angle of semi-circle; as AC is diameter]

$$\angle DEC = 118^{\circ} - 90^{\circ} = 28^{\circ}$$

Ans.

(ii) Join AD.

$$\angle DAC = \angle DEC = 28^{\circ}$$
 [Angles of same segment are equal]


$$\angle ABC = 90^{\circ}$$

[Angle of semi-circle = 90°]

$$\angle BAC = \angle BCA = 45^{\circ}$$
 [Given, AB = BC]


$$\therefore$$
 \(\textstyle DAB = \(\textstyle DAC + \(\textstyle BAC \)

$$= 28^{\circ} + 45^{\circ} = 73^{\circ}$$



Ans.

6 In the adjoining figure; O is centre of the circle, chords AC and BD are perpendicular to each other, $\angle OAB = a$ and $\angle DBC = b$. Show that a = b.



Solution:

In \triangle AOB,

$$OA = OB$$

[Radii of same circle]

$$\therefore \angle OBA = \angle OAB = a$$

[Angles opposite to equal sides]

$$\therefore \angle AOB = 180^{\circ} - (a + a)$$

$$= 180^{\circ} - 2a$$

$$\angle ACB = \frac{1}{2} \angle AOB$$

[Angle at the centre is twice the angle at remaining circumference]

$$= \frac{1}{2}(180^{\circ} - 2a) = 90^{\circ} - a$$

Given chords AC and BD are perpendicular to each other,

$$\therefore$$
 $\angle ACB + \angle DBC = 90^{\circ}$

$$\Rightarrow$$
 90° - $a + b = 90°$

$$\Rightarrow$$
 $a = b$

Ans.




In the adjoining figure; ABCD is a cyclic quadrilateral, \angle CBQ = 48° and a = 2b. Calculate the numerical value of b.

Solution:

In \triangle BCQ,

$$\angle DCB = 48^{\circ} + b$$

[Exterior angle = sum of two interior opp. angles]



In A APB,

$$\angle ABP = \angle CBQ = 48^{\circ}$$

[Vertically opposite angles are equal]

$$\therefore \angle DAB = \angle ABP + a$$

[Exterior angle = sum of two interior opp. angles]

$$= 48^{\circ} + a$$

Now, in cyclic quadrilateral ABCD,

 $\angle DCB + \angle DAB = 180^{\circ}$ [Opp. angles of a cyclic quad. are supplementary]

$$\Rightarrow$$
 48° + b + 48° + a = 180°

$$\Rightarrow$$
 $a+b=84^{\circ}$

$$\Rightarrow$$
 $2b + b = 84^{\circ}$

[Given, a = 2b]

$$\Rightarrow \qquad b = 28^{\circ}$$

Ans.




In the given figure, ∠BAD = 80°,

∠ABD = 55° and ∠BDC = 45°. Find :

- (i) ∠BCD
- (ii) ∠ADB

Hence, show that AC is a diameter.



Solution:

(i) Since, ABCD is a cyclic quadrilateral and opposite angles of a cyclic quadrilateral are supplementary:

$$\therefore$$
 $\angle BAD + \angle BCD = 180^{\circ} \Rightarrow 80^{\circ} + \angle BCD = 180^{\circ}$

$$\Rightarrow$$
 $\angle BCD = 100^{\circ}$

Ans.

(ii) Since, the sum of the angles of a triangle is 180°

$$\therefore \text{In } \triangle \text{ ABD, } \angle \text{ADB } + 55^{\circ} + 80^{\circ} = 180^{\circ}$$

$$\angle ADB = 180^{\circ} - 135^{\circ} = 45^{\circ}$$

Ans.

AC will be a diameter of the circle, if $\angle ADC = 90^{\circ}$ or $\angle ABC = 90^{\circ}$.

$$\angle ADC = \angle ADB + \angle BDC$$

= $45^{\circ} + 45^{\circ} = 90^{\circ}$

∠ADC is the angle of semi-circle and so AC is a diameter of the circle.



In a circle, with centre O, a diameter AB and a chord AD are drawn. Another circle is drawn with AO as diameter to cut AD at C.

Prove that : $BD = 2 \times OC$

[2005]

B

Solution:

According to the given statement, the figure will be as shown alongside:

Join OC and BD.

Clearly, $\angle ACO = \angle ADB = 90^{\circ}$ [Angles of semi-circles]

OA is radius and AB is diameter \Rightarrow OA = $\frac{1}{2}$ AB

i.e.
$$\frac{OA}{AB} = \frac{1}{2}$$

..... (I)

OC is \perp to chord AD \Rightarrow AC = $\frac{1}{2}$ AD [\perp from centre bisects the chord]

i.e.
$$\frac{AC}{AD} = \frac{1}{2}$$
 (II)

In \triangle AOC and \triangle ABD.

$$\frac{OA}{AB} = \frac{AC}{AD}$$
 and $\angle A$ is common

$$\Rightarrow \Delta AOC \sim \Delta ABD$$

[By S.A.S.]

$$\Rightarrow \frac{OC}{BD} = \frac{OA}{AB}$$

[Corresponding sides of similar Δs are proportional]

$$\Rightarrow \frac{OC}{BD} = \frac{1}{2} \Rightarrow BD = 2 \times OC$$

Hence Proved.

Alternative method:

$$OA = \frac{1}{2}AB \Rightarrow O \text{ is mid-point of } AB$$

$$AC = \frac{1}{2}AD$$

[\(\perp \) OC bisects the chord AD]


 $\therefore \text{ In } \triangle \text{ ABD, OC } = \frac{1}{2} \text{BD}$ [Line joining the mid-points of two sides of a Δ is half of the third side]

$$\Rightarrow$$
 BD = 2 × OC

Hence Proved.



In the figure, given alongside, O is the centre of the circle and $\angle AOC = 160^{\circ}$. Prove that : $3\angle y - 2\angle x = 140^{\circ}$



[2005]

Solution:

Since angle at centre is twice the angle at remaining circumference

$$\therefore$$
 $\angle AOC = 2x$ i.e. $2x = 160^{\circ}$ and $x = 80^{\circ}$

Since, opposite angles of a cyclic-quadrilateral are supplementary

$$\therefore x + y = 180^{\circ} i.e. y = 180^{\circ} - x = 180^{\circ} - 80^{\circ} = 100^{\circ}$$


Now
$$3\angle y - 2\angle x = 3 \times 100^{\circ} - 2 \times 80^{\circ}$$

$$= 300^{\circ} - 160^{\circ} = 140^{\circ}$$

Hence Proved.



Two unequal circles with centres A and B intersect each other at points C and D. The centre B of the smaller circle lies on the circumference of the bigger circle with centre A. If $\angle CMD = x^{\circ}$, find in terms of x, the measure of angle DAC.



Solution:

Since the angle at centre is twice the angle at remaining circumference, therefore in circle with centre B,

$$\angle$$
CBD = 2 \angle CMD = 2 × x° = 2 x°

Now in the bigger circle, DBCN is a cyclic quadrilateral and we know the opposite angles of a cyclic quadrilateral are supplementary.

$$\therefore \qquad \angle DNC + \angle CBD = 180^{\circ}$$

$$\Rightarrow$$
 $\angle DNC + 2x^{\circ} = 180^{\circ}$

$$\Rightarrow$$
 $\angle DNC = 180^{\circ} - 2x^{\circ}$


Again, angle at the centre is double the angle at remaining circumference.

$$= 2(180^{\circ} - 2x^{\circ}) = 360^{\circ} - 4x^{\circ}$$

Ans.



The given figure shows a triangle ABC with ∠BAC = 56° and ∠ABC = 64°. Bisectors of angles A, B and C meet the circumcircle of the Δ ABC at points P, Q and R respectively. Find the measure of ∠QPR.



Solution:

In given \triangle ABC,

 $= 32^{\circ} + 30^{\circ} = 62^{\circ}$


Ans.

In the given figure, I is the incentre of triangle ABC. AI produced meets the circumcircle of the triangle ABC at point D. If ∠BAC = 50° and ∠ABC = 70°, find:




(ii) ∠ICD

(iii) ∠BIC



Solution:


Here, I is incentre of $\triangle ABC$ means, I is the centre of the circle that touches all the sides of $\triangle ABC$ and it is the point of intersection of the bisectors of angles of the triangle ABC. That is, IA bisects $\angle BAC$, IB bisects $\angle CBA$ and IC bisects $\angle ACB$.



Join IB, IC and CD.

Since,
$$\angle BAC = 50^{\circ}$$
 and $\angle ABC = 70^{\circ}$
so, $\angle ACB = 60^{\circ}$

(i) Since, I is incentre, so IA is the bisector of ∠BAC



[IA bisects ∠BAC]

$$\Rightarrow$$

$$\angle BAD = \frac{1}{2} \angle BAC$$

= $\frac{1}{2} \times 50^{\circ} = 25^{\circ}$

$$\angle BCD = \angle BAD$$

[Angles of the same segment]

$$= 25^{\circ}$$

Ans.

$$\Rightarrow \angle ICB = \frac{1}{2} \angle ACB = \frac{1}{2} \times 60^{\circ} = 30^{\circ}$$

$$\angle ICD = \angle ICB + \angle BCD$$
$$= 30^{\circ} + 25^{\circ} = 55^{\circ}$$

(iii)
$$\therefore$$
 $\angle IBC = \frac{1}{2} \angle ABC$ [IB bisects $\angle ABC$]

$$= \frac{1}{2} \times 70^{\circ} = 35^{\circ}$$

$$\angle BIC = 180^{\circ} - \angle IBC - \angle ICB$$

∴
$$\angle BIC = 180^{\circ} - \angle IBC - \angle ICB$$


= $180^{\circ} - 35^{\circ} - 30^{\circ} = 115^{\circ}$

EXERCISE 17(A)

- 1. In the given figure, O is the centre of the circle. ∠OAB and ∠OCB are 30° and 40° respectively. Find ∠AOC. Show your
- steps of working. 2. In the given figure, $\angle BAD = 65^{\circ}$, $\angle ABD = 70^{\circ}$,
 - $\angle BDC = 45^{\circ}$ (i) Prove that AC is a diameter of the
 - circle. (ii) Find ∠ACB. [2013]
 - 3. Given O is the centre of the circle and ∠AOB = 70°. Calculate the value of: (i) ∠OCA,

(ii) ∠OAC.

4. In each of the following figures, O is the centre of the circle. Find the values of a, b



- 5. In each of the following figures, O is the c, and d. (i)
 - centre of the circle. Find the values of a, b,
 - (iii)
- (iv)


[2007]

(ii)

Ans.


Ans.

6. In the figure, AB is common chord of the two circles. If AC and AD are diameters; prove that D, B and C are in a straight line. O1 and O, are the centres of two circles.




- 7. In the figure, given below, find:
 - (i) ∠BCD,
 - (ii) ∠ADC,
 - (iii) ∠ABC.

Show steps of your working.



- 8. In the given figure, O is the centre of the circle. If $\angle AOB = 140^{\circ}$ and $\angle OAC = 50^{\circ}$; find :
- (i) ∠ACB,
 - (ii) ∠OBC,
- (iii) ∠OAB,
- (iv) ∠CBA.
- 9. Calculate:
 - (i) ∠CDB,
 - (ii) ∠ABC,
 - (iii) ∠ACB.
- 10. In the figure, given below, ABCD is a cyclic quadrilateral in which ∠BAD = 75°; ∠ABD
- = 58° and $\angle ADC = 77^{\circ}$. Find :
 - (i) ∠BDC, (ii) ∠BCD,
 - (iii) ∠BCA.




Po.

D


11. In the following figure, O is centre of the circle and Δ ABC is equilateral.

- Find:
- (i) ∠ADB, (ii) ∠AEB.




and $\angle CBA = 50^{\circ}$. Find the value of ∠DAB + ∠ABD.

12. Given : ∠CAB = 75°



13. ABCD is a cyclic quadrilateral in a circle with centre O.

If $\angle ADC = 130^{\circ}$; find $\angle BAC$.




14. In the figure, given alongside, AOB is a diameter of the circle and $\angle AOC = 110^{\circ}$. Find ∠BDC.

110°

D

- 15. In the following figure,
 - O is the centre of the circle. $\angle AOB = 60^{\circ}$ and
 - ∠BDC = 100°. Find ∠OBC.
- 16. ABCD is a cyclic quadrilateral in which ∠DAC = 27°; ∠DBA
 - = 50° and ∠ADB = 33°. Calculate: (i) ∠DBC,
 - (ii) ∠DCB,
- (iii) ∠CAB. 17. In the figure, given alongside, AB



diameter of the circle A

Show that : $\angle COF = \angle CEF$. 18. In the figure


given alongside, AB and CD are

straight lines A through the centre O of a circle. If $\angle AOC = 80^{\circ}$ and

- $\angle CDE = 40^{\circ}$, find the number of degrees in: (i) ∠DCE, (ii) ∠ABC.
- 19. In the given figure,
 - AC is a diameter of a circle, whose centre is is A circle described on AO as diameter. AE, a chord

of the larger circle,


Prove that : AB = BE.




C

80°

- 20. In the following figure,
 - (i) if $\angle BAD = 96^{\circ}$, find $\angle BCD$ and $\angle BFE$.
 - (ii) Prove that AD is parallel to FE.



- 21. Prove that:
 - (i) the parallelogram, inscribed in a circle, is a rectangle.
 - (ii) the rhombus, inscribed in a circle, is a square.
- 22. In the following figure, AB = AC. Prove that DECB is an isosceles trapezium.



diameters PA and PB of the two circles are drawn. Show that the points A, Q and B are collinear.

23. Two circles intersect at P and Q. Through P

24. ABCD is a quadrilateral inscribed in a circle, having $\angle A = 60^{\circ}$; O is the centre of the circle. Show that :


$$\angle OBD + \angle ODB$$

= $\angle CBD + \angle CDB$.

25. The figure given below, shows a circle with centre O.


Given: $\angle AOC = a$ and $\angle ABC = b$.

- (i) Find the relationship between a and b.
- (ii) Find the measure of angle OAB, if OABC is a parallelogram.




26. Two chords AB and CD intersect at P inside the circle. Prove that the sum of the angles subtended by the arcs AC and BD at the centre O is equal to twice the angle APC.

- 27. In the given figure, RS is a diameter of the circle. NM is parallel to RS and ∠MRS = 29°. Calculate:
 - (i) ∠RNM,
 - (ii) ∠NRM.




28. In the figure, given alongside, AB // CD and O is the centre of the circle. If $\angle ADC = 25^{\circ}$;


find the angle AEB. Give reasons in support of your answer.




29. Two circles intersect at P and Q. Through P, a straight line APB is drawn to meet the circles in A and B. Through Q, a straight line is drawn to meet the circles at C and D. Prove that AC is parallel to BD.




- 30. ABCD is a cyclic quadrilateral in which AB and DC on being produced, meet at P such that PA = PD. Prove that AD is parallel to BC.
- 31. AB is a diameter of the circle APBR as shown in the figure. APQ and RBQ are straight lines. Find:
 - (i) ∠PRB,



32. In the given figure, SP is bisector of ∠RPT and PQRS is a cyclic quadrilateral. Prove that: SQ = SR.




33. In the figure, O is the centre of the circle, $\angle AOE = 150^{\circ}$, $\angle DAO = 51^{\circ}$. Calculate the sizes of the angles CEB and OCE.



34. In the figure, given below, P and Q are the centres of two circles intersecting at B and C. ACD is a straight line. Calculate the numerical


value of x.



at A and B. The centre of the smaller circle is O and lies on the circumference of the larger circle. Given $\angle APB = a^{\circ}$.

Calculate, in terms of a° , the value of :

(i) obtuse ∠AOB, (ii) ∠ACB, (iii) ∠ADB. Give reasons for your answers clearly. D




37. In the given figure, A is the centre of the circle, ABCD is a parallelogram and CDE is a straight line. Prove that : $\angle BCD = 2\angle ABE$. 38. ABCD is a cyclic quadrilateral in which Al is parallel to DC and AB is a diameter of th circle. Given ∠BED = 65°; calculate :

(i) ∠DAB,



- 39. In the given figure, AB is a diameter of the circle. Chord ED is parallel to AB and $\angle EAB = 63^{\circ}$. Calculate:
 - (i) ∠EBA, (ii) ∠BCD.
- 40. The sides AB and DC of a cyclic quadrilatera ABCD are produced to meet at E; the side DA and CB are produced to meet at I



- 41. In the given figure, AB is a diameter of the circle with centre O. DO is parallel to CB and ∠DCB = 120°.
 - Calculate: (ii) ∠DBA, (i) ∠DAB,
 - (iii) ∠DBC, (iv) ∠ADC.


Also, show that the AAOD is an equilatera triangle.

- 42. In the given figure, I is the incentre of Δ ABC BI when produced meets the circumcircle of
 - \triangle ABC at D. Given \angle BAC = 55° and \angle AC = 65°; calculate:
 - (i) ∠DCA,
 - (ii) ∠DAC,

 - (iii) ∠DCI, (iv) ∠AIC.

D

43. A triangle ABC is inscribed in a circle. The bisectors of angles BAC, ABC and ACB meet the circumcircle of the triangle at points P, Q and




(i) $\angle ABC = 2\angle APQ$, (ii) $\angle ACB = 2\angle APR$,

(iii) $\angle QPR = 90^{\circ} - \frac{1}{2} \angle BAC$.


R respectively. Prove that:




44. Calculate the angles x, y and z if:




- 45. In the given figure, AB = AC = CD and ∠ADC = 38°. Calculate :
 - (i) Angle ABC



46. In the given figure, AC is the diameter of circle, centre O. Chord BD is perpendicular to AC. Write down the angles p, q and r in terms of x.




47. In the given figure, AC is the diameter of the circle with centre O. CD and BE are parallel. Angle $\angle AOB = 80^{\circ}$ and $\angle ACE = 10^{\circ}$.




(ii) Angle BCD,





- 48. In the given figure, AE is the diameter of the circle. Write down the numerical value A of ∠ABC + ∠CDE. Give reasons for your answer.
- 49. In the given figure, AOC is a diameter and AC is parallel to ED. If $\angle CBE = 64^{\circ}$, calculate ∠DEC.
- 50. Use the given figure to find:



51. In the given figure, AOB is a diameter and DC is parallel to AB. If $\angle CAB = x^{\circ}$; find

(in terms of x) the values of:


- (i) ∠COB,
- (ii) ∠DOC,
- (iii) ∠DAC, (iv) ∠ADC. 52. In the given figure, AB

130


Ò

B


- is the diameter of a circle with centre O. ∠BCD = 130°. Find :
 - (i) ∠DAB
 - (ii) ∠DBA
- 53. In the given figure, PQ is the diameter of the circle whose centre is O. Given ∠ROS = 42°, calculate ∠RTS.




- 54. In the given figure, PQ is a diameter. Chord SR is parallel to PQ. Given that $\angle PQR = 58^{\circ}$, Calculate:
 - (i) ∠RPO,
 - (ii) ∠STP.



- 55. AB is the diameter of the circle with centre O. OD is parallel to BC and $\angle AOD = 60^{\circ}$. Calculate the numerical values of :
 - (i) ∠ABD,
 - (ii) ∠DBC,
 - (iii) ∠ADC.




- 56. In the given figure, the centre O of the small circle lies on the circumference of the bigger circle. If $\angle APB = 75^{\circ}$ and $\angle BCD = 40^{\circ}$,
 - find: (i) ∠AOB.
 - (ii) ∠ACB,
 - (iii) ∠ABD,
 - (iv) ∠ADB.




- 57. In the given figure, $\angle BAD = 65^{\circ}$, $\angle ABD = 70^{\circ}$ and $\angle BDC = 45^{\circ}$. Find:
 - (i) ∠BCD
 - (ii) ∠ACB

Hence, show that AC is a diameter.



- 58. In a cyclic quadrilateral ABCD, ∠A : ∠C = 3:1 and $\angle B:\angle D=1:5$; find each angle of the quadrilateral.
- 59. The given figure shows a circle with centre O and $\angle ABP = 42^{\circ}$.




Calculate the measure of:

- (i) ∠PQB
- (ii) ∠QPB + ∠PBQ
- 60. In the given figure, M is the centre of the circle. Chords AB and CD are perpendicular to each other.

If $\angle MAD = x$ and $\angle BAC = y$:

- (i) express $\angle AMD$ in terms of x.
- (ii) express ∠ABD in terms of y.
- (iii) prove that : x = y.



61. In a circle, with centre O, a cyclic quadrilateral ABCD is drawn with AB as a diameter of the circle and CD equal to radius of the circle. If AD and BC produced meet at point P; show that $\angle APB = 60^{\circ}$.

Some important results:

In a circle, equal chords subtend equal angles at 1. the centre of the circle.

That is: if chord AB = chord CD


$$\Rightarrow$$

Conversely, if
$$\angle AOB = \angle COD$$

$$\Rightarrow$$

$$chord AB = CD$$


Clearly, O is the centre of the circle.



2. In the given figure, ABC is an equilateral triangle inscribed in a circle with centre O,

Since,
$$AB = BC = AC$$


$$\Rightarrow \angle AOB = \angle BOC = \angle AOC = \frac{360^{\circ}}{3} = 120^{\circ}$$



In the given figure, O is the centre of a circle.
 AB is the side of a square, CD is the side of a regular pentagon and EF is the side of a regular hexagon, then

$$\angle AOB = \frac{360^{\circ}}{4} = 90^{\circ}, \angle COD = \frac{360^{\circ}}{5} = 72^{\circ}$$

$$\angle EOF = \frac{360^{\circ}}{6} = 60^{\circ}$$





4. In the given figure, if

Chord AB: chord
$$CD = 7:5$$
,

$$\angle AOB : \angle COD = 7 : 5$$


And, if
$$AB = 2CD \Rightarrow \angle AOB = 2\angle COD$$





In the given figure, the lengths of arc AB and arc BC are in the ratio 3 : 2. If angle ∠AOB = 96°; find :

- (i) ∠CAB
- (ii) ∠ADB



Solution:

Given: arc AB: arc BC =
$$3:2 \Rightarrow \angle AOB: \angle BOC = 3:2$$

$$\Rightarrow$$
 3\(\neg BOC = 2\times AOB \Rightarrow \times BOC = $\frac{2}{3} \times 96^{\circ} = 64^{\circ}$

(i) Since, angle at the centre is twice the angle at the remaining circumference

$$\Rightarrow$$
 $\angle BOC = 2\angle CAB \Rightarrow \angle CAB = \frac{64^{\circ}}{2} = 32^{\circ}$

Ans.

(ii)
$$\angle AOB = 2\angle ACB \Rightarrow \angle ACB = \frac{96^{\circ}}{2} = 48^{\circ}$$

Now, ADBC is a cyclic quadrilateral ⇒ ∠ADB + ∠ACB = 180°


$$\Rightarrow$$
 $\angle ADB = 180^{\circ} - 48^{\circ} = 132^{\circ}$

Ans.

15 If two sides of a cyclic quadrilateral are parallel, prove that the other two sides are equal.

Solution:

Given: A cyclic quadrilateral ABCD incribed in a circle with centre O and sides AB and DC are parallel.




To Prove : AD = BC

Construction: Join AC and BD

Proof: Since, ABCD is a cyclic quadrilateral

$$\angle ABC + \angle ADC = 180^{\circ}$$



[Opp. angles of a cyclic quadrilateral are supplementary]

Since, AB // DC and AD is transversal

$$\therefore$$
 $\angle BAD + \angle ADC = 180^{\circ}$

...II [Co-interior angles]

From I and II, we get:

$$\angle ABC + \angle ADC = \angle BAD + \angle ADC$$

$$\Rightarrow$$
 $\angle ABC = \angle BAD$

Now, in $\triangle BAD$ and $\triangle ABC$,

$$\angle BAD = \angle ABC$$

[Proved above]

$$\angle ACB = \angle ADB$$

[Angle of the same segment]

 $\angle ABD = \angle BAC$ [When two angles of one Δ are equal to two angles of the other Δ , their third angles are also equal]

AB = AB

[Common]

$$\Delta BAD \equiv \Delta ABC$$

[By A.S.A.]

⇒

AD = BC


Hence Proved.

[By C.P.C.T.C.]

Alternative method :

Join OA, OB, OC, OD and diagonal AC.

Since, angle at the centre is twice the angle at remaining circumference, therefore



 $\angle BOC = 2\angle BAC$

and

 $\angle AOD = 2\angle ACD$

П.....

Since, AB // DC and AC is transversal

....III [Alternate angles]

From I, II and III, we get:


-

$$AD = BC$$


[Chords subtending equal angles at the centre are equal]

Hence Proved.


- In a cyclic-trapezium, the non-parallel sides are equal and the diagonals are also equal. Prove it.
- In the following figure, AD is the diameter of the circle with centre O. Chords AB, BC and CD are equal. If ∠DEF = 110°, calculate :
 - (i) ∠AEF, (ii) ∠FAB.



- 3. If two sides of a cyclic-quadrilateral are parallel; prove that :
 - (i) its other two sides are equal.
 - (ii) its diagonals are equal.
- 4. The given figure shows a circle with centre O. Also, PQ = QR = RS and ∠PTS = 75°. Calculate:
 - (i) ∠POS,
 - (ii) ∠QOR,
 - (iii) ∠PQR.




- 5. In the given figure, AB is a side of a regular sixsided polygon and AC is a side of a regular eightsided polygon inscribed in the circle with centre O. Calculate the sizes of:
 - (i) ∠AOB,
 - (ii) ∠ACB,
 - (iii) ∠ABC.




In a regular pentagon ABCDE, inscribed in a circle; find ratio between angle EDA and angle ADC.

- 7. In the given figure, AB = BC = CD and ∠ABC = 132°. Calculate:
 - (i) ∠AEB,
 - (ii) ∠AED,
 - (iii) ∠COD.




8. In the figure, O is the centre of the circle and the length of arc AB is twice the length of arc BC. If angle AOB = 108°, find:




9. The figure shows a circle with centre O. AB

is the side of regular pentagon and AC is the side of regular hexagon.




10. In the given figure, BD is a side of a regular hexagon, DC is a side of a regular pentagon and AD is a diameter. Calculate:




- (i) ∠ADC, (ii) ∠BDA,
- (iii) ∠ABC, (iv) ∠AEC.

1. In the given circle with diameter AB, find the value of x.




[2003]


In the given figure, O is the centre of the circle with radius 5 cm. OP and OQ are perpendiculars to AB and CD respectively.
 AB = 8 cm and CD = 6 cm. Determine the length of PQ.




3. The given figure shows two circles with centres A and B; and radii 5 cm and 3 cm respectively, touching each other internally. If the perpendicular bisector of AB meets the bigger circle in P and Q, find the length of PQ.



4. In the given figure, ABC is a triangle in which ∠BAC = 30°. Show that BC is equal to the radius of the circumcircle of the triangle ABC, whose centre is O.




Prove that the circle drawn on any one of the equal sides of an isosceles triangle as diameter bisects the base. In the given figure, chord ED is parallel to diameter AC of the circle. Given ∠CBE = 65°, calculate ∠DEC.




Chords AB and CD of a circle intersect each other at point P such that AP = CP.


Show that : AB = CD.




- 8. The quadrilateral formed by angle bisectors of a cyclic quadrilateral is also cyclic. Prove it.
- 9. In the figure, ∠DBC = 58°. BD is a diameter of the circle. Calculate:
 - (i) ∠BDC
 - (ii) ∠BEC
 - (iii) ∠BAC



- 10. D and E are points on equal sides AB and AC of an isosceles triangle ABC such that AD = AE. Prove that the points B, C, E and D are concyclic.
- 11. In the given figure, ABCD is a cyclic quadrilateral. AF is drawn parallel to CB and DA is produced to point E. If ∠ADC = 92°, ∠FAE = 20°; determine ∠BCD. Give reason in support of your answer.




12. If I is the incentre of triangle ABC and AI when produced meets the circumcircle of triangle ABC in point D. If ∠BAC = 66° and ∠ABC = 80°. Calculate:




- (i) ∠DBC,
- (ii) ∠IBC,
- (iii) ∠BIC.
- 13. In the given figure, AB = AD = DC = PB and $\angle DBC = x^{\circ}$. Determine, in terms of x:
 - (i) ∠ABD, (ii) ∠APB.


Hence or otherwise, prove that AP is parallel to DB.



14. In the given figure; ABC, AEQ and CEP are straight lines. Show that ∠APE and ∠CQE are supplementary.



15. In the given figure, AB is the diameter of the circle with centre O.



If $\angle ADC = 32^{\circ}$, find angle BOC.


16. In a cyclic-quadrilateral PQRS, angle PQR = 135°. Sides SP and RQ produced meet at point A: whereas sides PQ and SR produced meet at point B.

If $\angle A : \angle B = 2 : 1$; find angles A and B.

 In the following figure, AB is the diameter of a circle with centre O and CD is the chord with length equal to radius OA.

If AC produced and BD produced meet at point P; show that : ∠APB = 60°.

 In the following figure, ABCD is a cyclic quadrilateral in which AD is parallel to BC.




If the bisector of angle A meets BC at point E and the given circle at point F, prove that:

- (i) EF = FC (ii) BF = DF
- ABCD is a cyclic quadrilateral. Sides AB and DC produced meet at point E; whereas sides BC and AD produced meet at point F.


If $\angle DCF : \angle F : \angle E = 3 : 5 : 4$, find the angles of the cyclic quadrilateral ABCD.

20. The following figure shows a circle with PR as its diameter.

If PQ = 7 cm and QR = 3RS = 6 cm, find the perimeter of the cyclic quadrilateral PQRS.



21. In the following figure, AB is the diameter of a circle with centre O.



If chord AC = chord AD, prove that :

- (i) arc BC = arc DB
- (ii) AB is bisector of ∠CAD.

Further, if the length of arc AC is twice the length of arc BC, find : (a) ∠BAC (b) ∠ABC


- 22. In cyclic quadrilateral ABCD; AD = BC, ∠BAC = 30° and ∠CBD = 70°; find:
 - (i) ∠BCD
- (ii) ∠BCA
- (iii) ∠ABC
- (iv) ∠ADC
- 23. In the given figure, $\angle ACE = 43^{\circ}$ and $\angle CAF = 62^{\circ}$; find the values of a, b and c.

C [2007]

A 62°

E F


24. In the given figure, AB is parallel to DC, ∠BCE = 80° and ∠BAC = 25°.



Find:

- (i) ∠CAD (ii) ∠CBD
- (iii) ∠ADC
- 25. ABCD is a cyclic quadrilateral of a circle with centre O such that AB is a diameter of this circle and the length of the chord CD is equal to the radius of the circle. If AD and BC produced meet at P, show that APB = 60°.
- In the figure, given alongside, CP bisects angle ACB.

Show that DP bisects angle ADB.



27. In the figure, given below, AD = BC, \angle BAC = 30° and \angle CBD = 70°.

Find:

- (i) ∠BCD
- (ii) ∠BCA
- (iii) ∠ABC
- (iv) ∠ADB

