



Algebraic Identities Ex 4.2 Q1

Answer :

In the given problem, we have to find expended form

(i) Given $(a + 2b + c)^2$

We shall use the identity $(x + y + z)^2 = x^2 + y^2 + z^2 + 2xy + 2yz + 2zx$

Here $x = a, y = 2b, z = c$

By applying in identity we get

$$\begin{aligned}(a + 2b + c)^2 &= a^2 + (2b)^2 + c^2 + 2a \times 2b + 2 \times 2b \times c + 2 \times c \times a \\ &= a^2 + 4b^2 + c^2 + 4ab + 4bc + 2ca\end{aligned}$$

Hence the expended form of $(a + 2b + c)^2$ is $a^2 + 4b^2 + c^2 + 4ab + 4bc + 2ca$

(ii) Given $(2a - 3b - c)^2$

We shall use the identity $(x - y - z)^2 = x^2 + y^2 + z^2 - 2xy + 2yz - 2zx$

Here $x = 2a, y = 3b, z = c$

By applying in identity we get

$$\begin{aligned}(2a - 3b - c)^2 &= (2a)^2 + (3b)^2 + (c)^2 - 2(2a)(3b) + 2(3b)(c) + 2(c)(2a) \\ &= 2a \times 2a + 3b \times 3b + c \times c - 2(2a)(3b) + 2(3b)(c) + 2(c)(2a) \\ &= 4a^2 + 9b^2 + c^2 - 12ab + 6bc - 4ca\end{aligned}$$

Hence the expended form of $(2a - 3b - c)^2$ is $4a^2 + 9b^2 + c^2 - 12ab + 6bc - 4ca$

(iii) Given $(-3x + y + z)^2$

We shall use the identity $(a + b + c)^2 = a^2 + b^2 + c^2 + 2ab + 2bc + 2ca$

Here $a = 3x, b = y, c = z$

By applying in identity we get

$$\begin{aligned}(-3x + y + z)^2 &= (-3x)^2 + y^2 + z^2 - 2 \times 3x \times y + 2yz - 2 \times (-3x) \times z \\ &= 3x \times 3x + y^2 + 3z \times 3z - 2 \times 3x \times y + 2 \times y \times z - 2 \times 3x \times z \\ &= 9x^2 + y^2 + z^2 - 6xy + 2yz - 6xz\end{aligned}$$

Hence the expended form of $(-3x + y + z)^2$ is $9x^2 + y^2 + z^2 - 6xy + 2yz - 6xz$

(iv) Given $(m + 2n - 5p)^2$

We shall use the identity $(x + y - z)^2 = x^2 + y^2 + z^2 + 2xy - 2yz - 2zx$

Here $x = m, y = 2n, z = 5p$

By applying in identity we get

$$\begin{aligned}(m + 2n - 5p)^2 &= m^2 + (2n)^2 + (5p)^2 + 2 \times m \times 2n - 2 \times 2n \times 5p - 2 \times 5p \times m \\ &= m \times m + 2n \times 2n + 5p \times 5p + 2 \times m \times 2n - 2 \times 2n \times 5p - 2 \times 5p \times m \\ &= m^2 + 4n^2 + 25p^2 + 4mn - 20np - 10mp\end{aligned}$$

Hence the expended form of $(m + 2n - 5p)^2$ is $m^2 + 4n^2 + 25p^2 + 4mn - 20np - 10mp$

(v) Given $(2+x-2y)^2$

We shall use the identity $(a+b+c)^2 = a^2 + b^2 + c^2 + 2ab + 2bc + 2ca$

Here $a = 2, b = x, c = -2y$

By applying in identity we get

$$\begin{aligned}(2+x-2y)^2 &= 2^2 + x^2 + (2y)^2 + 2 \times 2 \times x - 2 \times x \times 2y - 2 \times 2y \times 2 \\ &= 2 \times 2 + x \times x + 2y \times 2y + 2 \times 2 \times x - 2 \times x \times 2y - 2 \times 2y \times 2 \\ &= 4 + x^2 + 4y^2 + 4x - 4xy - 8y\end{aligned}$$

Hence the expended form of $(2+x-2y)^2$ is $4 + x^2 + 4y^2 + 4x - 4xy - 8y$.

(vi) Given $(a^2+b^2+c^2)^2$

We shall use the identity $(x+y+z)^2 = x^2 + y^2 + z^2 + 2xy + 2yz + 2zx$

Here $x = a^2, y = b^2, z = c^2$

By applying in identity we get

$$\begin{aligned}(a^2+b^2+c^2)^2 &= (a^2)^2 + (b^2)^2 + (c^2)^2 + 2 \times a^2 \times b^2 + 2 \times b^2 \times c^2 + 2 \times c^2 \times a^2 \\ &= a^2 \times a^2 + b^2 \times b^2 + c^2 \times c^2 + 2 \times a^2 \times b^2 + 2 \times b^2 \times c^2 + 2 \times c^2 \times a^2 \\ &= a^4 + b^4 + c^4 + 2a^2b^2 + 2b^2c^2 + 2c^2a^2\end{aligned}$$

Hence the expended form of $(a^2+b^2+c^2)^2$ is $a^4 + b^4 + c^4 + 2a^2b^2 + 2b^2c^2 + 2c^2a^2$.

(vii) Given $(ab+bc+ca)^2$

We shall use the identity $(x+y+z)^2 = x^2 + y^2 + z^2 + 2xy + 2yz + 2zx$

Here $x = ab, y = bc, z = ca$

By applying in identity we get

$$\begin{aligned}(ab+bc+ca)^2 &= (ab)^2 + (bc)^2 + (ca)^2 + 2 \times ab \times bc + 2 \times bc \times ca + 2 \times ca \times ab \\ &= ab \times ab + bc \times bc + ca \times ca + 2 \times ab \times bc + 2 \times bc \times ca + 2 \times ca \times ab \\ &= a^2b^2 + b^2c^2 + c^2a^2 + 2ab^2c + 2bc^2a + 2ca^2b\end{aligned}$$

Hence the expended form of $(ab+bc+ca)^2$ is $a^2b^2 + b^2c^2 + c^2a^2 + 2ab^2c + 2bc^2a + 2ca^2b$.

(viii) Given $\left(\frac{x}{y} + \frac{y}{z} + \frac{z}{x}\right)^2$

We shall use the identity $(a+b+c)^2 = a^2 + b^2 + c^2 + 2ab + 2bc + 2ca$

Here $a = \frac{x}{y}, b = \frac{y}{z}, c = \frac{z}{x}$

By applying in identity we get

$$\begin{aligned}\left(\frac{x}{y} + \frac{y}{z} + \frac{z}{x}\right)^2 &= \left(\frac{x}{y}\right)^2 + \left(\frac{y}{z}\right)^2 + \left(\frac{z}{x}\right)^2 + 2 \times \frac{x}{y} \times \frac{y}{z} + 2 \times \frac{y}{z} \times \frac{z}{x} + 2 \times \frac{z}{x} \times \frac{x}{y} \\ &= \frac{x}{y} \times \frac{x}{y} + \frac{y}{z} \times \frac{y}{z} + \frac{z}{x} \times \frac{z}{x} + 2 \times \frac{x}{y} \times \frac{y}{z} + 2 \times \frac{y}{z} \times \frac{z}{x} + 2 \times \frac{z}{x} \times \frac{x}{y} \\ &= \frac{x^2}{y^2} + \frac{y^2}{z^2} + \frac{z^2}{x^2} + 2 \times \frac{x}{\cancel{y}} \times \frac{\cancel{y}}{z} + 2 \times \frac{y}{\cancel{z}} \times \frac{\cancel{z}}{x} + 2 \times \frac{z}{\cancel{x}} \times \frac{\cancel{x}}{y} \\ &= \frac{x^2}{y^2} + \frac{y^2}{z^2} + \frac{z^2}{x^2} + \frac{2x}{z} + \frac{2y}{x} + \frac{2z}{y}\end{aligned}$$

Hence the expended form of $\left(\frac{x}{y} + \frac{y}{z} + \frac{z}{x}\right)^2$ is $\frac{x^2}{y^2} + \frac{y^2}{z^2} + \frac{z^2}{x^2} + \frac{2x}{z} + \frac{2y}{x} + \frac{2z}{y}$

(ix) Given $\left(\frac{a}{bc} + \frac{b}{ca} + \frac{c}{ab}\right)^2$

We shall use the identity $(x+y+z)^2 = x^2 + y^2 + z^2 + 2xy + 2yz + 2zx$

Here $x = \frac{a}{bc}, y = \frac{b}{ca}, z = \frac{c}{ab}$

By applying in identity we get

$$\begin{aligned}
\left(\frac{a}{bc} + \frac{b}{ca} + \frac{c}{ab}\right)^2 &= \left(\frac{a}{bc}\right)^2 + \left(\frac{b}{ca}\right)^2 + \left(\frac{c}{ab}\right)^2 + 2 \times \frac{a}{bc} \times \frac{b}{ca} + 2 \times \frac{b}{ca} \times \frac{c}{ab} + 2 \times \frac{c}{ab} \times \frac{a}{bc} \\
&= \frac{a}{bc} \times \frac{a}{bc} + \frac{b}{ca} \times \frac{b}{ca} + \frac{c}{ab} \times \frac{c}{ab} + 2 \times \frac{a}{bc} \times \frac{b}{ca} + 2 \times \frac{b}{ca} \times \frac{c}{ab} + 2 \times \frac{c}{ab} \times \frac{a}{bc} \\
&= \frac{a^2}{b^2c^2} + \frac{b^2}{c^2a^2} + \frac{c^2}{a^2b^2} + 2 \times \frac{\cancel{a}}{bc} \times \frac{\cancel{b}}{ca} + 2 \times \frac{\cancel{b}}{ca} \times \frac{\cancel{c}}{ab} + 2 \times \frac{\cancel{c}}{ab} \times \frac{\cancel{a}}{bc} \\
&= \frac{a^2}{b^2c^2} + \frac{b^2}{c^2a^2} + \frac{c^2}{a^2b^2} + \frac{2}{c^2} + \frac{2}{a^2} + \frac{2}{b^2}
\end{aligned}$$

Hence the expended form of $\left(\frac{a}{bc} + \frac{b}{ca} + \frac{c}{ab}\right)^2$ is $\boxed{\frac{a^2}{b^2c^2} + \frac{b^2}{c^2a^2} + \frac{c^2}{a^2b^2} + \frac{2}{c^2} + \frac{2}{a^2} + \frac{2}{b^2}}$

(x) Given $(x+2y+4z)^2$

We shall use the identity $(a+b+c)^2 = a^2 + b^2 + c^2 + 2ab + 2bc + 2ca$

Here $a = x, b = 2y, c = 4z$

By applying in identity we get

$$\begin{aligned}
(x+2y+4z)^2 &= x^2 + (2y)^2 + (4z)^2 + 2 \times x \times 2y + 2 \times 2y \times 4z + 2 \times 4z \times x \\
&= x \times x + 2y \times 2y + 4z \times 4z + 2 \times x \times 2y + 2 \times 2y \times 4z + 2 \times 4z \times x \\
&= x^2 + 4y^2 + 16z^2 + 4xy + 16yz + 8xz
\end{aligned}$$

Hence the expended form of $(x+2y+4z)^2$ is $\boxed{x^2 + 4y^2 + 16z^2 + 4xy + 16yz + 8xz}$

(xi) Given $(2x-y+z)^2$

We shall use the identity $(a+b+c)^2 = a^2 + b^2 + c^2 + 2ab + 2bc + 2ca$

Here $a = 2x, b = -y, c = z$

By applying in identity we get

$$\begin{aligned}
(2x-y+z)^2 &= (2x)^2 + y^2 + z^2 - 2 \times 2x \times y - 2 \times y \times z + 2 \times z \times 2x \\
&= 2x \times 2x + y \times y + z \times z - 2 \times 2x \times y - 2 \times y \times z + 2 \times z \times 2x \\
&= 4x^2 + y^2 + z^2 - 4xy - 2yz + 4xz
\end{aligned}$$

Hence the expended form of $(2x-y+z)^2$ is $\boxed{4x^2 + y^2 + z^2 - 4xy - 2yz + 4xz}$

(xii) Given $(-2x+3y+2z)^2$

We shall use the identity $(a+b+c)^2 = a^2 + b^2 + c^2 + 2ab + 2bc + 2ca$

Here $a = -2x, b = 3y, c = 2z$

By applying in identity we get

$$\begin{aligned}
(-2x+3y+2z)^2 &= (-2x)^2 + (3y)^2 + (2z)^2 - 2 \times 2x \times 3y + 2 \times 3y \times 2z - 2 \times 2x \times 2z \\
&= 2x \times 2x + 3y \times 3y + 2z \times 2z - 2 \times 2x \times 3y + 2 \times 3y \times 2z - 2 \times 2x \times 2z \\
&= 4x^2 + 9y^2 + 4z^2 - 12yx + 12yz - 8xz
\end{aligned}$$

Hence the expended form of $(-2x+3y+2z)^2$ is $\boxed{4x^2 + 9y^2 + 4z^2 - 12yx + 12yz - 8xz}$.

***** END *****