

Relations Ex 1.1 Q15

We have,

$$A = \{1, 2, 3\}$$
 and $R\{(1, 2)(2, 3)\}$

Now.

To make R reflexive, we will add(1,1)(2,2) and(3,3) to get

$$R' = \{(1,2)(2,3)(1,1,)(2,2)(3,3)\} \text{ is reflexive}$$

Again to make R' symmetric we shall add (3,2) and (2,1)

$$R'' = \{(1,2)(2,3)(1,1)(2,2)(3,3)(3,2)(2,1)\} \text{ is reflexive and symmetric}$$

Now,

To make R'' transitive we shall add (1,3) and (3,1)

$$R^{(1)} = \{(1,2)(2,3)(1,1)(2,2)(3,3)(3,2)(2,1)(1,3)(3,1)\}$$

 $\mathcal{R}^{\,\prime\prime\prime}$ is reflexive, symmetric and transitive

Relations Ex 1.1 Q16

We have,
$$A = \{1, 2, 3\}$$
 and $R = \{(1, 2)(1, 1)(2, 3)\}$

To make R transitive we shall add (1,3) only.

$$R' = \{(1,2)(1,1)(2,3)(1,3)\}$$

Relations Ex 1.1 O17

A relation R in A is said to be reflexive if aRa for all a∈A

R is said to be transitive if aRb and bRc ⇒ aRc

Hence for R to be reflexive (b, b) and (c, c) must be there in the set R.

Also for R to be transitive (a, c) must be in R because (a, b) \in R and (b, c) \in R so (a, c) must be in R. So at least 3 ordered pairs must be added for R to be reflexive and transitive.

Relations Ex 1.1 Q18

A relation R in A is said to be reflexive if aRa for all a \in A, R is symmetric if aRb \Rightarrow bRa, for all a, b \in A and it is said to be transitive if aRb and bRc \Rightarrow aRc for all a, b, c \in A. \bullet x > y, x, y \in N. \bullet (x, y) \in ((2, 1), (3, 1),.....(3, 2), (4, 2),...]
This is not reflexive as (1, 1), (2, 2),...are absent.
This is not symmetric as (2, 1) is present but (1, 2) is absent.
This is transitive as (3, 2) \in R and (2, 1) \in R also (3, 1) \in R, similarly this property satisfies all cases.

******** 1 \(\text{ x in } \text{ x in } \text{ x in } \text{ x in } \text{ in } \text{ x in }

• x + y = 10, x, y ∈ N (x, y)∈ {(1, 9), (9, 1), (2, 8), (8, 2), (3, 7), (7, 3), (4, 6), (6, 4), (5, 5)}

 $\begin{aligned} &\langle x,y \notin \{(1,3),(2,1),(2,8),(8,2),(3,7),(7,3),(4,6),(6,4),(5,5)\} \\ &\text{This is not reflexive as } (1,1),(2,2),\dots\text{ are absent.} \\ &\text{This only follows the condition of symmetric set as } (1,9) \notin R \operatorname{also} (9,1) \notin R \operatorname{similarly other cases are also satisfy the condition.} \\ &\text{This is not transitive because } \{(1,9),(9,1) \notin R \operatorname{but} (1,1) \operatorname{is absent.} \\ &\times y \operatorname{is square of an integer, } x y \in N \\ &(x,y) \notin \{(1,1),(2,2),(4,1),(1,4),(3,3),(9,1),(1,9),(4,4),(2,8),(8,2),(16,1),(1,16),\dots,] \\ &\text{This is reflexive as } (1,1),(2,2),\dots\text{ are present.} \\ &\text{This is transitive also because if } aRb \Rightarrow DRa, for all a,b \in N. \end{aligned}$