



Trigonometric Ratios Ex 5.1 Q33


Answer :

Given:

$$\cos A = \cos B \dots\dots (1)$$

To show: $\angle A = \angle B$

ΔABC is as shown in figure below



Now since $\cos A = \cos B \dots\dots$ from (1)

Therefore

$$\frac{AC}{AB} = \frac{BC}{AB}$$

Now observe that denominator of above equality is same that is AB

Hence $\frac{AC}{AB} = \frac{BC}{AB}$ only when $AC = BC$

Therefore $AC = BC \dots\dots (2)$

We know that when two sides of a triangle are equal, then angle opposite to the sides are also equal.

Therefore from equation (2)

We can say that

Angle opposite to side AC = Angle opposite to side BC

Therefore,

$$\angle B = \angle A$$

Hence, $\angle A = \angle B$


Trigonometric Ratios Ex 5.1 Q34

Answer :

Given: $\tan A = \tan P$

To show: $\angle A = \angle P$

Consider two right angled triangles ABC and PQR such that $\tan A = \tan P$



Therefore we have,

$$\tan A = \frac{BC}{AB} \text{ and } \tan P = \frac{QR}{PQ}$$

Since it is given that $\tan A = \tan P$

Therefore,

$$\frac{BC}{AB} = \frac{QR}{PQ}$$

Now by interchanging position of AB and QR by cross multiplication

We get,

$$\frac{BC}{QR} = \frac{AB}{PQ}$$

$$\text{Let } \frac{BC}{QR} = \frac{AB}{PQ} = k \text{ (say) (1)}$$

Now by cross multiplication

$$BC = kQR \text{ and } AB = kPQ \text{ (2)}$$

Now by using Pythagoras theorem in triangles ABC and PQR

We have,

$$AC^2 = AB^2 + BC^2 \text{ and } PR^2 = PQ^2 + QR^2$$

Therefore

$$AC = \sqrt{AB^2 + BC^2} \text{ and } PR = \sqrt{PQ^2 + QR^2}$$

$$\text{Now } \frac{AC}{PR} = \frac{\sqrt{AB^2 + BC^2}}{\sqrt{PQ^2 + QR^2}}$$

Now using equation (2)

We get,

$$\frac{AC}{PR} = \frac{\sqrt{(kPQ)^2 + (kQR)^2}}{\sqrt{PQ^2 + QR^2}}$$

$$\frac{AC}{PR} = \frac{\sqrt{k^2 PQ^2 + k^2 QR^2}}{\sqrt{PQ^2 + QR^2}}$$

Now by taking k^2 common

We get,

$$\frac{AC}{PR} = \frac{\sqrt{k^2 (PQ^2 + QR^2)}}{\sqrt{PQ^2 + QR^2}}$$

Therefore,

$$\frac{AC}{PR} = \frac{k\sqrt{(PQ^2 + QR^2)}}{\sqrt{PQ^2 + QR^2}}$$

Now $\sqrt{PQ^2 + QR^2}$ gets cancelled

Therefore,

$$\frac{AC}{PR} = k \dots\dots (3)$$

From (1) and (3)

$$\frac{BC}{QR} = \frac{AB}{PQ} = \frac{AC}{PR} = k$$

Therefore, $\Delta ABC \sim \Delta PQR$

Hence, $\angle A = \angle P$

***** END *****