

Definite Integrals Ex 20.4A Q7

$$\int_{a}^{b} f(x)dx = \int_{a}^{b} f(a+b-x)dx$$

We know
$$\int_{a}^{b} f(x)dx = \int_{a}^{b} f(a+b-x)dx$$
Hence
$$\int_{-\frac{\pi}{3}}^{\frac{\pi}{3}} \frac{1}{1+e^{\tan x}} dx = \int_{-\frac{\pi}{3}}^{\frac{\pi}{3}} \frac{1}{1+e^{-\tan x}} dx$$
If

$$I = \int_{-\frac{\pi}{3}}^{\frac{\pi}{3}} \frac{1}{1 + e^{\tan x}} dx$$

$$I = \int_{-\frac{\pi}{3}}^{\frac{\pi}{3}} \frac{1}{1 + e^{-\tan x}} dx$$

$$2I = \int_{-\frac{\pi}{3}}^{\frac{\pi}{3}} \frac{1}{1 + e^{\tan x}} + \frac{1}{1 + e^{-\tan x}} dx$$

$$2I = \int_{-\frac{\pi}{2}}^{\frac{\pi}{3}} \frac{1}{1 + e^{\tan x}} + \frac{e^{\tan x}}{1 + e^{\tan x}} dx$$

$$2I = \int_{-\frac{\pi}{3}}^{\frac{\pi}{3}} 1dx$$

$$2I = \frac{2\Pi}{3}$$

$$I = \frac{\Pi}{3}$$

Definite Integrals Ex 20.4A Q8

We know
$$\int_{a}^{b} f(x)dx = \int_{a}^{b} f(a+b-x)dx$$
Hence
$$\frac{\pi}{2} \frac{\cos^{2}x}{1+e^{x}} dx = \int_{-\frac{\pi}{2}}^{\frac{\pi}{2}} \frac{\cos^{2}(-x)}{1+e^{-x}} dx$$

$$\frac{\pi}{2} \frac{\cos^{2}x}{1+e^{x}} dx = \int_{-\frac{\pi}{2}}^{\frac{\pi}{2}} \frac{\cos^{2}x}{1+e^{-x}} dx$$
If
$$I = \int_{-\frac{\pi}{2}}^{\frac{\pi}{2}} \frac{\cos^{2}x}{1+e^{x}} dx$$
Then
$$I = \int_{-\frac{\pi}{2}}^{\frac{\pi}{2}} \frac{\cos^{2}x}{1+e^{x}} dx$$

$$2I = \int_{-\frac{\pi}{2}}^{\frac{\pi}{2}} \frac{\cos^{2}x}{1+e^{x}} + \frac{e^{x}\cos^{2}x}{1+e^{x}} dx$$

$$2I = \int_{-\frac{\pi}{2}}^{\frac{\pi}{2}} \frac{(1+e^{x})\cos^{2}x}{1+e^{x}} dx$$

$$2I = \int_{-\frac{\pi}{2}}^{\frac{\pi}{2}} \frac{(1+e^{x})\cos^{2}x}{1+e^{x}} dx$$

$$2I = \int_{-\frac{\pi}{2}}^{\frac{\pi}{2}} \frac{1+\cos 2x}{2} dx$$

$$I = \frac{1}{4} \left\{ x + \frac{\sin 2x}{2} \right\}_{-\frac{\pi}{2}}^{\frac{\pi}{2}}$$

$$I = \frac{1}{4} \left\{ \left( \frac{\Pi}{2} \right) - \left( -\frac{\Pi}{2} \right) \right\}$$

$$I = \frac{\Pi}{4}$$

Note: Answer given in the book is incorrect.

Definite Integrals Ex 20.4A Q9

$$\int_{-\frac{\pi}{4}}^{\frac{\pi}{4}} \frac{x^{11} - 3x^9 + 5x^7 - x^5 + 1}{\cos^2 x} dx$$

$$\int_{-\frac{\pi}{4}}^{\frac{\pi}{4}} \frac{x^{11} - 3x^9 + 5x^7 - x^5}{\cos^2 x} + \frac{1}{\cos^2 x} dx$$

$$\int_{-\frac{\pi}{4}}^{\frac{\pi}{4}} \frac{x^{11} - 3x^9 + 5x^7 - x^5}{\cos^2 x} dx + \int_{-\frac{\pi}{4}}^{\frac{\pi}{4}} \sec^2 x dx$$
If  $f(x)$  is even
$$\int_{-a}^{a} f(x) dx = 2 \int_{0}^{a} f(x) dx$$
If  $f(x)$  is odd
$$\int_{-a}^{a} f(x) dx = 0$$
Here
$$\frac{x^{11} - 3x^9 + 5x^7 - x^5}{\cos^2 x}$$
 is odd and
$$\sec^2 x$$
 is even. Hence
$$0 + 2 \int_{0}^{\frac{\pi}{4}} \sec^2 x dx$$

$$2 \{\tan x\}_{0}^{\frac{\pi}{4}}$$

\*\*\*\*\*\*\*\*\* END \*\*\*\*\*\*\*