

Exercise 6E

Q1

Answer:

$$(c)(-6a + 17b)$$

$$6a + 4b - c + 3$$
 $+ 2b - 3c + 4$
 $- 7a + 11b + 2c - 1$
 $- 5a + 2c - 6$
 $- 6a + 17b + 0c + 0$

Q2

(d)
$$(3p^2 + 5q - 9r^3 + 7)$$

$$7p^{2} + 3q - 2r^{3} + 4$$
 $4p^{2} - 2q + 7r^{3} - 3$
 $- + - +$
 $3p^{2} + 5q - 9r^{3} + 7$

Q3

(d)
$$x^2 + 2x - 15$$

$$(x+5)(x-3)$$

$$\Rightarrow (x)(x-3)+(5)(x-3)$$

$$\Rightarrow x^2-3x+5x-15$$

$$\Rightarrow x^2+2x-15$$

Answer:

(b)
$$(6x^2 + 7x - 3)$$

$$(2x+3)(3x-1)$$

 $\Rightarrow (2x)(3x-1)+(3)(3x-1)$
 $\Rightarrow 6x^2-2x+9x-3$
 $\Rightarrow 6x^2+7x-3$

Q5

Answer:

(c)
$$(x^2 + 8x + 16)$$

$$(x+4)(x+4)$$

$$\Rightarrow$$
 $(x+4)^2$ (according to the formula $(a+b)^2 = a^2 + 2ab + b^2$)
 $\Rightarrow (x^2) + 2(x)(4) + (4)^2$
 $\Rightarrow x^2 + 8x + 16$

Q6

Answer:

(d)
$$(x^2 - 12x + 36)$$

$$(x-6)(x-6)$$

 $\Rightarrow (x-6)^2$ (according to the formula $(a-b)^2 = a^2 - 2ab + b^2$)
 $\Rightarrow (x^2) - 2(x)(6) + (6)^2$
 $\Rightarrow x^2 - 12x + 36$

Q7

Answer:

(b)
$$(4x^2 - 25)$$

$$(2x+5)(2x-5)$$

 $\Rightarrow (2x)^2 - (5)^2$ (according to the formula $(a+b)(a-b) = a^2 - b^2$)
 $\Rightarrow 4x^2 - 25$

Q8

$$8a^{2}b^{3} \div (-2ab)$$

$$\Rightarrow \left(\frac{8}{-2}\right)(a^{2-1})\left(b^{3-1}\right)$$

$$\Rightarrow -4ab^{2}$$

Q9

Answer:

(b)
$$(2x + 1)$$

Q10

(a)
$$(x - 2)$$

$$\begin{array}{r}
x-2 \\
x^2-4x+4 \\
x^2-2x \\
-x+4 \\
-2x+4 \\
+x-4 \\
+x-1
\end{array}$$

******* END ******