

## Exercise 1C

## Questions 3:

(i) If possible, let  $\sqrt{6}$  be rational and let its simplest form be  $\frac{a}{b}$  then, a and b are integers having no common factor other than 1, and  $b \neq 0$ .

Now, 
$$\sqrt{6} = \frac{a}{b} \Rightarrow 6 = \frac{a^2}{b^2} [\text{on squaring both sides}]$$
  
 $\Rightarrow 6b^2 = a^2 \dots (1)$ 

$$\Rightarrow$$
 6 divides  $a^2$   $\left[\because 6 \text{ divides } 6b^2\right]$ 

Let a = 6c for some integer c Putting a =6c in (1), we get  $6b^2 = 36 c^2 \Rightarrow b^2 = 6c^2$ 

$$6b^2 = 36 c^2 \Rightarrow b^2 = 6c^2$$
  
⇒ 6 divides  $b^2$  [:: 6 divides  $6c^2$ ]

⇒ 6 divides b 
$$\left[ \because 6 \text{ divides b}^2 = 6 \text{ divides b} \right]$$

Thus, 6 is a common factor of a and b But, this contradicts the fact that a and b have no common factor other than 1

The contradiction arises by assuming that  $\sqrt{6}$  is rational. Hence  $\sqrt{6}$  is irrational.

## (ii) If possible let $2 - \sqrt{3}$ is rational

$$\Rightarrow$$
 2 –  $(2 - \sqrt{3})$  is rational

[ : difference of two rationals is

## rational]

$$\therefore \sqrt{3}$$
 is rational

This contradicts the fact  $\sqrt{3}$  is irrational

Since the contradiction arises by assuming 2 -  $\sqrt{3}$  rational.

Hence,  $2 - \sqrt{3}$  is irrational.

(iii) If possible let  $3 + \sqrt{2}$  is rational  $\Rightarrow (3 + \sqrt{2}) - 3 = \sqrt{2}$  is rational

[: difference of two rational is

rational]

 $\therefore \sqrt{2}$  is rational

This contradicts the fact that  $\sqrt{2}$  is irrational

Since the contradiction arises by assuming that  $3 + \sqrt{2}$  is rational.

Hence  $3 + \sqrt{2}$  is irrational.

(iv) If possible, let  $2 + \sqrt{5}$  is rational.

$$\Rightarrow$$
  $(2 + \sqrt{5}) - 2 = \sqrt{5}$  is rational

[: difference of two rational is

rational]

∴  $\sqrt{5}$  is rational.

This contradicts the fact that  $\sqrt{5}$  is irrational

Since, the contradiction arises by assuming  $2 + \sqrt{5}$  is rational.

Hence,  $2 + \sqrt{5}$  is irrational.

(v) If possible, let  $5 + 3\sqrt{2}$  is rational

Now, 
$$(5 + 3\sqrt{2}) - 5 = 3\sqrt{2}$$
 is rational

[: Difference of two rational is rational]

Also, 
$$\frac{1}{3} \times 3\sqrt{2} = \sqrt{2}$$
 is rational

[: Product of two rational is rational]

∴ √2 is rational.

This contradicts the fact that  $\sqrt{2}$  is irrational. Since, the contradiction arises by assuming that 5 +

 $3\sqrt{2}$  is irrational. Hence,  $5 + 3\sqrt{2}$  is irrational

(vi) If possible, let  $3\sqrt{7}$  be rational.

Let its simplest form be  $3\sqrt{7} = \frac{a}{b}$ , where a and b are

positive integers having no common factor other than  ${\bf 1}$ , then

$$3\sqrt{7} = \frac{a}{b} \Rightarrow$$

$$\sqrt{7} = \frac{a}{3b} - - - - (2)$$

Since, a and 3b are non -integers, so  $\frac{a}{3b}$  is rational.

Thus, from (2), its follows that  $\sqrt{7}\,$  is rational.

This contradicts the fact that  $\sqrt{7}$  is irrational.

The contradiction arises by assuming that  $3\sqrt{7}$  is rational.

Hence,  $3\sqrt{7}$  is irrational.

(vii) 
$$\frac{3}{\sqrt{5}} = \frac{3}{\sqrt{5}} \times \frac{\sqrt{5}}{\sqrt{5}} = \frac{3}{5}.\sqrt{5}$$
 -----(3)

If possible, let  $\frac{3}{\sqrt{5}}$  be rational.

Then, from (3), it follows that  $\frac{3}{5}\sqrt{5}$  is rational

Let  $\frac{3}{5}\sqrt{5} = \frac{a}{b}$ , where <u>a and</u> b are non-zero integers

having no common factor other than 1.

Now,

$$\frac{3\sqrt{5}}{5} = \frac{a}{b} \Rightarrow$$

$$\sqrt{5} = \frac{5a}{3b} - - - - (4)$$

But, 3a and 5b are non-zero integers.

$$\therefore \frac{5a}{3b}$$
 is rational.

Thus, from (4), it follows that  $\sqrt{5}$  is rational.

This contradicts the fact that  $\sqrt{5}$  is irrational.

The contradiction arises by assuming that  $\frac{3}{\sqrt{5}}$  is

rational.

Hence  $\frac{3}{\sqrt{5}}$  is irrational.

(viii) If possible, let  $2 - 3\sqrt{5}$  is rational.

$$\Rightarrow$$
  $(2-3\sqrt{5})-2=-3\sqrt{5}$  is rational.

[  $\because$  Difference of two rational is

rational]

$$\Rightarrow \left(-\frac{1}{3}\right) \times \left(-3\sqrt{5}\right) = \sqrt{5} \text{ is rational.}$$

[: Product of two rationals is rational]

This contradicts that fact that  $\sqrt{5}$  is irrational.

Since, the contradiction arises by assuming  $2-3\sqrt{5}$  is rational.

Hence,  $2 - 3\sqrt{5}$  is irrational.

(ix) If possible, let  $(\sqrt{3} + \sqrt{5})$  be rational

Let  $\sqrt{3} + \sqrt{5} = a$ , where a is rational.

$$\therefore \sqrt{3} = a - \sqrt{5}$$

Squaring both sides, we get

$$3 = \left(a - \sqrt{5}\right)^2 = a^2 + 5 - 2a\sqrt{5}$$

$$\Rightarrow a^2 + 2 - 2a\sqrt{5} = 0$$

$$\therefore \qquad \sqrt{5} = \frac{a^2 + 2}{2a} - - - - - (5)$$

But,  $\frac{a^2+2}{2a}$  is a rational number.

Thus from (5),  $\sqrt{5}$  is rational.

This contradicts the fact that  $\sqrt{5}$  is irrational.

Since, the contradiction arises by assuming  $(\sqrt{3} + \sqrt{5})$  is rational.

Hence  $(\sqrt{3} + \sqrt{5})$  is irrational.

\*\*\*\*\*\*\* END \*\*\*\*\*\*\*\*