

Exercise 1D

Q7

Answer:

(i)

$$LHS = \frac{3}{7} \times \left(\frac{5}{6} + \frac{12}{13}\right)$$

$$= \frac{3}{7} \times \left(\frac{65 + 72}{78}\right)$$

$$= \frac{3}{7} \times \frac{137}{78}$$

$$= \frac{137}{182}$$

$$RHS = \left(\frac{3}{7} \times \frac{5}{6}\right) + \left(\frac{12}{13} \times \frac{3}{7}\right)$$

$$= \frac{3 \times 5}{7 \times 6} + \frac{12 \times 3}{13 \times 7}$$

$$= \frac{15}{42} + \frac{36}{91}$$

$$= \frac{195 + 216}{546}$$

$$= \frac{411}{546}$$

$$= \frac{137}{182}$$

$$\therefore \frac{3}{7} \times \left(\frac{5}{6} + \frac{12}{13}\right) = \left(\frac{3}{7} \times \frac{5}{6}\right) + \left(\frac{3}{7} \times \frac{12}{13}\right)$$

(ii)
$$LHS = \frac{-15}{4} \times \left(\frac{3}{7} + \frac{-12}{5}\right)$$

$$= \frac{-15}{4} \times \left(\frac{15-84}{35}\right)$$

$$= \frac{-15}{4} \times \frac{-69}{35}$$

$$= \frac{(-15) \times (-69)}{140}$$

$$= \frac{1035}{140}$$

$$= \frac{207}{28}$$

RHS =
$$\left(\frac{-15}{4} \times \frac{3}{7}\right) + \left(\frac{-15}{4} \times \frac{-12}{5}\right)$$

= $\frac{(-15) \times 3}{4 \times 7} + \frac{(-15) \times (-12)}{4 \times 5}$
= $\frac{-45}{28} + \frac{180}{20}$
= $\frac{-225 + 1260}{140}$
= $\frac{1035}{140}$
= $\frac{207}{28}$
 $\therefore \frac{-15}{4} \times \left(\frac{3}{7} + \frac{-12}{5}\right) = \left(\frac{-15}{4} \times \frac{3}{7}\right) + \left(\frac{-15}{4}\right)$

$$\therefore \ \frac{-15}{4} \times \left(\frac{3}{7} + \frac{-12}{5}\right) = \left(\frac{-15}{4} \times \frac{3}{7}\right) + \left(\frac{-15}{4} \times \frac{-12}{5}\right)$$

(iii)

$$\begin{pmatrix}
\frac{-8}{3} + \frac{-13}{12}
\end{pmatrix} \times \frac{5}{6} = \begin{pmatrix}
\frac{-8}{3} \times \frac{5}{6}
\end{pmatrix} + \begin{pmatrix}
\frac{-13}{12} \times \frac{5}{6}
\end{pmatrix}$$

$$LHS = \begin{pmatrix}
\frac{-8}{3} + \frac{-13}{12}
\end{pmatrix} \times \frac{5}{6}$$

$$= \frac{-32 - 13}{12} \times \frac{5}{6}$$

$$= \frac{-45}{12} \times \frac{5}{6}$$

$$= \frac{-45 \times 5}{12 \times 6}$$

$$= \frac{-225}{72}$$

$$= \frac{-225 \div 9}{72 \div 9}$$

$$= -\frac{25}{8}$$

$$RHS = \begin{pmatrix}
\frac{-8}{3} \times \frac{5}{6}
\end{pmatrix} + \begin{pmatrix}
\frac{-13}{12} \times \frac{5}{6}
\end{pmatrix}$$

$$= \frac{-8 \times 5}{3 \times 6} + \frac{(-13) \times 5}{12 \times 6}$$

$$= \frac{-40}{18} + \frac{-65}{72}$$

$$\therefore \left(\frac{-8}{3} + \frac{-13}{12}\right) \times \frac{5}{6} = \left(\frac{-8}{3} \times \frac{5}{6}\right) + \left(\frac{-13}{12} \times \frac{5}{6}\right)$$
(iv)
$$\frac{-16}{7} \times \left(\frac{-8}{9} + \frac{-7}{6}\right) = \left(\frac{-16}{7} \times \frac{-8}{9}\right) + \left(\frac{-16}{7} \times \frac{-7}{6}\right)$$

$$LHS = \frac{-16}{7} \times \left(\frac{-8}{9} + \frac{-7}{6}\right)$$

$$= \frac{-16}{7} \times \left(\frac{-16-21}{18}\right)$$

$$= \frac{-16}{7} \times \frac{-37}{18}$$

$$= \frac{592}{126}$$

$$= \frac{296}{63}$$

$$RHS = \left(\frac{-16}{7} \times \frac{-8}{9}\right) + \left(\frac{-16}{7} \times \frac{-7}{6}\right)$$

$$= \frac{128}{63} + \frac{112}{42}$$

$$= \frac{256+336}{126}$$

$$= \frac{592}{126}$$

$$= \frac{592}{63}$$

$$\therefore \frac{-16}{7} \times \left(\frac{-8}{9} + \frac{-7}{6}\right) = \left(\frac{-16}{7} \times \frac{-8}{9}\right) + \left(\frac{-16}{7} \times \frac{-7}{6}\right)$$

Answer:

Q8

Associative property
Distributive property
Property of multiplicative identity
Property of multiplicative inverse
Multiplicative property of 0

Answer:

```
(1) 1
(ii) no
(iii) 1; -1
(iv) not
(v) 1a
(vi) a
(vii) positive
(viii) negative
```

********* END ********

>