

## Linear Inequations Ex 15.3 Q1

Consider the first inequation,

$$x + \frac{1}{3} \ge 0$$

$$\therefore e \quad x \ge \frac{-1}{3}.$$

$$\left| x + \frac{1}{3} \right| - \frac{8}{3} > 0$$

$$x + \frac{1}{3} - \frac{8}{3} > 0$$

$$\frac{3x - 7}{3} > 0$$

$$3x - 7 > 0$$

$$x > \frac{7}{3} \qquad \dots (i)$$

Consider the second inequation,

$$x + \frac{1}{3} < 0 \quad \therefore \quad \theta, \qquad x < -\frac{1}{3}$$

$$\left| x + \frac{1}{3} - \frac{8}{3} > 0 \right|$$

$$-x - \frac{1}{3} - \frac{8}{3} > 0$$

$$-3x - 9 > 0$$

$$-3x > 9$$

$$3x < -9$$

$$x < \frac{-9}{3}$$

$$x < -3 \qquad \dots \text{(ii)}$$

From (i) and (ii),  $(-\infty, -3) \cup \left(\frac{7}{3}, \infty\right)$  is the solution set of the simultaneous equations.

Linear Inequations Ex 15.3 Q2

$$|4-x|+1-3<0$$
  
 $\Rightarrow |4-x|-2<0$  ... (i)

Case I: When  $|4-x| \ge 0$ 

$$\begin{vmatrix} 4-x & -2 < 0 \\ \Rightarrow & 4-x-2 < 0 \\ \Rightarrow & 2-x < 0 \\ \Rightarrow & -x < -2 \\ \Rightarrow & x > 2 & \dots \text{(ii)} \end{vmatrix}$$

Case II: When |4-x| < 0

$$\begin{vmatrix} 4-x & -2 & 0 \\ \Rightarrow & -(4-x) & -2 & 0 \\ \Rightarrow & -4+x & -2 & 0 \\ \Rightarrow & x & -6 & 0 \\ \Rightarrow & x & < 6 & \dots \text{(iii)} \end{vmatrix}$$

Combining (ii) and (iii) we get (2,6) as the solution set. Linear Inequations Ex  $15.3 \, \text{Q3}$ 

We have,

$$\frac{\left|3x-4\right|}{2}-\frac{5}{12}\leq0$$

Case I: When  $|3x - 4| \ge 0$ 

$$\frac{\left|3x-4\right|}{2}-\frac{5}{12}\leq0$$

$$\Rightarrow \frac{\left|3x-4\right|}{2}-\frac{5}{12} \le 0$$

$$\Rightarrow \frac{3x-4}{2} - \frac{5}{12} \le 0$$

$$\Rightarrow \frac{6(3x-4)-5}{12} \le 0$$

$$\Rightarrow$$
 18 $\times$  -24-5 $\leq$  0

$$\Rightarrow$$
 18 $x \le 29$ 

$$\Rightarrow \qquad x \le \frac{29}{18} \qquad \dots \text{(ii)}$$

Case II: When |3x - 4| < 0

$$\frac{\left|3x-4\right|}{2} - \frac{5}{12} \le 0$$

\*\*\*\*\*\*\* END \*\*\*\*\*\*\*