

Adjoint and Inverse of Matrix Ex 7.1 Q33

Let
$$A = \begin{bmatrix} 2 & 1 \\ 5 & 3 \end{bmatrix}$$

 $B = \begin{bmatrix} 5 & 3 \\ 3 & 2 \end{bmatrix}$

Then the given equation can be written as

$$A \times B = I$$

$$\Rightarrow X = A^{-1}B^{-1}$$
Now $|A| = 6 - 5 = 1$

$$|B| = 10 - 9 = 1$$

$$A^{-1} = \frac{adj(A)}{|A|} = \begin{bmatrix} 3 & -1 \\ -5 & 2 \end{bmatrix}$$

$$B^{-1} = \frac{adj(B)}{|B|} = \begin{bmatrix} 2 & -3 \\ -3 & 5 \end{bmatrix}$$

$$\therefore X = \begin{bmatrix} 3 & -1 \\ -5 & 2 \end{bmatrix} \begin{bmatrix} 2 & -3 \\ -3 & 5 \end{bmatrix} = \begin{bmatrix} 9 & -14 \\ -16 & 25 \end{bmatrix}$$

Adjoint and Inverse of Matrix Ex 7.1 Q34

$$A = \begin{bmatrix} 1 & 2 & 2 \\ 2 & 1 & 2 \\ 2 & 2 & 1 \end{bmatrix}$$

$$A^{2} = \begin{bmatrix} 1 & 2 & 2 \\ 2 & 1 & 2 \\ 2 & 2 & 1 \end{bmatrix} \begin{bmatrix} 1 & 2 & 2 \\ 2 & 1 & 2 \\ 2 & 2 & 1 \end{bmatrix}$$
$$= \begin{bmatrix} 9 & 8 & 8 \\ 8 & 9 & 8 \\ 8 & 8 & 9 \end{bmatrix}$$

Now,
$$A^2 + 4A - 5I$$

$$= \begin{bmatrix} 9 & 8 & 8 \\ 8 & 9 & 8 \\ 8 & 8 & 9 \end{bmatrix} - \begin{bmatrix} 4 & 8 & 8 \\ 8 & 4 & 8 \\ 8 & 8 & 4 \end{bmatrix} - \begin{bmatrix} 5 & 0 & 0 \\ 0 & 5 & 0 \\ 0 & 0 & 5 \end{bmatrix}$$

$$= \begin{bmatrix} 0 & 0 & 0 \\ 0 & 0 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

Also,
$$A^{2} - 4A + 5I = 0$$

 $A^{-1}.AA - 4A^{-1}.A - 5A^{-1}.I = 0$
 $A - 4I - 5A^{-1} = 0$
 $A^{-1} = \frac{1}{5} \begin{bmatrix} A - 4I \end{bmatrix}$
 $= \frac{1}{5} \begin{bmatrix} 1 & 2 & 2 \\ 2 & 1 & 2 \\ 2 & 2 & 1 \end{bmatrix} - \begin{bmatrix} 4 & 0 & 0 \\ 0 & 4 & 0 \\ 0 & 0 & 4 \end{bmatrix}$

$$= \frac{1}{5} \begin{bmatrix} -3 & 2 & 2 \\ 2 & -3 & 2 \\ 2 & 2 & -3 \end{bmatrix} = \frac{1}{5} \begin{bmatrix} -3 & 2 & 2 \\ 2 & -3 & 2 \\ 2 & 2 & -3 \end{bmatrix}$$

Adjoint and Inverse of Matrix Ex 7.1 Q35

$$|A|$$
 adj $|A| = |A|^n$

LHS =
$$|A|$$
 Adj $|A|$
= $|A|$. $|A|$ $|A$

=RHS

Adjoint and Inverse of Matrix Ex 7.1 Q36

Here
$$B^{-1} = \frac{1}{|B|} adj |B|$$
Co-factors of B are
$$C_{11} = 3 \qquad C_{21} = 2 \qquad C_{31} = 6$$

$$C_{12} = 1 \qquad C_{22} = 1 \qquad C_{22} = 2$$

$$C_{13} = 2 \qquad C_{33} = 2 \qquad C_{33} = 5$$
Therefore,
$$adj B = \begin{bmatrix} C_{11} & C_{12} & C_{13} \\ C_{21} & C_{22} & C_{23} \\ C_{31} & C_{22} & C_{23} \end{bmatrix}^{T}$$

$$= \begin{bmatrix} 3 & 1 & 2 \\ 2 & 1 & 2 \\ 6 & 2 & 5 \end{bmatrix}$$

$$= \begin{bmatrix} 3 & 2 & 6 \\ 1 & 1 & 2 \\ 2 & 2 & 5 \end{bmatrix}$$
Therefore,
$$B^{-1} = \begin{bmatrix} 3 & 2 & 6 \\ 1 & 1 & 2 \\ 2 & 2 & 5 \end{bmatrix}$$
Now,
$$(AB)^{-1} = B^{-1}A^{-1}$$

$$= \begin{bmatrix} 3 & 2 & 6 \\ 1 & 1 & 2 \\ 2 & 2 & 5 \end{bmatrix} \begin{bmatrix} 3 & -1 & 1 \\ -15 & 6 & -5 \\ 5 & -2 & 2 \end{bmatrix}$$

$$= \begin{bmatrix} 9 & -3 & 5 \\ -2 & 1 & 0 \\ 61 & -24 & 22 \end{bmatrix}$$

******* END ******