



Exercise 20G

Let the radius of the circle be r cm.

$$\text{Circumference} = 2\pi r$$

$$(\text{Circumference}) - (\text{Radius}) = 37$$

$$\therefore (2\pi r - r) = 37$$

$$\Rightarrow r(2\pi - 1) = 37$$

$$\Rightarrow r = \frac{37}{(2\pi - 1)} = \frac{37}{\left(2 \times \frac{22}{7} - 1\right)} = \frac{37}{\left(\frac{44}{7} - 1\right)} = \frac{37}{\left(\frac{44 - 7}{7}\right)} = \left(\frac{37 \times 7}{37}\right) = 7$$

\therefore Radius of the given circle is 7 cm.

$$\therefore \text{Area} = \pi r^2 = \left(\frac{22}{7} \times 7 \times 7\right) \text{ cm}^2 = 154 \text{ cm}^2$$

Q19

Answer :

$$(c) 54 \text{ m}^2$$

Given:

$$\text{Perimeter of the floor} = 2(l + b) = 18 \text{ m}$$

$$\text{Height of the room} = 3 \text{ m}$$

$$\therefore \text{Area of the four walls} = \{2(l + b) \times h\}$$

$$= \text{Perimeter} \times \text{Height}$$

$$= 18 \text{ m} \times 3 \text{ m} = 54 \text{ m}^2$$

Q20

Answer :

$$(a) 200 \text{ m}$$

$$\text{Area of the floor of a room} = 14 \text{ m} \times 9 \text{ m} = 126 \text{ m}^2$$

Width of the carpet = 63 cm = 0.63 m (since 100 cm = 1 m)

$$\begin{aligned}\therefore \text{Required length of the carpet} &= \frac{\text{Area of the floor of a room}}{\text{Width of the carpet}} \\ &= \left(\frac{126}{0.63} \right) \text{ m} = 200 \text{ m}\end{aligned}$$

Q21

Answer :

(c) 120 cm^2

Let the length of the rectangle be x cm and the breadth be y cm.

Area of the rectangle = $xy \text{ cm}^2$

Perimeter of the rectangle = $2(x + y) = 46 \text{ cm}$ (given)

$$\Rightarrow 2(x + y) = 46$$

$$\Rightarrow (x + y) = \left(\frac{46}{2} \right) \text{ cm} = 23 \text{ cm}$$

Diagonal of the rectangle = $\sqrt{x^2 + y^2} = 17 \text{ cm}$

$$\Rightarrow \sqrt{x^2 + y^2} = 17$$

Squaring both the sides, we get:

$$\Rightarrow x^2 + y^2 = (17)^2$$

$$\Rightarrow x^2 + y^2 = 289$$

Now, $(x^2 + y^2) = (x + y)^2 - 2xy$

$$\Rightarrow 2xy = (x + y)^2 - (x^2 + y^2)$$

$$= (23)^2 - 289$$

$$= 529 - 289 = 240$$

$$\therefore xy = \left(\frac{240}{2} \right) \text{ cm}^2 = 120 \text{ cm}^2$$

Q22

Answer :

(b) 3:1

Let a side of the first square be a cm and that of the second square be b cm.
 Then, their areas will be a^2 and b^2 , respectively.
 Their perimeters will be $4a$ and $4b$, respectively.

According to the question:

$$\frac{a^2}{b^2} = \frac{9}{1} \Rightarrow \left(\frac{a}{b}\right)^2 = \frac{9}{1} = \left(\frac{3}{1}\right)^2 \Rightarrow \frac{a}{b} = \frac{3}{1}$$

$$\therefore \text{Required ratio of the perimeters} = \frac{4a}{4b} = \frac{4 \times 3}{4 \times 1} = \frac{3}{1} = 3:1$$

Q23

Answer :

(d) 4:1

Let the diagonals be $2d$ and d .
 Area of the square = sq. units
 Required ratio =

Q24

Answer :

(c) 49 m

Let the width of the rectangle be x m.

Given:

Area of the rectangle = Area of the square

$$\Rightarrow \text{Length} \times \text{Width} = \text{Side} \times \text{Side}$$

$$\Rightarrow (144 \times x) = 84 \times 84$$

$$\therefore \text{Width } (x) = \left(\frac{84 \times 84}{144}\right) \text{ m} = 49 \text{ m}$$

Hence, width of the rectangle is 49 m.

Q25

Answer :

(d) $4 : \sqrt{3}$

Let one side of the square and that of an equilateral triangle be the same, i.e. a units.

Then, Area of the square = $(\text{Side})^2 = (a)^2$

$$\text{Area of the equilateral triangle} = \frac{\sqrt{3}}{4} (\text{Side})^2 = \frac{\sqrt{3}}{4} (a)^2$$

$$\therefore \text{Required ratio} = \frac{a^2}{\frac{\sqrt{3}}{4} a^2} = \frac{4}{\sqrt{3}} = 4 : \sqrt{3}$$

Q26

Answer :

(a) $\sqrt{\pi} : 1$

Let the side of the square be x cm and the radius of the circle be r cm.

Area of the square = Area of the circle

$$\Rightarrow (x)^2 = \pi r^2$$

$$\therefore \text{Side of the square } (x) = \sqrt{\pi r}$$

$$\begin{aligned} \text{Required ratio} &= \frac{\text{Side of the square}}{\text{Radius of the circle}} \\ &= \frac{x}{r} = \frac{\sqrt{\pi r}}{r} = \frac{\sqrt{\pi}}{1} = \sqrt{\pi} : 1 \end{aligned}$$

Q27

Answer :

(b) $\frac{49\sqrt{3}}{4} \text{ cm}^2$

Let the radius of the circle be r cm.

Then, its area = $\pi r^2 \text{ cm}^2$

$$\therefore \pi r^2 = 154$$

$$\Rightarrow \frac{22}{7} \times r \times r = 154$$

$$\Rightarrow r^2 = \left(\frac{154 \times 7}{22} \right) = 49$$

$$\Rightarrow r = \sqrt{49} \text{ cm} = 7 \text{ cm}$$

Side of the equilateral triangle = Radius of the circle

$$= 7 \text{ cm}$$

\therefore Area of the equilateral triangle = $\frac{\sqrt{3}}{4} (\text{side})^2$ sq. units

$$= \frac{\sqrt{3}}{4} (7)^2 \text{ cm}^2$$

$$= \frac{49\sqrt{3}}{4} \text{ cm}^2$$

Q28

Answer :

(c) 12 cm

Area of the rhombus = $\frac{1}{2} \times (\text{Product of the diagonals})$

Given:

Length of one diagonal = 6 cm

Area of the rhombus = 36 cm^2

$$\therefore \text{Length of the other diagonal} = \left(\frac{36 \times 2}{6} \right) \text{ cm} = 12 \text{ cm}$$

Q30

Answer :

(c) 17.60 m

Let the radius of the circle be r m.

$$\text{Area} = \pi r^2 \text{ m}^2$$

$$\therefore \pi r^2 = 24.64$$

$$\Rightarrow \left(\frac{22}{7} \times r \times r \right) = 24.64$$

$$\Rightarrow r^2 = \left(\frac{24.64 \times 7}{22} \right) = 7.84$$

$$\Rightarrow r = \sqrt{7.84} = 2.8 \text{ m}$$

$$\begin{aligned} \Rightarrow \text{Circumference of the circle} &= (2\pi r) \text{ m} \\ &= \left(2 \times \frac{22}{7} \times 2.8 \right) \text{ m} = 17.60 \text{ m} \end{aligned}$$

Q31

Answer :

(c) 3 cm

Suppose the radius of the original circle is r cm.

$$\text{Area of the original circle} = \pi r^2$$

Suppose the radius of the original circle is r cm.

$$\text{Area of the original circle} = \pi r^2$$

Radius of the circle = $(r+1)$ cm

According to the question:

$$\pi(r+1)^2 = \pi r^2 + 22$$

$$\Rightarrow \pi(r^2 + 1 + 2r) = \pi r^2 + 22$$

$$\Rightarrow \pi r^2 + \pi + 2\pi r = \pi r^2 + 22$$

$$\Rightarrow \pi + 2\pi r = 22 \quad [\text{cancel } \pi r^2 \text{ from both the sides of the equation}]$$

$$\Rightarrow \pi(1 + 2r) = 22$$

$$\Rightarrow (1 + 2r) = \frac{22}{\pi} = \left(\frac{22 \times 7}{22} \right) = 7$$

$$\Rightarrow 2r = 7 - 1 = 6$$

$$\therefore r = \left(\frac{6}{2} \right) \text{ cm} = 3 \text{ cm}$$

\therefore Original radius of the circle = 3 cm

Q32

Answer :

(c) 1000

Radius of the wheel = 1.75 m

Circumference of the wheel = $2\pi r$

$$= \left(2 \times \frac{22}{7} \times 1.75 \right) \text{ cm} = (2 \times 22 \times 0.25) \text{ m} = 11 \text{ m}$$

Distance covered by the wheel in 1 revolution is 11 m.

Now, 11 m is covered by the car in 1 revolution.

(11×1000) m will be covered by the car in $\left(1 \times \frac{1}{11} \times 11 \times 1000 \right)$ revolutions, i.e. 1000 revolutions.

\therefore Required number of revolutions = 1000

***** END *****