



Arithmetic Progressions Ex 9.5 Q28

Answer :

In the given problem, let us take the first term as a and the common difference as d .

Here, we are given that,

$$a_2 = 14 \quad \dots\dots(1)$$

$$a_3 = 18 \quad \dots\dots(2)$$

Also, we know,

$$a_n = a + (n-1)d$$

For the 2nd term ($n = 2$),

$$a_2 = a + (2-1)d$$

$$14 = a + d \quad \text{(Using 1)}$$

$$a = 14 - d \quad \dots\dots(3)$$

Similarly, for the 3rd term ($n = 3$),

$$a_3 = a + (3-1)d$$

$$18 = a + 2d \quad \text{(Using 2)}$$

$$a = 18 - 2d \quad \dots\dots(4)$$

Subtracting (3) from (4), we get,

$$a - a = (18 - 2d) - (14 - d)$$

$$0 = 18 - 2d - 14 + d$$

$$0 = 4 - d$$

$$d = 4$$

Now, to find a , we substitute the value of d in (4),

$$a = 14 - 4$$

$$a = 10$$

So, for the given A.P $d = 4$ and $a = 10$

So, to find the sum of first 51 terms of this A.P., we use the following formula for the sum of n terms of an A.P.,

$$S_n = \frac{n}{2} [2a + (n-1)d]$$

Where; a = first term for the given A.P.

d = common difference of the given A.P.

n = number of terms

So, using the formula for $n = 51$, we get,

$$S_{51} = \frac{51}{2} [2(10) + (51-1)(4)]$$

$$= \frac{51}{2} [20 + (50)(4)]$$

$$= \frac{51}{2} [20 + 200]$$

$$= \frac{51}{2} [220]$$

$$= 51(110)$$

$$= 5610$$

Therefore, the sum of first 51 terms for the given A.P. is $S_{51} = 5610$.

Arithmetic Progressions Ex 9.5 Q29

Answer :

In the given problem, we need to find the sum of n terms of an A.P. Let us take the first term as a and the common difference as d .

Here, we are given that,

$$S_7 = 49 \quad \dots\dots(1)$$

$$S_{17} = 289 \quad \dots\dots(2)$$

So, as we know the formula for the sum of n terms of an A.P. is given by,

$$S_n = \frac{n}{2} [2a + (n-1)d]$$

Where; a = first term for the given A.P.

d = common difference of the given A.P.

n = number of terms

So, using the formula for $n = 7$, we get,

$$S_7 = \frac{7}{2} [2(a) + (7-1)(d)]$$

$$49 = \left(\frac{7}{2}\right) [2a + (6)(d)] \quad (\text{Using 1})$$

$$49 = \frac{14a + 42d}{2}$$

$$49 = 7a + 21d$$

Further simplifying for a , we get,

$$a = \frac{49 - 21d}{7}$$

$$a = 7 - 3d \quad \dots\dots(3)$$

Also, using the formula for $n = 17$, we get,

$$S_{17} = \frac{17}{2} [2(a) + (17-1)(d)]$$

$$289 = \left(\frac{17}{2}\right) [2a + (16)(d)] \quad (\text{Using 2})$$

$$289 = \frac{(17)(2)a + (17)(16)d}{2}$$

$$289 = 17a + 136d$$

Further simplifying for a , we get,

$$a = \frac{289 - 136d}{17}$$

$$a = 17 - 8d \quad \dots\dots(4)$$

Subtracting (3) from (4), we get,

$$a - a = (17 - 8d) - (7 - 3d)$$

$$0 = 17 - 8d - 7 + 3d$$

$$0 = 10 - 5d$$

$$5d = 10$$

$$d = 2$$

Now, to find a , we substitute the value of d in (3),

$$a = 7 - 3(2)$$

$$a = 7 - 6$$

$$a = 1$$

Now, using the formula for the sum of n terms of an A.P., we get,

$$S_n = \frac{n}{2} [2(1) + (n-1)(2)]$$

$$= \frac{n}{2} [2 + 2n - 2]$$

$$= \left(\frac{n}{2}\right)(2n)$$

$$= n^2$$

Therefore, the sum of first n terms for the given A.P. is $\boxed{S_n = n^2}$.

***** END *****