




Exercise 6.5

15. In an equilateral triangle ABC, D is a point on side BC such that $BD = \frac{1}{3} BC$. Prove that $9AD^2 = 7AB^2$.

Ans. Let ABC be an equilateral triangle and let D be a point on BC such that $BD = \frac{1}{3} BC$



Draw $AE \perp BC$, Join AD.

In Δ s AEB and AEC, we have,

$AB = AC$ [$\because \Delta ABC$ is equilateral]

$\angle AEB = \angle AEC$ [\because each 90°]

And $AE = AE$

\therefore By SAS-criterion of similarity, we have

$\Delta AEB \sim \Delta AEC$

$\Rightarrow BE = EC$

Thus, we have, $BD = \frac{1}{3} BC$, $DC = \frac{2}{3} BC$ and BE

$= EC = \frac{1}{3} BC$ (1)

Since, $\angle C = 60^\circ$

$\therefore \Delta ADC$ is an acute angle triangle.


$\therefore AD^2 = AC^2 + DC^2 - 2DC \times EC$

$= AC^2 + \left(\frac{2}{3}BC\right)^2 - 2 \times \frac{2}{3}BC \times \frac{1}{3}BC$ [using eq.(1)]

$$\begin{aligned}
 \Rightarrow AD^2 &= AC^2 + \frac{4}{9}BC^2 - \frac{2}{3}BC^2 \\
 &= AB^2 + \frac{4}{9}AB^2 - \frac{2}{3}AB^2 \quad [\because AB = BC = AC] \\
 \Rightarrow AD^2 &= \frac{(9+4-6)AB^2}{9} = \frac{7}{9}AB^2 \\
 \Rightarrow 9AD^2 &= 7AB^2
 \end{aligned}$$

16. In an equilateral triangle, prove that three times the square of one side is equal to four times the square of one of its altitudes.

Ans. Let ABC be an equilateral triangle and let $AD \perp BC$. In Δ s ADB and ADC, we have,



$AB = AC$ [Given]

$\angle B = \angle C = 60^\circ$ [Given]

And $\angle ADB = \angle ADC$ [Each = 90°]

$\therefore \Delta ADB \cong \Delta ADC$ [By RHS criterion of congruence]

$\Rightarrow BD = DC$

$\Rightarrow BD = DC = \frac{1}{2} BC$

Since ΔADB is a right triangle, right angled at D, by Pythagoras theorem, we have,

$$\begin{aligned}
 AB^2 &= AD^2 + BD^2 \\
 \Rightarrow AB^2 &= AD^2 + \left(\frac{1}{2}BC\right)^2 \\
 \Rightarrow AB^2 &= AD^2 + \frac{1}{4}BC^2
 \end{aligned}$$

$$\Rightarrow AB^2 = AD^2 + \frac{AB^2}{4} \quad [\because BC = AB]$$

$$\Rightarrow \frac{3}{4}AB^2 = AD^2$$

$$\Rightarrow 3AB^2 = 4AD^2$$

17. Tick the correct answer and justify: In ΔABC , $AB = 6\sqrt{3}$ cm, $AC = 12$ cm and $BC = 6$ cm. the angles A and B are respectively:

(A) 90° and 30°

(B) 90° and 60°

(C) 30° and 90°


(D) 60° and 90°

Ans. (C) In $\triangle ABC$, we have, $AB = 6\sqrt{3}$ cm, $AC = 12$ cm and $BC = 6$ cm.

$$\begin{aligned}\text{Now, } AB^2 + BC^2 &= \\ (6\sqrt{3})^2 + (6)^2 &= 36 \times 3 + 36 = 108 + 36 = 144 = \\ (AC)^2\end{aligned}$$

Thus, $\triangle ABC$ is a right triangle, right angled at B.

$$\therefore \angle B = 90^\circ$$



Let D be the mid-point of AC. We know that the mid-point of the hypotenuse of a right triangle is equidistant from the vertices.

$$AD = BD = CD$$

$$\Rightarrow CD = BD = 6 \text{ cm } [\because CD = \frac{1}{2} AC]$$

Also, $BC = 6$ cm

\therefore In $\triangle BDC$, we have, $BD = CD = BC$

$\Rightarrow \triangle BDC$ is equilateral

$$\Rightarrow \angle ACB = 60^\circ$$

$$\therefore \angle A =$$

$$180^\circ - (\angle B + \angle C) = 180^\circ - (90^\circ + 60^\circ) = 30^\circ$$

Thus, $\angle A = 30^\circ$ and $\angle B = 90^\circ$

***** END *****