



Exercise 9B

Question 10:

ABCD is a rhombus in which diagonal $AC = 24$ cm and $BD = 18$ cm.


We know that in a rhombus, diagonals bisect each other at right angles.

So in $\triangle AOB$

$$\angle AOB = 90^\circ$$

$$AO = \frac{1}{2}AC = \frac{1}{2} \times 24 = 12 \text{ cm}$$

and, $BO = \frac{1}{2}BD = \frac{1}{2} \times 18 = 9 \text{ cm}$



Now, by Pythagoras Theorem, we have

$$AB^2 = AO^2 + OB^2$$

\Rightarrow

$$AB^2 = 12^2 + 9^2$$

$$= 144 + 81 = 225$$

\Rightarrow

$$AB = \sqrt{225} = 15 \text{ cm}$$

So the length of each side of the rhombus is 15 cm.

Question 11:

Since diagonals of a rhombus bisect each other at right angles.

$$\text{So, } AO = OC = \frac{1}{2}AC = \frac{1}{2} \times 16 = 8 \text{ cm}$$

\therefore In right $\triangle AOB$,


$$AB^2 = AO^2 + OB^2$$

$$\Rightarrow 10^2 = 8^2 + OB^2$$

$$\Rightarrow OB^2 = 100 - 64 = 36$$

$$\Rightarrow OB = \sqrt{36} = 6 \text{ cm}$$

$$\therefore \text{Length of the other diagonal } BD = 2 \times OB \\ = 2 \times 6 = 12 \text{ cm.}$$



$$\begin{aligned} \text{Area of } \triangle ABC &= \frac{1}{2} \times AC \times OB \\ &= \frac{1}{2} \times 16 \times 6 = 48 \text{ cm}^2. \end{aligned}$$

$$\begin{aligned} \text{Area of } \triangle ACD &= \frac{1}{2} \times AC \times OD \\ &= \frac{1}{2} \times 16 \times 6 = 48 \text{ cm}^2. \end{aligned}$$

$$\begin{aligned} \therefore \text{Area of rhombus } ABCD &= (\text{Area of } \triangle ABC + \text{Area of } \triangle ACD) \\ &= (48 + 48) \text{ cm}^2 = 96 \text{ cm}^2. \end{aligned}$$

***** END *****