

Indefinite Integrals Ex 19.23 Q13

Let 
$$I = \int \frac{1}{\sqrt{3} \sin x + \cos x} dx$$
Let 
$$\sqrt{3} = r \cos \theta, \text{ and } 1 = r \sin \theta$$

$$\tan \theta = \frac{1}{\sqrt{3}}$$

$$\theta = \frac{\pi}{6}$$

$$r = \sqrt{3+1} = 2$$

$$I = \int \frac{1}{r \cos \theta \sin x + r \sin \theta \cos x} dx$$

$$= \frac{1}{r} \int \frac{1}{\sin(x+\theta)} dx$$

$$= \frac{1}{2} \int \cos \theta c(x+\theta) dx$$

$$= \frac{1}{2} \log \left| \tan \left( \frac{x}{2} + \frac{\pi}{12} \right) \right| + c$$

$$I = \frac{1}{2} \log \left| \tan \left( \frac{x}{2} + \frac{\pi}{12} \right) \right| + c$$

Indefinite Integrals Ex 19.23 Q14

Let 
$$I = \int \frac{1}{\sin x - \sqrt{3} \cos x} dx$$
Let 
$$1 = r \cos \theta, \text{ and } \sqrt{3} = r \sin \theta$$

$$r = \sqrt{3+1} = 2$$

$$\tan \theta = \sqrt{3}$$

$$\theta = \frac{\pi}{3}$$

$$I = \int \frac{1}{r \cos \theta \sin x - r \sin \theta \cos x} dx$$

$$= \frac{1}{2} \int \frac{1}{\sin (x - \theta)} dx$$

$$= \frac{1}{2} \int \cos \theta c (x - \theta) dx$$

$$= \frac{1}{2} \log \left| \tan \left( \frac{x}{2} - \frac{\theta}{2} \right) \right| + c$$

$$I = \frac{1}{2} \log \left| \tan \left( \frac{x}{2} - \frac{\pi}{6} \right) \right| + c$$

Indefinite Integrals Ex 19.23 Q15

Let 
$$I = \int \frac{1}{5 + 7\cos x + \sin x} dx$$
Put 
$$\sin x = \frac{2\tan\frac{x}{2}}{1 + \tan^2\frac{x}{2}}, \cos x = \frac{1 - \tan^2\frac{x}{2}}{1 + \tan^2\frac{x}{2}}$$
Now,

$$I = \int \frac{1}{5 + \frac{7\left(1 - \tan^2\frac{x}{2}\right)}{\left(1 + \tan^2\frac{x}{2}\right)}} + \left(\frac{2\tan\frac{x}{2}}{1 + \tan^2\frac{x}{2}}\right)$$

$$= \int \frac{\left(1 + \tan^2\frac{x}{2}\right)}{5\left(1 + \tan^2\frac{x}{2}\right) + 7 - 7\tan^2\frac{x}{2} + 2\tan\frac{x}{2}}$$

$$= \int \frac{\sec^2\frac{x}{2}}{-2\tan^2\frac{x}{2} + 12 + 2\tan\frac{x}{2}} dx$$

Let 
$$\tan \frac{x}{2} = t$$
  
 $\frac{1}{2} \sec^2 \frac{x}{2} dx = dt$   
 $I = \int \frac{2dt}{-2t^2 + 12 + 2t}$   
 $= -\int \frac{dt}{t^2 - t - 6}$   
 $= -\int \frac{dt}{t^2 - 2t \left(\frac{1}{2}\right) + \left(\frac{1}{2}\right)^2 - \left(\frac{1}{2}\right)^2 - 6}$   
 $= -\int \frac{dt}{\left(t - \frac{1}{2}\right)^2 - \left(\frac{5}{2}\right)^2}$   
 $= -\frac{1}{2\left(\frac{5}{2}\right)} \log \left| \frac{t - \frac{1}{2} - \frac{5}{2}}{t - \frac{1}{2} + \frac{5}{2}} \right| + c$   
 $= -\frac{1}{5} \log \left| \frac{t - 3}{t + 2} \right| + c$ 

$$I = \frac{1}{5} \log \left| \frac{\tan \frac{x}{2} + 2}{\tan \frac{x}{2} - 3} \right| + c$$

\*\*\*\*\*\*\* FND \*\*\*\*\*\*