



Differentiation Ex 11.2 Q44

Let $y = e^x \log \sin 2x$

Differentiate with respect to x ,

$$\begin{aligned}\frac{dy}{dx} &= \frac{d}{dx} [e^x \log \sin 2x] \\ &= e^x \frac{d}{dx} \log \sin 2x + \log \sin 2x \frac{d}{dx} (e^x)\end{aligned}$$

[Using product rule and chain rule]

$$\begin{aligned}&= e^x \frac{1}{\sin 2x} \frac{d}{dx} (\sin 2x) + \log \sin 2x (e^x) \\ &= \frac{e^x}{\sin 2x} \cos 2x \frac{d}{dx} (2x) + e^x \log \sin 2x \\ &= \frac{2 \cos 2x e^x}{\sin 2x} + e^x \log \sin 2x \\ &= e^x (2 \cot 2x + \log \sin 2x)\end{aligned}$$

so,

$$\frac{d}{dx} (e^x \log \sin 2x) = e^x (2 \cot 2x + \log \sin 2x).$$

Differentiation Ex 11.2 Q45

$$\text{Let } y = \frac{\sqrt{x^2+1} + \sqrt{x^2-1}}{\sqrt{x^2+1} - \sqrt{x^2-1}}$$

$$\Rightarrow y = \frac{(x^2+1)^{\frac{1}{2}} + (x^2-1)^{\frac{1}{2}}}{(x^2+1)^{\frac{1}{2}} - (x^2-1)^{\frac{1}{2}}}$$

Differentiate it with respect to x ,

$$\frac{dy}{dx} = \frac{d}{dx} \left[\frac{(x^2+1)^{\frac{1}{2}} + (x^2-1)^{\frac{1}{2}}}{(x^2+1)^{\frac{1}{2}} - (x^2-1)^{\frac{1}{2}}} \right]$$

$$= \left[\frac{\left\{ (x^2+1)^{\frac{1}{2}} - (x^2-1)^{\frac{1}{2}} \right\} \frac{d}{dx} \left\{ (x^2+1)^{\frac{1}{2}} + (x^2-1)^{\frac{1}{2}} \right\} - \left\{ (x^2+1)^{\frac{1}{2}} + (x^2-1)^{\frac{1}{2}} \right\} \frac{d}{dx} \left\{ (x^2+1)^{\frac{1}{2}} - (x^2-1)^{\frac{1}{2}} \right\}}{\left\{ (x^2+1)^{\frac{1}{2}} - (x^2-1)^{\frac{1}{2}} \right\}^2} \right]$$

[Using quotient rule and chain rule]

$$= \left[\frac{\left\{ (x^2+1)^{\frac{1}{2}} - (x^2-1)^{\frac{1}{2}} \right\} \left[\frac{1}{2} (x^2+1)^{-\frac{1}{2}} \frac{d}{dx} (x^2+1) + \frac{1}{2} (x^2-1)^{-\frac{1}{2}} \frac{d}{dx} (x^2-1) \right]}{\left[(x^2+1) + (x^2-1) - 2\sqrt{x^4-1} \right]} \right]$$

$$- \left[\frac{\left\{ (x^2+1)^{\frac{1}{2}} + (x^2-1)^{\frac{1}{2}} \right\} \frac{1}{2} \left[(x^2+1)^{-\frac{1}{2}} \frac{d}{dx} (x^2+1) - \frac{1}{2} (x^2-1)^{-\frac{1}{2}} \frac{d}{dx} (x^2-1) \right]}{\left[(x^2+1) (x^2-1) - 2\sqrt{x^4-1} \right]} \right]$$

$$\begin{aligned}
&= \left[\frac{\left(\sqrt{x^2+1} - \sqrt{x^2-1} \right) \left(\frac{2x}{2\sqrt{x^2+1}} + \frac{2x}{2\sqrt{x^2-1}} \right)}{\left[2x^2 - 2\sqrt{x^4-1} \right]} \right] - \\
&\quad \left[\frac{\left(\sqrt{x^2+1} + \sqrt{x^2-1} \right) \left(\frac{2x}{2\sqrt{x^2+1}} - \frac{2x}{2\sqrt{x^2-1}} \right)}{\left[2x^2 - 2\sqrt{x^4-1} \right]} \right] \\
&= \left[\frac{x \left(\sqrt{x^2+1} - \sqrt{x^2-1} \right) \left(\sqrt{x^2-1} + \sqrt{x^2+1} \right)}{2 \left[x^2 - \sqrt{x^4-1} \right] \left(\sqrt{x^2+1} \sqrt{x^2-1} \right)} \right] - \\
&\quad \left[\frac{x \left(\sqrt{x^2+1} + \sqrt{x^2-1} \right) \left(\sqrt{x^2-1} - \sqrt{x^2+1} \right)}{2 \left[x^2 - \sqrt{x^4-1} \right] \left(\sqrt{x^2+1} \sqrt{x^2-1} \right)} \right] \\
&= \left[\frac{x \left(x^2+1 - x^2+1 \right) - x \left(x^2-1 - x^2-1 \right)}{2 \left[x^2 - \sqrt{x^4-1} \right] \sqrt{x^4-1}} \right] \\
&= \left[\frac{4x}{2 \left(x^2 - \sqrt{x^4-1} \right) \sqrt{x^4-1}} \right] \\
&= 2x \left[\frac{1 \times \left(x^2 + \sqrt{x^4-1} \right)}{\left(x^2 - \sqrt{x^4-1} - 1\sqrt{x^4-1} - 1 \times \left(x^2 + \sqrt{x^4-1} \right) \right)} \right]
\end{aligned}$$

Multiplying and divide by $\left\{ x^2 + \sqrt{x^4-1} \right\}$,

$$\begin{aligned}
&= 2x \left[\frac{x^2 + \sqrt{x^4-1}}{\left(x^4 - x^4 + 1 \right) \sqrt{x^4-1}} \right] \\
&= 2x \left[\frac{x^2 + \sqrt{x^4-1}}{\sqrt{x^4-1}} \right] \\
&= \frac{2x^3}{\sqrt{x^4-1}} + 2x
\end{aligned}$$

So,

$$\frac{d}{dx} \left[\frac{\sqrt{x^2+1} + \sqrt{x^2-1}}{\sqrt{x^2+1} - \sqrt{x^2-1}} \right] = \frac{2x^3}{\sqrt{x^4-1}} + 2x.$$

Differentiation Ex 11.2 Q46

Let $y = \log \left[x + 2 + \sqrt{x^2 + 4x + 1} \right]$

Differentiate with respect to x ,

$$\begin{aligned} \frac{dy}{dx} &= \frac{d}{dx} \log \left[x + 2 + \sqrt{x^2 + 4x + 1} \right] \\ &= \frac{1}{\left[x + 2 + \sqrt{x^2 + 4x + 1} \right]} \frac{d}{dx} \left[x + 2 + \left(x^2 + 4x + 1 \right)^{\frac{1}{2}} \right] \\ &\quad \text{[using chain rule]} \\ &= \frac{1}{\left[x + 2 + \sqrt{x^2 + 4x + 1} \right]} \times \left[1 + 0 + \frac{1}{2} \left(x^2 + 4x + 1 \right)^{-\frac{1}{2}} \frac{d}{dx} \left(x^2 + 4x + 1 \right) \right] \\ &= \frac{1 + \frac{(2x + 4)}{2 \left(\sqrt{x^2 + 4x + 1} \right)}}{\left[x + 2 + \sqrt{x^2 + 4x + 1} \right]} \\ &= \frac{\frac{\sqrt{x^2 + 4x + 1} + x + 2}{\left[x + 2 + \sqrt{x^2 + 4x + 1} \right]} \times \sqrt{x^2 + 4x + 1}}{\left[x + 2 + \sqrt{x^2 + 4x + 1} \right]} \\ &= \frac{1}{\sqrt{x^2 + 4x + 1}} \end{aligned}$$

So,

$$\frac{d}{dx} \left[\log \left\{ x + 2 + \sqrt{x^2 + 4x + 1} \right\} \right] = \frac{1}{\sqrt{x^2 + 4x + 1}} .$$

***** END *****