




Lines and Angles Ex 8.4 Q17

Answer :

The figure can be drawn as follows:



Here, $l \perp n$ and $m \perp n$.

We need to prove that $l \parallel m$

It is given that $l \perp n$, therefore,

$$\angle 1 = 90^\circ \text{ (i)}$$

Similarly, we have $m \perp n$, therefore,

$$\angle 2 = 90^\circ \text{ (ii)}$$

From (i) and (ii), we get:

$$\angle 1 = \angle 2$$

But these are the pair of corresponding angles.


Theorem states: If a transversal intersects two lines in such a way that a pair of corresponding angles is equal, then the two lines are parallel.

Thus, we can say that $l \parallel m$.

Lines and Angles Ex 8.4 Q18

Answer :

The quadrilateral can be drawn as follows:



Here, we have $AB \parallel CD$ and $AC \parallel BD$.

Also, $\angle ACD = 60^\circ$.

Since, $AB \parallel CD$. Thus, $\angle ACD$ and $\angle BAC$ are consecutive interior angles.

Thus these two must be supplementary. That is,

$$\angle ACD + \angle BAC = 180^\circ$$

$$60^\circ + \angle BAC = 180^\circ$$

$$\angle BAC = 180^\circ - 60^\circ$$

$$\angle BAC = \boxed{120^\circ}$$

Similarly, $AC \parallel BD$. Thus, $\angle ACD$ and $\angle CDB$ are consecutive interior angles.

Thus these two must be supplementary. That is,

$$\begin{aligned}\angle ACD + \angle CDB &= 180^\circ \\ 60^\circ + \angle CDB &= 180^\circ \\ \angle CDB &= 180^\circ - 60^\circ \\ \angle CDB &= \boxed{120^\circ}\end{aligned}$$

Similarly, $AB \parallel CD$. Thus, $\angle ABD$ and $\angle CDB$ are consecutive interior angles. Thus these two must be supplementary. That is,


$$\begin{aligned}\angle ABD + \angle CDB &= 180^\circ \\ \angle ABD + 120^\circ &= 180^\circ \\ \angle ABD &= 180^\circ - 120^\circ \\ \angle ABD &= \boxed{60^\circ}\end{aligned}$$

Hence the other angles are as follows:

$$\begin{aligned}\angle BAC &= \boxed{120^\circ} \\ \angle CDB &= \boxed{120^\circ} \\ \angle ABD &= \boxed{60^\circ}\end{aligned}$$

Lines and Angles Ex 8.4 Q19

Answer :



Since, lines AB and CD intersect each other at point O. Thus, $\angle AOC$ and $\angle BOD$ are vertically opposite angles. Therefore,

$$\angle AOC = \angle BOD \dots\dots (I)$$

Similarly,

$$\angle COB = \angle AOD \dots\dots (II)$$

Also, we have $\angle AOC$, $\angle BOD$, $\angle BOC$ and $\angle AOD$ forming a complete angle. Thus,

$$\angle AOC + \angle BOD + \angle COB + \angle AOD = 360^\circ$$

It is given that

$$\angle AOC + \angle COB + \angle BOD = 270^\circ$$

Thus, we get

$$\begin{aligned}(\angle AOC + \angle BOD + \angle COB) + \angle AOD &= 360^\circ \\ 270^\circ + \angle AOD &= 360^\circ \\ \angle AOD &= 360^\circ - 270^\circ \\ \angle AOD &= \boxed{90^\circ}\end{aligned}$$

From (II), we get:

$$\angle COB = \boxed{90^\circ}$$

We know that $\angle AOC$ and $\angle COB$ form a linear pair. Therefore, these must be supplementary.

$$\angle AOC + \angle COB = 180^\circ$$

$$\angle AOC + 90^\circ = 180^\circ$$

$$\angle AOC = 180^\circ - 90^\circ$$

$$\angle AOC = \boxed{90^\circ}$$

From (I), we get:

$$\angle BOD = \boxed{90^\circ}$$

***** END *****