



Algebra of Matrices Ex 5.2 Q12

$$\text{Given, } A = \begin{bmatrix} 9 & 1 \\ 7 & 8 \end{bmatrix}, B = \begin{bmatrix} 1 & 5 \\ 7 & 12 \end{bmatrix}$$

$$\text{Let, } C = \begin{bmatrix} x & y \\ z & w \end{bmatrix}$$

Since, $5A + 3B + 2C$ is a null matrix, so

$$5A + 3B + 2C = 0$$

$$\Rightarrow 5 \begin{bmatrix} 9 & 1 \\ 7 & 8 \end{bmatrix} + 3 \begin{bmatrix} 1 & 5 \\ 7 & 12 \end{bmatrix} + 2 \begin{bmatrix} x & y \\ z & w \end{bmatrix} = \begin{bmatrix} 0 & 0 \\ 0 & 0 \end{bmatrix}$$

$$\Rightarrow \begin{bmatrix} 45 & 5 \\ 35 & 40 \end{bmatrix} + \begin{bmatrix} 3 & 15 \\ 21 & 36 \end{bmatrix} + \begin{bmatrix} 2x & 2y \\ 2z & 2w \end{bmatrix} = \begin{bmatrix} 0 & 0 \\ 0 & 0 \end{bmatrix}$$

$$\Rightarrow \begin{bmatrix} 45 + 3 + 2x & 5 + 15 + 2y \\ 35 + 21 + 2z & 40 + 36 + 2w \end{bmatrix} = \begin{bmatrix} 0 & 0 \\ 0 & 0 \end{bmatrix}$$

$$\Rightarrow \begin{bmatrix} 48 + 2x & 20 + 2y \\ 56 + 2z & 76 + 2w \end{bmatrix} = \begin{bmatrix} 0 & 0 \\ 0 & 0 \end{bmatrix}$$

Since, corresponding entries of equal matrices are equal.

$$48 + 2x = 0$$

$$x = -\frac{48}{2}$$

$$x = -24$$

$$20 + 2y = 0$$

$$y = -\frac{20}{2}$$

$$y = -10$$

$$56 + 2z = 0$$

$$z = -\frac{56}{2}$$

$$z = -28$$

$$76 + 2w = 0$$

$$w = -\frac{76}{2}$$

$$w = -38$$

$$\text{Hence, } C = \begin{bmatrix} -24 & -10 \\ -28 & -38 \end{bmatrix}$$

Algebra of Matrices Ex 5.2 Q13

Given,

$$A = \begin{bmatrix} 2 & -2 \\ 4 & 2 \\ -5 & 1 \end{bmatrix}, B = \begin{bmatrix} 8 & 0 \\ 4 & -2 \\ 3 & 6 \end{bmatrix}$$

And

$$2A + 3X = 5B$$

$$\Rightarrow 3X = 5B - 2A$$

$$\Rightarrow 3X = 5 \begin{bmatrix} 8 & 0 \\ 4 & -2 \\ 3 & 6 \end{bmatrix} - 2 \begin{bmatrix} 2 & -2 \\ 4 & 2 \\ -5 & 1 \end{bmatrix}$$

$$\Rightarrow 3X = \begin{bmatrix} 40 & 0 \\ 20 & -10 \\ 15 & 30 \end{bmatrix} - \begin{bmatrix} 4 & -4 \\ 8 & 4 \\ -10 & 2 \end{bmatrix}$$

$$\Rightarrow 3X = \begin{bmatrix} 40 - 4 & 0 + 4 \\ 20 - 8 & -10 - 4 \\ 15 + 10 & 30 - 2 \end{bmatrix}$$

$$\Rightarrow 3X = \begin{bmatrix} 36 & 4 \\ 12 & -14 \\ 25 & 28 \end{bmatrix}$$

$$\Rightarrow X = \begin{bmatrix} \frac{36}{3} & \frac{4}{3} \\ \frac{12}{3} & \frac{-14}{3} \\ \frac{25}{3} & \frac{28}{3} \end{bmatrix}$$

$$\Rightarrow X = \begin{bmatrix} 12 & \frac{4}{3} \\ 4 & \frac{-14}{3} \\ \frac{25}{3} & \frac{28}{3} \end{bmatrix}$$

Hence,

$$\begin{bmatrix} 12 & \frac{4}{3} \\ 4 & \frac{-14}{3} \\ \frac{25}{3} & \frac{28}{3} \end{bmatrix}$$

$$X = \begin{bmatrix} 12 & 5 \\ 4 & \frac{-14}{3} \\ \frac{25}{3} & \frac{28}{3} \end{bmatrix}$$

Algebra of Matrices Ex 5.2 Q14

Given,

$$A = \begin{bmatrix} 1 & -3 & 2 \\ 2 & 0 & 2 \end{bmatrix}, B = \begin{bmatrix} 2 & -1 & -1 \\ 1 & 0 & -1 \end{bmatrix}$$

And

$$A + B + C = 0$$

$$\Rightarrow C = -A - B + 0$$

$$\Rightarrow C = -A - B$$

$$\Rightarrow C = -\begin{bmatrix} 1 & -3 & 2 \\ 2 & 0 & 2 \end{bmatrix} - \begin{bmatrix} 2 & -1 & -1 \\ 1 & 0 & -1 \end{bmatrix}$$

$$\Rightarrow C = \begin{bmatrix} -1 & 3 & -2 \\ -2 & 0 & -2 \end{bmatrix} - \begin{bmatrix} 2 & -1 & -1 \\ 1 & 0 & -1 \end{bmatrix}$$

$$\Rightarrow C = \begin{bmatrix} -1-2 & 3+1 & -2+1 \\ -2-1 & 0-0 & -2+1 \end{bmatrix}$$

$$\Rightarrow C = \begin{bmatrix} -3 & 4 & -1 \\ -3 & 0 & -1 \end{bmatrix}$$

Hence,

$$C = \begin{bmatrix} -3 & 4 & -1 \\ -3 & 0 & -1 \end{bmatrix}$$

Algebra of Matrices Ex 5.2 Q15(i)

$$\begin{bmatrix} x-y & 2 & -2 \\ 4 & x & 6 \end{bmatrix} + \begin{bmatrix} 3 & -2 & 2 \\ 1 & 0 & -1 \end{bmatrix} = \begin{bmatrix} 6 & 0 & 0 \\ 5 & 2x+y & 5 \end{bmatrix}$$

$$\begin{bmatrix} x-y+3 & 2-2 & -2+2 \\ 4+1 & x+0 & 6-1 \end{bmatrix} = \begin{bmatrix} 6 & 0 & 0 \\ 5 & 2x+y & 5 \end{bmatrix}$$

$$\begin{bmatrix} x-y+3 & 0 & 0 \\ 5 & x & 5 \end{bmatrix} = \begin{bmatrix} 6 & 0 & 0 \\ 5 & 2x+y & 5 \end{bmatrix}$$

Use know that, corresponding entries of equal matrices are equal. So,

$$\begin{aligned} x-y+3 &= 6 \\ \Rightarrow x-y &= 3 \end{aligned} \quad \text{---(i)}$$

$$\begin{aligned} \text{and } x &= 2x+y \\ \Rightarrow 2x-x+y &= 0 \\ \Rightarrow x+y &= 0 \end{aligned} \quad \text{---(ii)}$$

Adding equation (i), (ii),

$$\begin{aligned} x-y+x+y &= 3+0 \\ \Rightarrow 2x &= 3 \\ \Rightarrow x &= \frac{3}{2} \end{aligned}$$

Put in equation(i),

$$\begin{aligned} x-y &= 3 \\ \Rightarrow \frac{3}{2}-y &= 3 \\ \Rightarrow -y &= \frac{3-3}{2} \\ \Rightarrow y &= \frac{-3}{2} \end{aligned}$$

Hence,

$$x = \frac{3}{2}, y = \frac{-3}{2}$$

Algebra of Matrices Ex 5.2 Q15(ii)

$$\begin{aligned} [x \ y+2 \ z-3] + [y \ 4 \ 5] &= [4 \ 9 \ 12] \\ \Rightarrow [x+y \ y+2+4 \ z-3+5] &= [4 \ 9 \ 12] \\ \Rightarrow [x+y \ y+6 \ z+2] &= [4 \ 9 \ 12] \end{aligned}$$

We know that, corresponding entries, of equal matrices are equal, So

$$\begin{aligned} x+y &= 4 & \text{---(i)} \\ y+6 &= 9 & \text{---(ii)} \\ z+2 &= 12 & \text{---(iii)} \end{aligned}$$

From equation (ii), We get

$$\begin{aligned} y &= 9-6 \\ y &= 3 \end{aligned}$$

Put the value of y in equation(i),

$$\begin{aligned} x+y &= 4 \\ \Rightarrow x+3 &= 4 \\ \Rightarrow x &= 4-3 \\ \Rightarrow x &= 1 \end{aligned}$$

From equation (iii)

$$\begin{aligned} z+2 &= 12 \\ z &= 12-2 \\ z &= 10 \end{aligned}$$

Hence,

$$x = 1, y = 3, z = 10$$

***** END *****