



Exercise 3A

Question 21:

On a graph paper, draw horizontal line $X'OX$ and a vertical line YOY' as x-axis and y-axis respectively.

The given system of equations is
 $4x - 3y + 4 = 0$, $4x + 3y - 20 = 0$

Graph of $4x - 3y + 4 = 0$:

$$4x - 3y + 4 = 0 \Rightarrow y = \frac{4x + 4}{3} \text{ ----(1)}$$

Thus, we have the following table for equation (1)

x	-1	2	5
y	0	4	8

On the graph paper plot the points A (-1, 0), B (2, 4) and C (5, 8)

Join AB and BC to get AC

Thus, line AC is the graph of $4x - 3y + 4 = 0$

Graph of $4x + 3y - 20 = 0$

$$4x + 3y = 20 \Rightarrow y = \frac{-4x + 20}{3} \text{ ---(2)}$$


Thus, we have the table for following table for equation (2)

x	2	-1	5
y	4	8	0

On the same graph paper as above, plot the points P (-1, 8),

Q (5, 0).

The third point B (2, 4) has been already plotted.



Join PB and QB to get the line PQ
 Thus, line PQ is the graph of the equation $4x + 3y - 20 = 0$
 The two graph lines intersect at B (2, 4)
 $\therefore x = 2, y = 4$ is the solution of the given system of equations

Clearly, the vertices of $\triangle ABQ$ formed by these lines and the x-axis are A (-1, 0), B (2, 4) and Q (5, 0)

Consider the triangle $\triangle ABQ$:
 height of the triangle = 4 units and base(AQ) = 6 units

Area of triangle $\triangle ABQ$:

$$\text{Area} = \left(\frac{1}{2} \times \text{Base} \times \text{height} \right) \text{sq. units} = \left(\frac{1}{2} \times 4 \times 6 \right) \text{sq. units}$$

Area of $\triangle ABQ = 12$ sq. units

Question 22:

On a graph paper, draw horizontal line $X'OX$ and a vertical line YOY' as x-axis and y-axis respectively.

The given system of equations is
 $x - y + 1 = 0, 3x + 2y - 12 = 0$

Graph of $x - y + 1 = 0$:

$$x - y + 1 = 0 \Rightarrow y = x + 1 \quad \text{---(1)}$$

Thus, we have the following table for equation (1)

x	-1	1	2
y	0	2	3

On the graph paper plot the points A(-1, 0), B(1, 2) and C(2, 3)

Join AB and BC to get AC

Thus, line AC is the graph of the equation $x - y + 1 = 0$

Graph of $3x + 2y - 12 = 0$:

$$3x + 2y - 12 = 0 \Rightarrow y = \frac{-3x + 12}{2} \quad \text{----(2)}$$


Thus, we have the following table for equation (2)

x	0	2	4
y	6	3	0

On the same graph paper plot points P (0, 6) and Q (4, 0)

The third point C (2, 3) has been already plotted.

Join PC and CQ to get PQ.



Thus, line PQ is the graph of the equation $3x + 2y - 12 = 0$
 The two graph lines intersect at C (2, 3)
 $\therefore x = 2, y = 3$ is the solution of the given system of equations

Clearly, the vertices of ΔACQ formed by these lines and the x-axis are A (-1, 0), C (2, 3) and Q (4, 0)

Consider the triangle ΔACQ :
 height of the triangle = 3 units and base(AQ) = 5 units

Area of triangle ΔACQ :

$$\begin{aligned} \text{Area of } \Delta ACQ &= \left(\frac{1}{2} \times \text{Base} \times \text{Height} \right) \\ &= \left(\frac{1}{2} \times 5 \times 3 \right) \text{sq. units} = 7.5 \text{ sq. units} \end{aligned}$$

***** END *****