


Exercise 10.6

Q6. ABCD is a parallelogram. The circle through A, B and C intersect CD (produced it necessary) at E. Prove that AE = AD.



Ans. In figure (a),

ABCD is a parallelogram.

$$\Rightarrow \angle 1 = \angle 3 \dots (i)$$

ABCE is a cyclic quadrilateral.

$$\therefore \angle 1 + \angle 6 = 180^{\circ} \dots$$
 (ii)

And
$$\angle 5 + \angle 6 = 180^{\circ}$$
(iii)


[Linear pair]


From eq. (ii) and (iii), $\angle 1 = \angle 5$ (iv)

Now, from eq. (i) and (iv),

$$\angle 3 = \angle 5$$

 \Rightarrow AE = AD [Sides opposite to equal angles are equal]





(a) (b)

In figure (b),

ABCD is a parallelogram.

$$\therefore \angle 1 = \angle 3$$
 and $\angle 2 = \angle 4$

Also AB CD and BC meets them.

$$\therefore \angle 1 + \angle 2 = 180^{\circ} \dots (i)$$

And AD BC and EC meets them.

$$\therefore \angle 5 = \angle 2 \dots$$
 (ii) [Corresponding angles]

Since ABCE is a cyclic quadrilateral.

$$\therefore \angle 1 + \angle 6 = 180^{\circ} \dots$$
(iii)

From eq. (i) and (iii),

$$\angle 1 + \angle 2 = \angle 1 + \angle 6$$

$$\Rightarrow \angle 2 = \angle 6$$

But from eq. (ii), $\angle 2 = \angle 5$

$$\therefore \angle 5 = \angle 6$$

Now in triangle AED,

$$\angle 5 = \angle 6$$

 \Rightarrow AE = AD [Sides opposite to equal angles]

Hence in both the cases, AE = AD

Q7. AC and BD are chords of a circle which bisect each other. Prove that:

- (i) AC and BD are diameters.
- (ii) ABCD is a rectangle.


Ans. Given: AC and BD of a circle bisect each other at O.

Then OA = OC and OB = OD

To prove: (i) AC and BD are the diameters. In other words, O is the centre of the circle.

(ii) ABCD is a rectangle.

Proof: (i) In triangles AOD and BOC,



AO = OC [given]

 \angle AOD = \angle BOC [Vertically opp.]

OD = OB [given]

 $\triangle AOD \cong \triangle COB$ [SAS congruency]

 \Rightarrow AD = CB [By CPCT]

Similarly $\triangle AOB \cong \triangle COD$

 \Rightarrow AB = CD

 \Rightarrow $\widehat{AB} \cong \widehat{CD}$ [Arcs opposite to equal chords]

 $\Rightarrow \widehat{AB} + \widehat{BC} \cong \widehat{CD} + \widehat{BC}$

 $\Rightarrow \widehat{ABC} \cong \widehat{BCD}$

⇒AC = BD [Chords opposites to equal arcs]

... AC and BD are the diameters as only diameters can bisects each other as the chords of the circle.

(ii) Ac is the diameter. [Proved in (i)]

 $\therefore \angle B = \angle D = 90^{\circ} \dots$ [Angle in semi-circle]

Similarly BD is the diameter.

 $\therefore \angle A = \angle C = 90^{\circ} \dots (ii)$ [Angle in semi-circle]

Now diameters AC = BD

Now diameters AC = BD

 $\Rightarrow \widehat{AC} \cong \widehat{BD}$ [Arcs opposite to equal chords]

$$\Rightarrow \widehat{AC} - \widehat{DC} \cong \widehat{BD} - \widehat{DC}$$

$$\Rightarrow \widehat{AD} \cong \widehat{BC}$$

⇒AD = BC [Chords corresponding to the equal arcs](iii)

Similarly $AB = DC \dots (iv)$

From eq. (i), (ii), (iii) and (iv), we observe that each angle of the quadrilateral is 90° and opposite sides are equal.


Hence ABCD is a rectangle.

Q8. Bisectors of angles A, B and C of a triangle ABC intersect its circumcircle at D, E and F respectively. Prove that angles of the triangle are

$$\left(90^{\circ} - \frac{A}{2}\right)$$
, $\left(90^{\circ} - \frac{B}{2}\right)$ and $\left(90^{\circ} - \frac{C}{2}\right)$ respectively.

Ans. According to question, AD is bisector of $\angle A$.

$$\therefore \angle 1 = \angle 2 = \frac{A}{2}$$



And BE is the bisector of \angle B.

$$\therefore \angle 3 = \angle 4 = \frac{B}{2}$$

Also CF is the bisector of \angle C.

$$\therefore \angle 5 = \angle 6 = \frac{C}{2}$$

Since the angles in the same segment of a circle are equal.

$$\therefore \angle 9 = \angle 3$$
 [angles subtended by \widehat{AE}](i)

And
$$\angle 8 = \angle 5$$
 [angles subtended by \widehat{FA}](ii)

Adding both equations,

$$\angle 9 + \angle 8 = \angle 3 + \angle 5$$

$$\Rightarrow \angle D = \frac{B}{2} + \frac{C}{2}$$

Similarly
$$\angle E = \frac{A}{2} + \frac{C}{2}$$

And
$$\angle F = \frac{A}{2} + \frac{B}{2}$$

In triangle DEF,

$$\angle D + \angle E + \angle F = 180^{\circ}$$

$$\Rightarrow \angle D = 180^{\circ} - (\angle E + \angle F)$$

$$\Rightarrow \angle D = 180^{\circ} - \left(\frac{A}{2} + \frac{C}{2} + \frac{A}{2} + \frac{B}{2}\right)$$

$$\Rightarrow \angle D = 180^{\circ} - \left(\frac{A}{2} + \frac{B}{2} + \frac{C}{2}\right) - \frac{A}{2}$$

$$\Rightarrow \angle D = 180^{\circ} - 90^{\circ} - \frac{A}{2} [\because \angle A + \angle B + \angle C =$$

180° 1

$$\Rightarrow \angle \mathbf{p} = \frac{90^{\circ} - \frac{A}{2}}{2}$$


Similarly, we can prove that

$$\angle$$
 E = 90° $-\frac{B}{2}$ and \angle F = 90° $-\frac{C}{2}$

Q9. Two congruent circles intersect each other at points A and B. Through A any line segment PAQ is drawn so that P, Q lie on the two circles. Prove that BP = BQ.

Ans. Given: Two equal circles intersect in A and B.

A straight line through A meets the circles in P and Q.



To prove: BP = BQ

Construction: Join A and B.

Proof: AB is a common chord and the circles are equal.

.. Arc about the common chord are equal, i.e.,

$$\widehat{ACB} = \widehat{ADB}$$

Since equal arcs of two equal circles subtend equal angles at any point on the remaining part of the circle, then we have,

$$\angle 1 = \angle 2$$

In triangle PBQ,

$$\angle 1 = \angle 2$$
 [proved]

· Sides opposite to equal angles of a triangle are equal.

Then we have, BP = BQ


Q10. In any triangle ABC, if the angle bisector of ∠A and perpendicular bisector of BC intersect, prove that they intersect on the circum circle of the triangle ABC.

Ans. Given: ABC is a triangle and a circle passes through its vertices.

Angle bisector of \angle A and the perpendicular bisector (say l) of its opposite side BC intersect each other at a point P.

To prove: Circumcircle of triangle ABC also passes through point P.

Proof: Since any point on the perpendicular bisector is equidistant from the end points of the corresponding side,



$$\therefore$$
 BP = PC(i)

Also we have $\angle 1 = \angle 2$ [: AP is the bisector of \angle A (given)](ii)

From eq. (i) and (ii) we observe that equal line segments are subtending equal angles in the same segment i.e., at point A of circumcircle of \triangle ABC. Therefore BP and PC acts as chords of circumcircle of \triangle ABC and the corresponding congruent arcs \widehat{BP} and \widehat{PC} acts as parts of circumcircle. Hence point P lies on the circumcircle. In other words, points A, B, P and C are concyclic (proved).

