

Exercise 16B

Q1


Answer:

(c) rhombus

In a rhombus, the two diagonals are not necessarily equal.

Q2

(c) 10 cm



```
Let ABCD be a rhombus.
 Let AC and BD be the diagonals of the rhombus intersecting at a point O.
 AC = 16 cm
 BD = 12 cm
 We know that the diagonals of a rhombus bisect each other at right angles.
AO = \frac{1}{2}AC
    =\left(\frac{1}{2}\times16\right) cm
    = 8 cm
 BO = \frac{1}{2}BD
    =\left(\frac{1}{2}\times12\right) cm
     =6 cm
From the right \triangle AOB:
AB^2 = AO^2 + BO^2
    = \{(8)^2 + (6)^2\} cm<sup>2</sup>
     = (64 + 36) cm<sup>2</sup>
     = 100 \text{ cm}^2
\Rightarrow AB = \sqrt{100} cm
      =10 cm
Hence, the length of the side ABis10 cm.
Therefore, the length of each side of the rhombus is 10 \text{ cm} because all the sides of a
 rhombus are equal.
Q3
 Answer:
 (b) 32
 We know that the sum of adjacent angles of a parallelogram is 180°.
 \Rightarrow 2\boldsymbol{x} + 25 + 3\boldsymbol{x} - 5 = 180
 \Rightarrow 5x + 20 = 180
 \Rightarrow 5x = 180 - 20
 \Rightarrow 5x = 160
 \Rightarrow x = \frac{160}{5}
  \Rightarrow x = 32
 Therefore, the value of x is 32.
Q4
 Answer:
 (a) parallelogram
 In a parallelogram, the diagonals do not necessarily intersect at right angles.
Q5
 Answer:
 (c) 70 cm
 Let ABCD be a rectangle and let the diagonal AC\ be\ 25 cm, length AB\ be\ 4x cm and
  breadth BC be 3x cm.
 Each angle of a rectangle is a right angle.
 ∴ ∠ABC = 90°
 From the right \triangle ABC:
 AC^2 = AB^2 + BC^2
 \Rightarrow (25)^2 = (4x)^2 + (3x)^2
 \Rightarrow 625 = 16x^2 + 9x^2
 \Rightarrow 625 = 25 x^2
 x^2 = \frac{625}{25} = 25
 \Rightarrow x = 5
  \therefore Length = 4 × 5 = 20 cm
 \textbf{Breadth} = 3 \times 5 = 15 \ \textbf{cm}
 :. Perimeter of the rectangle = 2(20+15) cm
                            =70 cm
06
 Answer:
 (d) 90°
 The bisectors of any two adjacent angles of a parallelogram intersect at 90°.
```