



Linear Equations in Two Variables Ex 13.2 Q1

Answer :

(i) We are given,

$$3x + 4y = 7$$

Substituting $x = 1$ in the given equation, we get

$$3 \times 1 + 4y = 7$$

$$4y = 7 - 3$$

$$y = \frac{4}{4}$$

$$y = 1$$

Thus $\boxed{x = 1}$ and $\boxed{y = 1}$ is the solution of $3x + 4y = 7$

Substituting $x = 2$ in the given equation, we get

$$3 \times 2 + 4y = 7$$

$$4y = 7 - 6$$

$$y = \frac{1}{4}$$

$$y = \frac{1}{4}$$

Thus $\boxed{x = 2}$ and $\boxed{y = \frac{1}{4}}$ is the solution of $3x + 4y = 7$

(ii) We are given,

$$x = 6y$$

Substituting $x = 0$ in the given equation, we get

$$0 = 6y$$

$$y = \frac{0}{6}$$

$$y = 0$$

Thus $x = 0$ and $y = 0$ is the solution of $x = 6y$

Substituting $x = 6$ in the given equation, we get

$$6 = 6y$$

$$y = \frac{6}{6}$$

$$y = 1$$

Thus $x = 6$ and $y = 1$ is the solution of $x = 6y$

(iii) We are given,

$$x + \pi y = 4$$

Substituting $x = 0$ in the given equation, we get

$$0 + \pi y = 4$$

$$\pi y = 4 - 0$$

$$y = \frac{4}{\pi}$$

Thus $x = 0$ and $y = \frac{4}{\pi}$ is the solution of $x + \pi y = 4$

Substituting $x = 4$ in the given equation, we get

$$4 + \pi y = 4$$

$$\pi y = 4 - 4$$

$$y = \frac{0}{\pi}$$

$$y = 0$$

Thus $x = 4$ and $y = 0$ is the solution of $x + \pi y = 4$

(iv) We are given,

$$\frac{2}{3}x - y = 4$$

Substituting $x = 0$ in the given equation, we get

$$\frac{2}{3} \times 0 - y = 4$$

$$0 - y = 4$$

$$y = -4$$

Thus $x = 0$ and $y = -4$ is the solution of $\frac{2}{3}x - y = 4$

Substituting $x = 3$ in the given equation, we get

$$\frac{2}{3} \times 3 - y = 4$$

$$-y = 4 - 2$$

$$y = -2$$

Thus $x = 3$ and $y = -2$ is the solution of $\frac{2}{3}x - y = 4$

***** END *****