

Arithmetic Progressions Ex 9.3 Q26

Answer:

In the given problem, let us first find the 13th term of the given A.P.

A.P. is 3, 10, 17 ...

Here,

First term (a) = 3

Common difference of the A.P. (d) = 10 - 3 = 7

Now, as we know,

$$a_n = a + (n-1)d$$

So, for 13^{th} term (n = 13),

$$a_{13} = 3 + (13 - 1)(7)$$

$$=3+12(7)$$

$$=3+84$$

$$=87$$

Let us take the term which is 84 more than the 13^{th} term as a_n . So,

$$a_n = 84 + a_{13}$$

$$= 84 + 87$$

$$=171$$

Also, $a_n = a + (n-1)d$

$$171 = 3 + (n-1)7$$

$$171 = 3 + 7n - 7$$

$$171 = -4 + 7n$$

$$171 + 4 = 7n$$

Further simplifying, we get,

$$175 = 7n$$

$$n = \frac{175}{7}$$

$$n = 25$$

Therefore, the 25th term of the given A.P. is 84 more than the 13th term.

Arithmetic Progressions Ex 9.3 Q27

```
Answer: Here, we are given two A.P sequences which have the same common difference. Let us take the first term of one A.P. as a and of other A.P. as a' Also, it is given that the difference between their 100^{th} terms is 100. We need to find the difference between their 100^{th} terms So, let us first find the 100^{th} terms for both of them. Now, as we know, a_n = a + (n-1)dSo, for 100^{th} term of first A.P. (n = 100),
```

 $a_{100} = a + (100 - 1)d$ = a + 99d

Now, for 100^{th} term of second A.P. (n = 100),

 $a'_{100} = a' + (100 - 1)d$

= a' + 99d

Now, we are given,

 $a_{100} - a'_{100} = 100$

On substituting the values, we get,

a+99d-a'-99d=100

$$a-a'=100$$
(1)

Now, we need the difference between the 1000th terms of both the A.P.s

So, for 1000^{th} term of first A.P. (n = 1000),

 $a_{1000} = a + (1000 - 1)d$

= a + 999d

Now, for 1000^{th} term of second A.P. (n = 1000),

$$a'_{1000} = a' + (1000 - 1)d$$

So

$$a_{1000} - a'_{1000} = (a+999d) - (a'+999d)$$

= $a+999d - a'-999d$
= $a-a'$
= 100 (Using 1)

Therefore, the difference between the 1000th terms of both the arithmetic progressions will be $\boxed{100}$

Arithmetic Progressions Ex 9.3 Q28

Answer:

Here, we are given two A.P. sequences. We need to find the value of n for which the nth terms of both the sequences are equal. We need to find n

So let us first find the nth term for both the A.P.

First A.P. is 63, 65, 67 ...

Here,

First term (a) = 63

Common difference of the A.P. (d) = 65 - 63 = 2

Now, as we know

$$a_n = a + (n-1)d$$

So, for nth term,

$$a_n = 63 + (n-1)2$$

= $63 + 2n - 2$
= $61 + 2n$ (1)

Second A.P. is 3, 10, 17 ...

Here,

First term (a) = 3

Common difference of the A.P. (d) = 10-3=7

Now, as we know,

$$a_n = a + (n-1)d$$

So, for nth term,

$$a_n = 3 + (n-1)7$$

= 3 + 7n - 7
= -4 + 7n(2)

Now, we are given that the n^{th} terms for both the A.P. sequences are equal, we equate (1) and (2),

$$61 + 2n = -4 + 7n$$

$$2n-7n = -4-61$$

$$-5n = -65$$

$$n = \frac{-65}{-5}$$

n = 13Therefore, n = 13