

1. Program

### Question 1

#### How to Attempt?

#### IsOdd?

Write a function to find whether the given input number is Odd.  
If the given number is odd, the function should return 2 else it should return 1.

#### Note:

The number passed to the function can either be negative, positive or zero.  
Zero should NOT be treated as odd.

Revisit Later

JAVA6

Compiler: Java - 1.6

```
1 import java.io.*;
2 import java.util.*;
3
4 // Read only region start
5 class UserMainCode
6 {
7
8     public int isOdd(int input1){
9         // Read only region end
10         if(input1%2!=0)
11             return 2;
12         else
13             return 1;
14     }
15 }
```

☐ Use Custom Input

ⓘ

Compile and Test

Submit Code

1. Program

### Question 1

Revisit Later

#### How to Attempt?

#### IsOdd?

Write a function to find whether the given input number is Odd.  
If the given number is odd, the function should return 2 else it should return 1.

#### Note:

The number passed to the function can either be negative, positive or zero.  
Zero should NOT be treated as odd.

Attempted: 1/1

0/2 - Sample Test Cases Failed

✓ Default 2

#### CODE EXECUTION DETAILS

Time: 172 ms

Memory: 103812 kb

#### TEST CASE INFORMATION

Input

-4

Expected Output

1

Actual Output

1

#### CONSOLE OUTPUT

#### STANDARD ERROR/WARNING

None

✓ Default 1

1. Program

< 1 >



Attempted: 1/1

### Question 1

🔖 Revisit Later

#### How to Attempt?

#### IsOdd?

Write a function to find whether the given input number is Odd.  
If the given number is odd, the function should return 2 else it should return 1.

#### Note:

The number passed to the function can either be negative, positive or zero.  
Zero should NOT be treated as odd.

☐ Use Custom Input



Compile and Test

Submit Code

Code Execution Code History

0/8 - Graded Test Cases Failed

✔ Testcase 8

✔ Testcase 7

✔ Testcase 6

✔ Testcase 4

✔ Testcase 5

✔ Testcase 3

✔ Testcase 2

✔ Testcase 1

