

1. Program

Question 1

Revisit Later

How to Attempt?

Unique Digits Count

Write a function to find the count of unique digits in a given number N. The number will be passed to the function as an input parameter of type int.

Assumption: The input number will be a positive integer number ≥ 1 and ≤ 25000 .

For e.g.

If the given number is 292, the function should return 2 because there are only 2 unique digits '2' and '9' in this number

If the given number is 1015, the function should return 3 because there are 3 unique digits in this number, '1', '0' and '5'.

JAVA7

Compiler: Java - 1.7

```
1  import java.io.*;
2  import java.util.*;
3
4  // Read only region start
5  class UserMainCode
6  {
7
8      public int uniqueDigitsCount(int input1){
9          // Read only region end
10         // Write code here...
11         String str = Integer.toString(input1);
12
13         int len=str.length();
14
15         int count=0;
16
17         for(int i=0;i<len-1;i++){
18
19             for(int j=i+1;j<len;j++){
20
21                 if(str.charAt(i)==str.charAt(j)) {
22
23                     count++;
24                     break;
25                 }
26             }
27             return len-count;
28         }
29     }
```

☐ Use Custom Input

①

Compile and Test

Submit Code

1. Program

Question 1

Revisit Later

How to Attempt?

Unique Digits Count

Write a function to find the count of unique digits in a given number N. The number will be passed to the function as an input parameter of type int.

Assumption: The input number will be a positive integer number ≥ 1 and ≤ 25000 .

For e.g.

If the given number is 292, the function should return 2 because there are only 2 unique digits '2' and '9' in this number

If the given number is 1015, the function should return 3 because there are 3 unique digits in this number, '1', '0', and '5'.

Attempted: 1/1

☐ Use Custom Input

i

Compile and Test

Submit Code

Code Execution Code History

0/2 - Sample Test Cases Failed

✓ Default 2

CODE EXECUTION DETAILS

Time: 209 ms

Memory: 103812 kb

TEST CASE INFORMATION

Input

1015

Expected Output

3

Actual Output

3

>_ CONSOLE OUTPUT

STANDARD ERROR/WARNING

None

✓ Default 1

1. Program

Question 1

Revisit Later

How to Attempt?

Unique Digits Count

Write a function to find the count of unique digits in a given number N. The number will be passed to the function as an input parameter of type int.

Assumption: The input number will be a positive integer number ≥ 1 and ≤ 25000 .

For e.g.

If the given number is 292, the function should return 2 because there are only 2 unique digits '2' and '9' in this number

If the given number is 1015, the function should return 3 because there are 3 unique digits in this number, '1', '0' and '5'.

< 1 >



Attempted: 1/1

☐ Use Custom Input

Compile and Test

Submit Code

Code Execution Code History

0/0 - Graded Test Cases Failed

✓ Corner 2

✓ Corner 1

✓ Necessary 2

✓ Necessary 1

✓ Basic 4

✓ Basic 3

✓ Basic 2

✓ Basic 1