## Chapter 1

## 01/10/2020

## 1.1 Accumulation Points

**Definition 1.** Let  $(X, \mathcal{T})$  be a topological space and  $Y \subseteq X$ . We say that  $x \in Y$  is an **accumulation point** of Y if every open subset containing x intersects Y in a point different to x. We denote the set of accumulation points of Y by Y'.

**Example 1.** In  $\mathbb{R}$  we have that

- $([0,1) \cap \{2\})' = [0,1]$
- $\mathbb{Q} = \mathbb{R}$ .

**Theorem 1.** Let  $(X, \mathcal{T})$  be a topological space and  $F \subseteq X$ . Then F is closed if and only if  $F' \subseteq F$ .

*Proof.* Suppose that F is closed and that  $x \in F'$ . We aim to prove that  $x \in F$ . We have that  $X \setminus F$  is open. Suppose  $x \notin F$ , then  $x \in X \setminus F$ . But

$$(X \setminus F) \cap F = \emptyset$$

which implies that no intersection of subsets of F intersects with any open sets containing x on any other point, which is a contradiction. Then  $F' \subseteq F$ .

Suppose now that  $F' \subseteq F$ . Then if  $x \in X \setminus F$  then x is not an accumulation point, so there exists an open subset  $A_x \in X \setminus F$  such that  $x \in A_x$  and  $F \cap A_x = \emptyset$ . Then  $X \setminus F = \bigcup_{x \in X \setminus F} A_x$  is open, hence F is closed.

**Remark.** Let  $(X, \mathcal{T})$  be a topological space. Then, for all  $Y \subseteq X, Y \cup Y'$  is closed.

*Proof.* Let  $x \in X \setminus (Y \cup Y')$ . Notice that  $X \setminus (Y \cup Y') = (X \setminus Y) \cap (X \setminus Y')$ . Let A be an open subset that contains x.

Assume that  $A \cap Y' = \emptyset$  but  $A \cap Y \neq \emptyset$ . Then there exists  $z \neq x \in A \cap Y$  so x is an accumulation point, which is a contradiction.

Assume now that  $A \cap Y = \emptyset$  but  $A \cap Y' \neq \emptyset$ . Then there exists  $z \neq x \in A \cap Y'$ . But because z is an accumulation point, we know that  $A \cap Y \neq \emptyset$  which is a contradiction.

Thus we have that  $A \cap X \setminus (Y \cup Y') = \emptyset$  and the unions of these sets is open, so  $X(Y \cup Y')$  is closed.

**Definition 2.** We call the subset  $Y \cup Y'$  the **closure** of Y and write  $\bar{Y}$ .

**Remark.** Let  $(X, \mathcal{T})$  be a topological space and  $x \in X$ . Let Y be a subset of X. Then  $x \in \overline{Y}$  if every open subset of X containing x intersects Y.

*Proof.* Let A be an open subset of X such that  $x \in A$ .

Assume  $x \in Y$ . Obviously  $A \cap Y \neq \emptyset$ . Assume now  $x \notin Y$ . As  $x \in Y'$ , there exists  $z \in A$  such that  $z \in A \cap Y$  therefore  $A \cap Y \neq \emptyset$ .

Corolary 1.1. Let  $(X,\mathcal{T})$  be a topological space and  $F\subseteq X$ . Then F is closed if and only if  $\bar{F}=F$ .

*Proof.* Assume F is closed. Then, by theorem 1 it follows that  $F' \subseteq F$ , thus  $\bar{F} = F$ . Assume now that  $\bar{F} = F$ . Then

$$F \cup F' = F \Longrightarrow F' \subseteq F$$

and by the reverse application of theorem 1, F is closed.

Corolary 1.2.  $\bar{Y}$  is the smallest closed subset that contains Y.

*Proof.* Suppose that F is closed and  $Y \subseteq F$ . Then  $\bar{Y} \subseteq \bar{F}$ . But F is closed, so  $\bar{Y} \subseteq F$ , so  $\bar{Y}$  is the smallest.